

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Accellerene - see p-Nitrosodimethylaniline (UN 1369)</i>										
	<i>Accumulators, electric - see Batteries etc. (UN 2794, UN 2795, UN 2800, UN 3028, UN 3292)</i>										
	<i>Accumulators, pressurized, hydraulic/pneumatic (containing non-flammable gas) - see Articles, pressurized, etc. (UN 3164)</i>										
UN1088	Acetal	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1089	Acetaldehyde	Forbidden	I								
UN1841	Acetaldehyde ammonia	9	III	MISCELLANEOUS			956	30 kg	956	30 kg	A48
UN2332	Acetaldehyde oxime	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2789	Acetic acid, glacial	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN2789	Acetic acid solution with > 80% acid, by mass	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN2790	Acetic acid solution with >= 50% and <= 80% acid, by mass	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2790	Acetic acid solution with > 10% and < 50% acid, by mass	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN1715	Acetic anhydride	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
	<i>Acetoin - see Acetyl methyl carbinol (UN 2621)</i>										
UN1090	Acetone	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1541	Acetone cyanohydrin, stabilized	Forbidden									
UN1091	Acetone oils	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Acetone-pyrogallol copolymer 2-diazo-1-naphthol-5-sulphonate (100%) - see Self reactive solid type E (UN 3228)</i>										
UN1648	Acetonitrile	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Acetyl acetone peroxide (<= 32%) as a paste - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>Acetyl acetone peroxide (<= 42%, diluent type A >= 48%, water >= 8%) - see Organic peroxide type D, liquid (UN 3105)</i>										
UN1716	Acetyl bromide	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1717	Acetyl chloride	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>Acetyl cyclohexanesulphonyl peroxide (> 82%, water < 12%)</i>	Forbidden									
	<i>Acetylene dichloride - see 1,2-Dichloroethylene (UN 1150)</i>										
UN1001	Acetylene, dissolved	Forbidden									
	<i>Acetylene, liquefied</i>	Forbidden									
	<i>Acetylene silver nitrate</i>	Forbidden									
UN3374	Acetylene, solvent free	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Acetylene tetrabromide - see Tetrabromoethane (UN 2504)</i>										
	<i>Acetylene tetrachloride - see 1,1,2,2 - Tetrachloroethane (UN 1702)</i>										
UN1898	Acetyl iodide	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2621	Acetyl methyl carbinol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Acetyl oxide - see Acetic anhydride (UN 1715)</i>										
	<i>Acraldehyde, etc. - see Acrolein etc. (UN 1092)</i>										
UN2713	Acridine	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN2607	Acrolein dimer, stabilized	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1092	Acrolein, stabilized	Forbidden									
UN2074	Acrylamide, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN3426	Acrylamide solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2218	Acrylic acid, stabilized	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN1093	Acrylonitrile, stabilized	Forbidden	I								
	<i>Actinolite - see White asbestos etc. (UN 2590)</i>										
	<i>Activated carbon or charcoal - see Carbon, activated (UN 1362)</i>										
	<i>Actuating cartridge, explosive - see Cartridges, power device (UN 0275, UN 0276, UN 0323, UN 0381)</i>										
UN1133	Adhesives containing flammable liquid	3	I	FLAMMABLE LIQUID			351	1 L			
UN1133	Adhesives containing flammable liquid	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1133	Adhesives containing flammable liquid	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN2205	Adiponitrile	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Aeroplane, flares - see Flares, aerial</i>										
UN1950	Aerosols, flammable	2.1		FLAMMABLE GAS	Y203	25 kg G	203	25 kg			A145, A167
UN1950	Aerosols, flammable, containing substances in Division 6.1, Packing Group III and substances in Class 8, Packing Group III	2.1 (6.1,8)						Not Accepted			
UN1950	Aerosols, flammable, corrosive, containing substances in Class 8, Packing Group II	Forbidden									
UN1950	Aerosols, flammable, corrosive, containing substances in Class 8, Packing Group III	2.1 (8)		FLAMMABLE GAS & CORROSIVE	Y203	25 kg G	203	25 kg			A145, A167
UN1950	Aerosols, flammable, (engine starting fluid)	Forbidden									
UN1950	Aerosols, flammable, containing substances in Division 6.1, Packing Group I or II	Forbidden									
UN1950	Aerosols, flammable, toxic, containing substances in Division 6.1, Packing Group III	2.1 (6.1)						Not Accepted			
UN1950	Aerosols, flammable, containing toxic gas	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1950	Aerosols, non-flammable	2.2		NON-FLAMMABLE GAS	Y203	25 kg G	203	30 kg			A98, A145, A167
UN1950	Aerosols, non-flammable (containing biological products or a medicinal preparation which will be deteriorated by a heat test)	2.2		NON-FLAMMABLE GAS	Y204	25 kg G	204	30 kg			A98, A145, A167
UN1950	Aerosols, non-flammable, corrosive, containing substances in Class 8, Packing Group III	2.2 (8)		NON-FLAMMABLE GAS & CORROSIVE	Y203	25 kg G	203	30 kg			A145, A167
UN1950	Aerosols, non-flammable, containing substances in Class 8, Packing Group I or II	Forbidden									
UN1950	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III and substances in Class 8, Packing Group III	2.2 (6.1,8)						Not Accepted			
UN1950	Aerosols, non-flammable, toxic, containing substances in Division 6.1, Packing Group III	Forbidden									
UN1950	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group I or II	Forbidden									
UN1950	Aerosols, non-flammable, containing toxic gas	Forbidden									
UN1950	Aerosols, non-flammable, oxidizing	2.2 (5.1)						Not Accepted			
UN1950	Aerosols, non-flammable (tear gas devices)	Forbidden									
UN0331	Agent, blasting type B	Forbidden									
UN0332	Agent, blasting type E	Forbidden									
UN0503	Air bag inflators	Forbidden									
UN3268	Air bag inflators	9	III	MISCELLANEOUS ("EX" number must be entered on SDDG & HMMS)			961	25 kg	961	30 kg	A32, A115, A119
UN0503	Air bag modules	Forbidden									
UN3268	Air bag modules	9	III	MISCELLANEOUS ("EX" number must be entered on SDDG & HMMS)			961	25 kg	961	30 kg	A32, A115, A119
UN1002	Air, compressed	2.2		NON-FLAMMABLE GAS			200	30 kg			
	Aircraft - see Vehicle etc. (UN 3166)										
	Aircraft engines, including turbines - see Engines, internal combustion etc. (UN 3166)										
	Aircraft evacuation slides - see Life-saving appliances, self-inflating (UN 2990)										
UN3165	Aircraft hydraulic power unit fuel tank containing a mixture of anhydrous hydrazine & methyl hydrazine (M86 fuel)	Forbidden	I								
	Aircraft survival kits - see Life-saving appliances, not self-inflating (UN 3072); Life-saving appliances, self-inflating (UN 2990)										
UN1003	Air, refrigerated liquid	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3274	Alcoholates solution, n.o.s. (in alcohol)*	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	Alcohol, denatured - see Alcohols, n.o.s.; Alcohols, flammable, toxic, n.o.s.										
	Alcoholic beverages, <= 24% alcohol by volume							25 L			
	Alcoholic beverages, <= 70% alcohol by volume, in receptacles <= 5 litres							25 L			
UN3065	Alcoholic beverages with > 24% and <= 70% alcohol by volume, in receptacles, each having capacities of more than 5 litres	3	III	See www.ups.com/wine for requirements and restrictions							
UN3065	Alcoholic beverages with more than 70% alcohol by volume	3	II	See www.ups.com/wine for requirements and restrictions							
	Alcohol, industrial - see Alcohols, n.o.s. (UN 1987); Alcohols, toxic, flammable, n.o.s. (UN 1986)										
UN1987	Alcohols, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A180
UN1987	Alcohols, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A180
UN1986	Alcohols, flammable, toxic, n.o.s.*	Forbidden	I								
UN1986	Alcohols, flammable, toxic, n.o.s.*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN1986	Alcohols, flammable, toxic, n.o.s.*	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			A3
	Aldehyde ammonia - see Acetaldehyde ammonia (UN 1841)										
UN1988	Aldehydes, flammable, toxic, n.o.s.*	Forbidden	I								
UN1988	Aldehydes, flammable, toxic, n.o.s.*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN1988	Aldehydes, flammable, toxic, n.o.s.*	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			A3
UN1989	Aldehydes, n.o.s.*	3	I	FLAMMABLE LIQUID			351	1 L			
UN1989	Aldehydes, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1989	Aldehydes, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN2839	Aldol	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3206	Alkali metal alcoholates, self-heating, corrosive, n.o.s.*	4.2 (8)	II					Not Accepted			
UN3206	Alkali metal alcoholates, self-heating, corrosive, n.o.s.*	4.2 (8)	III					Not Accepted			
UN1421	Alkali metal alloy, liquid, n.o.s.	Forbidden	I								
UN1389	Alkali metal amalgam, liquid	Forbidden	I								
UN3401	Alkali metal amalgam, solid	Forbidden	I								
UN1390	Alkali metal amides	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			A84
UN1391	Alkali metal dispersion	Forbidden	I								
UN3482	Alkali metal dispersion	Forbidden	I								

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Alkaline corrosive battery fluid - see Battery fluid, alkali (UN 2797)</i>										
UN3205	Alkaline earth metal alcoholates, n.o.s.*	4.2	II					Not Accepted			
UN3205	Alkaline earth metal alcoholates, n.o.s.*	4.2	III					Not Accepted			
UN1393	Alkaline earth metal alloy, n.o.s.	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			A85
UN1392	Alkaline earth metal amalgam, liquid	Forbidden	I								
UN3402	Alkaline earth metal amalgam, solid	Forbidden	I								
UN1391	Alkaline earth metal dispersion	Forbidden	I								
UN3482	Alkaline earth metal dispersion	Forbidden	I								
UN3140	Alkaloid salts, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6
UN3140	Alkaloid salts, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN3140	Alkaloid salts, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN1544	Alkaloid salts, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN1544	Alkaloid salts, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1544	Alkaloid salts, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6
UN3140	Alkaloids, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6
UN3140	Alkaloids, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN3140	Alkaloids, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN1544	Alkaloids, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN1544	Alkaloids, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1544	Alkaloids, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6
UN3145	Alkylphenols, liquid, n.o.s. including C ₂ - C ₁₂ homologues	8	I	CORROSIVE			850	0.5 L			
UN3145	Alkylphenols, liquid, n.o.s. including C ₂ - C ₁₂ homologues	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3145	Alkylphenols, liquid, n.o.s. including C ₂ - C ₁₂ homologues	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2430	Alkylphenols, solid, n.o.s. including C ₂ - C ₁₂ homologues	8	I	CORROSIVE			858	1 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2430	Alkylphenols, solid, n.o.s. including C ₂ - C ₁₂ homologues	8	II	CORROSIVE	Y843	1 kg	859	15 kg			
UN2430	Alkylphenols, solid, n.o.s. including C ₂ - C ₁₂ homologues	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN2586	Alkylsulphonic acids, liquid with <= 5% free sulphuric acid	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2584	Alkylsulphonic acids, liquid with > 5% free sulphuric acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2585	Alkylsulphonic acids, solid with <= 5% free sulphuric acid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2583	Alkylsulphonic acids, solid with > 5% free sulphuric acid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2571	Alkylsulphuric acids*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	Allene - see Propadiene, stabilized (UN 2200)										
UN2333	Allyl acetate	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN1098	Allyl alcohol	Forbidden									
UN2334	Allylamine	Forbidden									
UN1099	Allyl bromide	Forbidden	I								
UN1100	Allyl chloride	Forbidden	I								
	Allyl chlorocarbonate - see Allyl chloroformate (UN 1722)										
UN1722	Allyl chloroformate	Forbidden									
UN2335	Allyl ethyl ether	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2336	Allyl formate	Forbidden	I								
UN2219	Allyl glycidyl ether	3	III	FLAMMABLE LIQUID FLAMMABLE LIQUID & CORROSIVE	Y344	10 L	355	25 L			
UN1723	Allyl iodide	3 (8)	II		Y340	0.5 L	352	1 L			
UN1545	Allyl isothiocyanate, stabilized	Forbidden	II								
UN1724	Allyltrichlorosilane, stabilized	Forbidden	II								
UN2870	Aluminium borohydride	Forbidden									
UN2870	Aluminium borohydride in devices	Forbidden									
UN1725	Aluminium bromide, anhydrous	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2580	Aluminium bromide solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1394	Aluminium carbide	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN1726	Aluminium chloride, anhydrous	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2581	Aluminium chloride solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	Aluminium dross - see Aluminium remelting by- products; Aluminium smelting by-products (UN 3170)										
	Aluminium dross, hot or wet	Forbidden									
UN1395	Aluminium ferrosilicon powder	4.3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y474	1 kg	483	15 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2463	Aluminium hydride	Forbidden	I					Not Accepted			
UN1438	Aluminium nitrate	5.1	III								
UN1397	Aluminium phosphide	Forbidden	I								
UN3048	Aluminium phosphide pesticide	Forbidden	I								
UN1309	Aluminium powder, coated	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN1309	Aluminium powder, coated	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
UN1396	Aluminium powder, uncoated	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN1396	Aluminium powder, uncoated	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3
UN3170	Aluminium remelting by-products	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			A102
UN3170	Aluminium remelting by-products	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3, A102
UN2715	Aluminium resinate	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	<i>Aluminium silicon powder, coated</i>							30 kg			
UN1398	Aluminium silicon powder, uncoated	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3, A53
UN3170	Aluminium smelting by-products	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			A102
UN3170	Aluminium smelting by-products	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3, A102
	<i>Amatols - see Explosive, blasting, type B (UN 0082, UN 0031)</i>										
UN2733	Amines, flammable, corrosive, n.o.s.*	3 (8)	I	FLAMMABLE LIQUID & CORROSIVE			350	0.5 L			
UN2733	Amines, flammable, corrosive, n.o.s.*	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2733	Amines, flammable, corrosive, n.o.s.*	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3
UN2735	Amines, liquid, corrosive, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN2735	Amines, liquid, corrosive, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2735	Amines, liquid, corrosive, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2734	Amines, liquid, corrosive, flammable, n.o.s.*	8 (3)	I	CORROSIVE & FLAMMABLE LIQUID			850	0.5 L			
UN2734	Amines, liquid, corrosive, flammable, n.o.s.*	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN3259	Amines, solid, corrosive, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3259	Amines, solid, corrosive, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN3259	Amines, solid, corrosive, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
	<i>Aminobenzene - see Aniline (UN 1547)</i>										
	<i>2-Aminobenzotrifluoride - see 2-Trifluoromethylaniline (UN 2942)</i>										
	<i>3-Aminobenzotrifluoride - see 3-Trifluoromethylaniline (UN 2948)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Aminobutane - see n-Butylamine (UN 1125)</i>										
UN2673	2-Amino-4-chlorophenol	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2946	2-Amino-5-diethylaminopentane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN3317	2-Amino-4,6-dinitrophenol, wetted with >= 20% water, by mass	4.1	I	FLAMMABLE SOLID			451	1 kg			A40
UN3055	2-(2-Aminoethoxy)ethanol	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2815	N-Aminoethylpiperazine	8	III	CORROSIVE	Y841	1 L	852	5 L			
	<i>1-Amino-nitrobenzenes - see Nitroanilines (UN 1661)</i>										
UN2512	Aminophenols (o-, m-, p-)	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A113
	<i>Aminopropyl-diethanolamine - see Amines, liquid, corrosive, n.o.s. (UN 2735)</i>										
	<i>n-Aminopropylmorpholine - see Amines, liquid, corrosive, n.o.s. (UN 2735)</i>										
UN2671	Aminopyridines (o-, m-, p-)	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1005	Ammonia, anhydrous	Forbidden									
UN2073	Ammonia solution relative density < 0.880 at 15°C in water, with > 35% and <= 50% ammonia	Forbidden									
UN2672	Ammonia solution relative density >= 0.880 and < 0.957 at 15°C in water, with > 10% and <= 35% ammonia	8	III	CORROSIVE	Y841	1 L	852	5 L			A64
UN3318	Ammonia solution relative density < 0.880 at 15° in water, with > 50% ammonia	Forbidden									
UN1546	Ammonium arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Ammonium azide</i>	Forbidden									
	<i>Ammonium bichromate - see Ammonium dichromate (UN 1439)</i>										
	Ammonium bifluoride, solid - see Ammonium hydrogendifluoride, solid (UN 1727)										
	Ammonium bifluoride solution - see Ammonium hydrogendifluoride solution (UN 2817)										
	<i>Ammonium bisulphate - see Ammonium hydrogen sulphate (UN 2506)</i>										
	<i>Ammonium bisulphite solution - see Bisulphites, aqueous solution, n.o.s. (UN 2693)</i>										
	<i>Ammonium bromate</i>	Forbidden									
	<i>Ammonium chlorate</i>	Forbidden									
UN1439	Ammonium dichromate	5.1	II					Not Accepted			
UN1843	Ammonium dinitro-o-cresolate, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3424	Ammonium dinitro-o-cresolate, solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3424	Ammonium dinitro-o-cresolate, solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2505	Ammonium fluoride	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN2854	Ammonium fluorosilicate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	Ammonium fulminate	Forbidden									
	Ammonium hexafluorosilicate - see Ammonium fluorosilicate (UN 2854)										
	Ammonium hydrate - see Ammonia solution (UN 2073, UN 2672, UN 3318)										
UN1727	Ammonium hydrogendifluoride, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2817	Ammonium hydrogendifluoride solution	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
UN2817	Ammonium hydrogendifluoride solution	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y841	1 L	852	5 L			A3
UN2506	Ammonium hydrogen sulphate	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
	Ammonium hydrosulphide, solution - see Ammonium sulphide solution (UN 2683)										
	Ammonium hydroxide - see Ammonia solution (UN 2073, UN 2672, UN 3318)										
UN2859	Ammonium metavanadate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1942	Ammonium nitrate with <= 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	5.1	III					Not Accepted			
UN2067	Ammonium nitrate based fertilizer	5.1	III					Not Accepted			
UN3375	Ammonium nitrate emulsion intermediate for blasting explosives	Forbidden									
	Ammonium nitrate explosives - see Explosive, blasting, type B (UN 0082, UN 0331)										
UN2071	Ammonium nitrate fertilizers	9		MISCELLANEOUS	Y958	30 kg G	958	30 kg	958	30 kg	A89, A90
UN3375	Ammonium nitrate gel intermediate for blasting explosives	Forbidden									
UN2426	Ammonium nitrate, liquid hot concentrated solution	Forbidden									
UN3375	Ammonium nitrate suspension intermediate for blasting explosives	Forbidden									
UN0222	Ammonium nitrate with > 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Ammonium nitrite</i>	Forbidden									
UN0402	Ammonium perchlorate	Forbidden									
UN1442	Ammonium perchlorate	5.1	II					Not Accepted			
	<i>Ammonium permanganate</i>	Forbidden									
UN1444	Ammonium persulphate	5.1	III					Not Accepted			
UN0004	Ammonium picrate <i>dry or wetted with < 10% water</i>	Forbidden									
UN1310	Ammonium picrate , <i>wetted with <= 10% water</i>	4.1	I	FLAMMABLE SOLID Refer to DOT Special Permit or 49 CFR 173.13			451	0.5 kg			A40
UN2818	Ammonium polysulphide solution	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
UN2818	Ammonium polysulphide solution	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y841	1 L	852	5 L			A3
UN2861	Ammonium polyvanadate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Ammonium silicofluoride - see Ammonium fluorosilicate (UN 2854)</i>										
UN2683	Ammonium sulphide solution	8 (3,6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
	<i>Ammunition, blank - see Cartridges for weapons, blank (UN 0014, UN 0326, UN 0327, UN 0338, UN 0413)</i>										
	<i>Ammunition, fixed, semi-fixed or separate loading - see Cartridges for weapons (UN 0005, UN 0006, UN 0007, UN 0321, UN 0348, UN 0412)</i>										
UN0171	Ammunition, illuminating <i>with or without burster, expelling charge or propelling charge</i>	Forbidden									
UN0254	Ammunition, illuminating <i>with or without burster, expelling charge or propelling charge</i>	Forbidden									
UN0297	Ammunition, illuminating <i>with or without burster, expelling charge or propelling charge</i>	Forbidden									
UN0247	Ammunition, incendiary <i>liquid or gel, with burster, expelling charge or propelling charge</i>	Forbidden									
UN0009	Ammunition, incendiary <i>with or without burster, expelling charge or propelling charge</i>	Forbidden									
UN0010	Ammunition, incendiary <i>with or without burster, expelling charge or propelling charge</i>	Forbidden									
UN0300	Ammunition, incendiary <i>with or without burster, expelling charge or propelling charge</i>	Forbidden									
	<i>Ammunition, incendiary (water-activated contrivances) - see Contrivances, water-activated (UN 0248, UN 0249)</i>										
UN0243	Ammunition, incendiary, white phosphorus <i>with burster, expelling charge or propelling charge</i>	Forbidden									
UN0244	Ammunition, incendiary, white phosphorus <i>with burster, expelling charge or propelling charge</i>	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Ammunition, industrial - see Cartridges, oil well (UN 0277, UN 0278) ; Cartridges, power device (UN 0275, UN 0276, UN 0323, UN 0381)</i>										
	<i>Ammunition, lachrymatory - see Ammunition, tear-producing</i>										
UN0362	Ammunition, practice	Forbidden									
UN0488	Ammunition, practice	Forbidden									
UN0363	Ammunition, proof	Forbidden									
UN0015	Ammunition, smoke with or without burster, expelling charge or propelling charge	Forbidden									
UN0016	Ammunition, smoke with or without burster, expelling charge or propelling charge	Forbidden									
UN0303	Ammunition, smoke with or without burster, expelling charge or propelling charge	Forbidden									
	<i>Ammunition, smoke (water-activated contrivances), with or without white phosphorus, burster, expelling charge or propelling charge - see Contrivances, water-activated, etc. (UN 0248, UN 0249)</i>										
UN0245	Ammunition, smoke, white phosphorus with burster, expelling charge or propelling charge	Forbidden									
UN0246	Ammunition, smoke, white phosphorus with burster, expelling charge or propelling charge	Forbidden									
	<i>Ammunition, sporting - see Cartridges for weapons, inert projectile (UN 00012, UN 0328, UN 0329, UN 0417)</i>										
UN0018	Ammunition, tear-producing with burster, expelling charge or propelling charge	Forbidden									
UN0019	Ammunition, tear-producing with burster, expelling charge or propelling charge	Forbidden									
UN0301	Ammunition, tear-producing with burster, expelling charge or propelling charge	Forbidden									
UN2017	Ammunition, tear-producing, non-explosive without burster or expelling charge, non-fuzed	Forbidden	II								
UN0020	Ammunition, toxic with burster, expelling charge or propelling charge*	Forbidden									
UN0021	Ammunition, toxic with burster, expelling charge or propelling charge*	Forbidden									
UN2016	Ammunition, toxic, non-explosive without burster or expelling charge, non-fuzed	Forbidden	II								
	<i>Ammunition, toxic (water-activated contrivances) - see Contrivances, water-activated (UN 0248, UN 0249)</i>										
	<i>Amorces - see Fireworks (UN 0333, UN 0336, UN 0337)</i>										
	<i>Amosite - see Brown asbestos (UN 2212)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1104	Amyl acetates	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2819	Amyl acid phosphate	8	III	CORROSIVE	Y841	1 L	852	5 L			
	<i>Amyl alcohols - see Pentanols (UN 1105)</i>										
	<i>Amyl aldehyde - see Valeraldehyde (UN 2058)</i>										
UN1106	Amylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1106	Amylamine	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3
UN2620	Amyl butyrates	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1107	Amyl chloride	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1108	n-Amylene	3	I	FLAMMABLE LIQUID			351	1 L			
UN1109	Amyl formates	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>tert-Amyl hydroperoxide (<= 88%, diluent type A >= 6%, water >= 6%) - see Organic peroxide type E, liquid (UN 3107)</i>										
UN1111	Amyl mercaptan	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1110	n-Amyl methyl ketone	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1112	Amyl nitrate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1113	Amyl nitrite	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>tert-Amyl peroxy-3,5,5-trimethylhexanoate (<= 42%, dilute type B <= 58%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>tert-Amyl peroxybenzoate (<= 100%) - see Organic peroxide type C, liquid (UN 3103)</i>										
	<i>tert-Amyl peroxy-2-ethylhexanoate</i>	Forbidden									
	<i>tert-Amyl peroxy-2-ethylhexyl carbonate (<= 100%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>tert-Amyl peroxy isoproyl carbonate (<= 77%, diluent type A >= 23%) - see Organic peroxide type C, liquid (UN 3104)</i>										
	<i>tert-Amyl peroxyneodecanoate (<= 77%, diluent type B >= 23%) (UN 3115)</i>	Forbidden									
	<i>tert-Amyl peroxyneodecanoate (<= 47%, diluent type A >= 53%) (UN 3119)</i>	Forbidden									
	<i>tert-Amyl peroxy-pivalate (<= 77%, diluent type B >= 23%)</i>	Forbidden									
UN1728	Amyl trichlorosilane	Forbidden	II								
	<i>Anaesthetic ether - see Diethyl ether (UN 1155)</i>										
UN1547	Aniline	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A113
	<i>Aniline chloride - see Aniline hydrochloride (UN 1548)</i>										
UN1548	Aniline hydrochloride	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>Aniline oil - see Aniline (UN 1547)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Aniline salt - see Aniline hydrochloride (UN 1548)</i>										
UN2431	Anisidines	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2222	Anisole	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1729	Anisoyl chloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>Anthophyllite - see White asbestos (UN 2590)</i>										
	<i>Antimonious chloride - see Antimony trichloride (UN 1733)</i>										
UN3141	Antimony compound, inorganic, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A12
UN1549	Antimony compound, inorganic, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A12
	<i>Antimony hydride - see Stibine (UN 2676)</i>										
UN1550	Antimony lactate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1730	Antimony pentachloride, liquid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1731	Antimony pentachloride solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1731	Antimony pentachloride solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1732	Antimony pentafluoride	Forbidden	II								
	<i>Antimony perchloride, liquid - see Antimony pentachloride, liquid (UN 1730)</i>										
UN1551	Antimony potassium tartrate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN2871	Antimony powder	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>Antimony sulphide and a chlorate, mixture of</i>	Forbidden									
UN1733	Antimony trichloride	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
	<i>ANTU - see Naphthylthiourea (UN 1651)</i>										
UN1006	Argon, compressed	2.2		NON-FLAMMABLE GAS			200	30 kg			A69
UN1951	Argon, refrigerated liquid	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	30 kg			A801
	<i>Arsenates - see Arsenic compound, liquid, n.o.s. (UN 1556); Arsenic compound, solid, n.o.s. (UN 1557); Lead arsenate (UN 1617)</i>										
UN1558	Arsenic	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1553	Arsenic acid, liquid	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			
UN1554	Arsenic acid, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1562	Arsenical dust	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2760	Arsenical pesticide, liquid, flammable, toxic flash point < 23°C*	Forbidden	I								
UN2760	Arsenical pesticide, liquid, flammable, toxic flash point < 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2994	Arsenical pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2994	Arsenical pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2994	Arsenical pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2993	Arsenical pesticide, liquid, toxic, flammable flash point $\geq 23^{\circ}\text{C}^*$	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2993	Arsenical pesticide, liquid, toxic, flammable flash point $\geq 23^{\circ}\text{C}^*$	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2993	Arsenical pesticide, liquid, toxic, flammable flash point $\geq 23^{\circ}\text{C}^*$	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2759	Arsenical pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2759	Arsenical pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2759	Arsenical pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN1555	Arsenic bromide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Arsenic chloride - see Arsenic trichloride (UN 1560)</i>										
UN1556	Arsenic compound, liquid, n.o.s. inorganic, including: arsenates, arsenites, and arsenic sulphides*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6
UN1556	Arsenic compound, liquid, n.o.s. inorganic, including: arsenates, arsenites, and arsenic sulphides*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN1556	Arsenic compound, liquid, n.o.s. inorganic, including: arsenates, arsenites, and arsenic sulphides*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN1557	Arsenic compound, solid, n.o.s. inorganic, including: arsenates, arsenites, and arsenic sulphides*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN1557	Arsenic compound, solid, n.o.s. inorganic, including: arsenates, arsenites, and arsenic sulphides*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1557	Arsenic compound, solid, n.o.s. inorganic, including: arsenates, arsenites, and arsenic sulphides*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6
	<i>Arsenic (III) oxide - see Arsenic trioxide</i>										
	<i>Arsenic (V) oxide - see Arsenic pentoxide</i>										
UN1559	Arsenic pentoxide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Arsenic sulphide and chlorate mixtures</i>	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Arsenic sulphides - see Arsenic compound, liquid, n.o.s. (UN 1556); Arsenic compound, solid, n.o.s. (UN 1557)</i>										
UN1560	Arsenic trichloride	Forbidden									
UN1561	Arsenic trioxide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Arsenious chloride - see Arsenic trichloride (UN 1560)</i>										
	<i>Arsenites, n.o.s. - see Arsenic compound, liquid, n.o.s. (UN 1556); Arsenic compound, solid, n.o.s. (UN 1557)</i>										
	<i>Arsenous chloride - see Arsenic trichloride (UN 1560)</i>										
UN2188	Arsine	Forbidden									
UN0486	Articles, EEI	Forbidden									
UN0349	Articles, explosive, n.o.s.*	1.4S		EXPLOSIVE 1.4 S			101	25 kg			A62
UN0350	Articles, explosive, n.o.s.*	Forbidden									
UN0351	Articles, explosive, n.o.s.*	Forbidden									
UN0352	Articles, explosive, n.o.s.*	Forbidden									
UN0353	Articles, explosive, n.o.s.*	Forbidden									
UN0354	Articles, explosive, n.o.s.*	Forbidden									
UN0355	Articles, explosive, n.o.s.*	Forbidden									
UN0356	Articles, explosive, n.o.s.*	Forbidden									
UN0462	Articles, explosive, n.o.s.*	Forbidden									
UN0463	Articles, explosive, n.o.s.*	Forbidden									
UN0464	Articles, explosive, n.o.s.*	Forbidden									
UN0465	Articles, explosive, n.o.s.*	Forbidden									
UN0466	Articles, explosive, n.o.s.*	Forbidden									
UN0467	Articles, explosive, n.o.s.*	Forbidden									
UN0468	Articles, explosive, n.o.s.*	Forbidden									
UN0469	Articles, explosive, n.o.s.*	Forbidden									
UN0470	Articles, explosive, n.o.s.*	Forbidden									
UN0471	Articles, explosive, n.o.s.*	Forbidden									
UN0472	Articles, explosive, n.o.s.*	Forbidden									
UN0486	Articles, explosive, extremely insensitive	Forbidden									
UN3164	Articles, pressurized, hydraulic containing non-flammable gas	2.2		NON-FLAMMABLE GAS			208	30 kg G			A48, A114
UN3164	Articles, pressurized, pneumatic containing non-flammable gas	2.2		NON-FLAMMABLE GAS			208	30 kg G			A48, A114
UN0380	Articles, pyrophoric	Forbidden									
UN0428	Articles, pyrotechnic for technical purposes	Forbidden									
UN0429	Articles, pyrotechnic for technical purposes	Forbidden									
UN0430	Articles, pyrotechnic for technical purposes	Forbidden									
UN0431	Articles, pyrotechnic for technical purposes	Forbidden									
UN0432	Articles, pyrotechnic for technical purposes	1.4S		EXPLOSIVE 1.4 S			135	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2584	Arylsulphonic acids, liquid with > 5% free sulphuric acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2586	Arylsulphonic acids, liquid with <= 5% free sulphuric acid	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2583	Arylsulphonic acids, solid with > 5% free sulphuric acid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2585	Arylsulphonic acids, solid with <= 5% free sulphuric acid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
	Asbestos - see Blue asbestos (UN 2212); Brown asbestos (UN 2212); White asbestos (UN 2590)										
	Ascaridole	Forbidden									
UN3334	Aviation regulated liquid, n.o.s.*	9		MISCELLANEOUS			964	25 L	964	25 L	A27, A48
UN3335	Aviation regulated solid, n.o.s.*	9		MISCELLANEOUS			956	30 kg	956	30 kg	A27, A48
	Azaurolic acid (salt of) (dry)	Forbidden									
	Azidodithiocarbonic acid	Forbidden									
	Azidoethyl nitrate	Forbidden									
	Azido guanidine picrate (dry)	Forbidden									
	5-Azido-1-hydroxy tetrazole	Forbidden									
	Azido hydroxy tetrazole (mercury and silver salts)	Forbidden									
	3-Azido-1,2-propylene glycol dinitrate	Forbidden									
UN3242	Azodicarbonamide	Forbidden									
	Azodicarbonamide formulation type C (<= 100%) - see Self reactive solid, type C (UN 3224)										
	Azodicarbonamide formulation type D (<= 100%) - see Self reactive solid, type D (UN 3226)										
	Azodicarbonamide formulation type B, temperature controlled (<= 100%)	Forbidden									
	Azodicarbonamide formulation type C, temperature controlled	Forbidden									
	Azodicarbonamide formulation type D, temperature controlled	Forbidden									
	2,2'-Azodi (2,4-dimethyl-4-methoxyvaleronitrile) (100%)	Forbidden									
	2,2'-Azodi (2,4-dimethyl-valeronitrile) (100%)	Forbidden									
	2,2'-Azodi (ethyl-2-methylpropionate) (100%)	Forbidden									
	1,1'-Azodi (hexahydrobenzozonitrile) (100%) - see Self reactive solid, type D (UN 3226)										
	2,2'-Azodi (isobutyronitrile) as a water-based paste (<= 50%) - see Self reactive solid, type C (UN 3224)										
	Azodiisobutyronitrile (100%)	Forbidden									
	2,2'-Azodi (isobutyronitrile) (100%)	Forbidden									
	2,2'-Azodi (2-methylbutyronitrile) (100%)	Forbidden									
	Azotetrazole (dry)	Forbidden									
	Bag charges - see Charges, propelling, for cannon (UN 0242, UN 0279, UN 0414)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Ballistite - see Powder, smokeless (UN 0160, UN 0161)</i>										
	<i>Bangalore torpedoes - see Mines bursting charge (UN 0136, UN 0137, UN 0138, UN 0294)</i>										
UN1400	Barium	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN1854	Barium alloys, pyrophoric	Forbidden									
UN0224	Barium azide dry or wetted with < 50% water, by mass	Forbidden									
UN1571	Barium azide, wetted with >= 50% water, by mass	Forbidden	I								
	<i>Barium binoxide - see Barium peroxide</i>										
UN2719	Barium bromate	5.1 (6.1)	II					Not Accepted			
UN1445	Barium chlorate, solid	5.1 (6.1)	II					Not Accepted			
UN3405	Barium chlorate solution	5.1 (6.1)	II					Not Accepted			
UN3405	Barium chlorate solution	5.1 (6.1)	III					Not Accepted			
UN1564	Barium compound, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A82
UN1564	Barium compound, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A82
UN1565	Barium cyanide	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
	<i>Barium dioxide - see Barium peroxide (UN 1449)</i>										
UN2741	Barium hypochlorite with > 22% available chlorine	5.1 (6.1)	II					Not Accepted			
UN1446	Barium nitrate	5.1 (6.1)	II					Not Accepted			
UN1884	Barium oxide	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1447	Barium perchlorate, solid	5.1 (6.1)	II					Not Accepted			
UN3406	Barium perchlorate solution	5.1 (6.1)	II					Not Accepted			
UN3406	Barium perchlorate solution	5.1 (6.1)	III					Not Accepted			
UN1448	Barium permanganate	5.1 (6.1)	II					Not Accepted			
UN1449	Barium peroxide	5.1 (6.1)	II					Not Accepted			
	<i>Barium selenate - see Selenates (UN 2630)</i>										
	<i>Barium selenite - see Selenites (UN 2630)</i>										
	<i>Barium superoxide - see Barium peroxide (UN 1449)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3292	Batteries, containing sodium	Forbidden	II								
UN3028	Batteries, dry, containing potassium hydroxide, solid electric storage	8		CORROSIVE			871	25 kg G			A183
	Batteries, electric storage - see special provision A123										
	Batteries, lithium type - see Lithium batteries etc.										
UN2794	Batteries, wet, filled with acid electric storage	8						Not Accepted			
UN2795	Batteries, wet, filled with alkali electric storage	8						Not Accepted			
UN2800	Batteries, wet, non-spillable electric storage	8		CORROSIVE			872	25 kg G			A48, A67, A164, A183
UN2796	Battery fluid, acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2797	Battery fluid, alkali	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3171	Battery-powered equipment	9		MISCELLANEOUS				Not Accepted		Not Accepted	A807
UN3171	Battery-powered vehicle	9		MISCELLANEOUS				Not Accepted		Not Accepted	A807
UN1990	Benzaldehyde	9	III	MISCELLANEOUS	Y964	30 kg G	964	25 L	964	25 L	
UN1114	Benzene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	Benzene diazonium chloride (dry)	Forbidden									
	Benzene diazonium nitrate (dry)	Forbidden									
	Benzene-1,3-disulphonyl hydrazide, as paste (100%) - see Self-reactive solid, type D (UN 3226)										
	Benzene sulphonyl hydrazide (100%) - see Self-reactive solid, type D (UN 3226)										
UN2225	Benzenesulphonyl chloride	8	III	CORROSIVE	Y841	1 L	852	5 L			
	Benzenethiol - see Phenyl mercaptan (UN 2337)										
	Benzene triozonide	Forbidden									
UN1885	Benzidine	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	Benzol - see Benzene (UN 1114)										
	Benzolene - see Petroleum distillates, n.o.s. (UN 1268)										
UN2224	Benzonitrile	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2587	Benzoquinone	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	Benzosulphochloride - see Benzenesulphonyl chloride (UN 2225)										
UN2226	Benzotrichloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2338	Benzotrifluoride	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	Benzoxidiazoles (dry)	Forbidden									
	Benzoyl azide	Forbidden									
UN1736	Benzoyl chloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1737	Benzyl bromide	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13			653	1 L			
UN1738	Benzyl chloride	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13			653	1 L			
	<i>Benzyl chlorocarbonate - see Benzyl chloroformate (UN 1739)</i>										
UN1739	Benzyl chloroformate	Forbidden	I								
	<i>Benzyl cyanide - see Phenylacetoneitrile, liquid (UN 2470)</i>										
UN2619	Benzyl dimethylamine	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
	<i>4-(Benzyl(ethylamino)-3-ethoxy-benzenediazonium zinc chloride (100%) - see Self-reactive substance, type D (UN 3226)</i>										
UN1886	Benzylidene chloride	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2653	Benzyl iodide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>4-(Benzyl(methylamino)-3-ethoxy-benzenediazonium zinc chloride (100%) - see Self-reactive substance, type D (UN 3226)</i>										
UN1566	Beryllium compound, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1566	Beryllium compound, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2464	Beryllium nitrate	5.1 (6.1)	II					Not Accepted			
UN1567	Beryllium powder	6.1 (4.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	668	15 kg			
	<i>Beverage extract (concentrate) - see Corrosive liquid, acidic, inorganic, n.o.s. (UN 3264)</i>										
UN2251	Bicyclo[2,2,1]hepta-2-5-diene, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Bifluorides, n.o.s. - see Hydrogendifluorides, n.o.s. (UN 1740)</i>										
UN3373	Biological substance, category B	6.2		INFECTIOUS SUBSTANCE			See 650	4 L or 4 kg			
UN3291	Biomedical waste, n.o.s.	6.2	II					Not Accepted			
	<i>Biphenyl triozonide</i>	Forbidden									
UN3016	Bipyridilium pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3016	Bipyridilium pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3016	Bipyridilium pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3015	Bipyridilium pesticide, liquid, toxic, flammable flash point >= 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3015	Bipyridilium pesticide, liquid, toxic, flammable flash point >= 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3015	Bipyridilium pesticide, liquid, toxic, flammable flash point >= 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2781	Bipyridilium pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2781	Bipyridilium pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2781	Bipyridilium pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2782	Bipyridilium pesticide, toxic, liquid, flammable flash point < 23°C*	Forbidden	I								
UN2782	Bipyridilium pesticide, toxic, liquid, flammable flash point < 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2837	Bisulphates, aqueous solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2837	Bisulphates, aqueous solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2693	Bisulphites, aqueous solution, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN0027	Black powder granular or as a meal	Forbidden									
UN0028	Black powder, compressed	Forbidden									
UN0028	Black powder in pellets	Forbidden									
	Blasting cap assemblies - see Detonator assemblies, non electric										
	Blasting caps, electric - see Detonators, electric										
	Blasting caps, non-electric - see Detonators, non-electric										
	Bleaching powder - see Calcium hypochlorite mixture, dry										
UN2212	Blue asbestos crocidolite	9		MISCELLANEOUS			Forbidden	Forbidden	Forbidden	Forbidden	A61
UN0033	Bombs bursting charge	Forbidden									
UN0034	Bombs bursting charge	Forbidden									
UN0035	Bombs bursting charge	Forbidden									
UN0291	Bombs bursting charge	Forbidden									
	Bombs, illuminating - see Ammunition, illuminating										
UN0037	Bombs, photo-flash	Forbidden									
UN0038	Bombs, photo-flash	Forbidden									
UN0039	Bombs, photo-flash	Forbidden									
UN0299	Bombs, photo-flash	Forbidden									
UN2028	Bombs, smoke, non-explosive corrosive liquid, without initiating device	Forbidden	II								
	Bombs, target identification - see Ammunition, illuminating										
UN0399	Bombs with flammable liquid bursting charge	Forbidden									
UN0400	Bombs with flammable liquid bursting charge	Forbidden									
UN0042	Boosters without detonator	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0283	Boosters <i>without</i> detonator	Forbidden									
UN0225	Boosters with detonator	Forbidden									
UN0268	Boosters with detonator	Forbidden									
	<i>Borate and chlorate mixture - see Chlorate and borate mixture (UN 1458)</i>										
UN1312	Borneol	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN2692	Boron tribromide	Forbidden									
UN1741	Boron trichloride	Forbidden									
UN1008	Boron trifluoride	Forbidden									
UN1742	Boron trifluoride acetic acid complex, liquid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3419	Boron trifluoride acetic acid complex, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2604	Boron trifluoride diethyl etherate	8 (3)	I	CORROSIVE & FLAMMABLE LIQUID			850	0.5 L			
UN2851	Boron trifluoride dihydrate	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2965	Boron trifluoride dimethyl etherate	Forbidden	I								
UN1743	Boron trifluoride propionic acid complex, liquid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3420	Boron trifluoride propionic acid complex, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1450	Bromates, inorganic, n.o.s.*	5.1	II					Not Accepted			
UN3213	Bromates, inorganic, aqueous solution, n.o.s.*	5.1	II					Not Accepted			
UN3213	Bromates, inorganic, aqueous solution, n.o.s.*	5.1	III					Not Accepted			
UN1744	Bromine	Forbidden									
	<i>Bromine azide</i>	Forbidden									
UN2901	Bromine chloride	Forbidden									
UN1745	Bromine pentafluoride	Forbidden									
UN1744	Bromine solution	Forbidden									
UN1746	Bromine trifluoride	Forbidden									
UN3425	Bromoacetic acid, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1938	Bromoacetic acid solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1938	Bromoacetic acid solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1569	Bromoacetone	Forbidden									
	<i>omega-Bromoacetophenone - see Phenacyl bromide (UN 2645)</i>										
UN2513	Bromoacetyl bromide	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2514	Bromobenzene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1694	Bromobenzyl cyanides, liquid	Forbidden	I								
UN3449	Bromobenzyl cyanides, solid	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A29
UN1126	1-Bromobutane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2339	2-Bromobutane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1887	Bromochloromethane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2688	1-Bromo-3-chloropropane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>4-Bromo-1,2-dinitrobenzene</i>	Forbidden									
	<i>1-Bromo-2,3-epoxypropane - see Epibromohydrin (UN 2558)</i>										
	<i>Bromoethane - see Ethyl bromide (UN 1891)</i>										
UN2340	2-Bromoethyl ethyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
				Refer to DOT Special Permit or 49 CFR 173.13							
UN2515	Bromoform	6.1	III	FLAMMABLE LIQUID	Y642	2 L	655	25 L			
	<i>Bromomethane - see Methyl bromide (UN 1062)</i>										
UN2341	1-Bromo-3-methylbutane	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2342	Bromomethylpropanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
				FLAMMABLE SOLID & KEEP AWAY FROM HEAT							
UN3241	2-Bromo-2-nitropropane-1,3-diol	4.1	III	FLAMMABLE LIQUID	Y457	10 kg	457	25 kg			A20
UN2343	2-Bromopentane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2344	Bromopropanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2344	Bromopropanes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN2345	3-Bromopropyne	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Bromosilane</i>	Forbidden									
UN2419	Bromotrifluoroethylene	Forbidden									
UN1009	Bromotrifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2212	Brown asbestos amosite, mysorite	9		MISCELLANEOUS			Forbidden	Forbidden	Forbidden	Forbidden	A61
				Refer to DOT Special Permit or 49 CFR 173.13							
UN1570	Brucine	6.1	I	FLAMMABLE LIQUID			666	5 kg			A6
UN0043	Bursters explosive	Forbidden									
UN1010	Butadienes and hydrocarbon mixture, stabilized containing > 40% butadienes	Forbidden									
UN1010	Butadienes, stabilized	Forbidden									
UN1011	Butane	Forbidden									
	<i>Butane, butane mixtures and mixtures having similar properties, in cartridges each <= 0.5 kg - see Receptacles, small, containing gas</i>										
UN2346	Butanedione	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Butane-1-thiol - see Butyl mercaptan</i>										
	<i>1,2,4-Butanetriol trinitrate</i>	Forbidden									
	<i>Butan-2-ol - see Butanols</i>										
	<i>1-Butanol - see Butanols</i>										
UN1120	Butanols	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1120	Butanols	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Butanol, secondary/tertiary - see Butanols (UN 1120)</i>										
	<i>Butanone - see Ethyl methyl ketone (UN 1193)</i>										
	<i>2-Butenal - see Crotonaldehyde, stabilized (UN 1143)</i>										
	<i>Butene - see Butylene (UN 1012)</i>										
	<i>But-1-ene-3-one - see Methyl vinyl ketone, stabilized (UN 1251)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>1,2-Buteneoxide - see 1,2-Butylene oxide, stabilized (UN 3022)</i>										
	<i>2-Buten-1-ol - see Methallyl alcohol (UN 2614)</i>										
	<i>tert-Butoxycarbonyl azide</i>	Forbidden									
UN1123	Butyl acetates	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1123	Butyl acetates	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Butyl acetate, secondary - see Butyl acetates (UN 1123)</i>										
UN1718	Butyl acid phosphate	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2348	Butyl acrylates, stabilized	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Butyl alcohols - see Butanols (UN 1120)</i>										
UN1125	n-Butylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2738	N-Butylaniline	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>sec-Butylbenzene - see Bulylbenzenes (UN 2709)</i>										
UN2709	Butylbenzenes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>n-Butyl bromide - see 1-Bromobutane (UN 1126)</i>										
	<i>n-Butyl chloride - see Chlorobutanes (UN 1127)</i>										
UN2743	n-Butyl chloroformate	Forbidden									
	<i>tert-Butyl cumyl peroxide (> 42%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>tert-Butyl cumyl peroxide (<= 52%, inert solid >= 48%) - see Organic peroxide type E, solid (UN 3108)</i>										
UN2747	tert-Butylcyclohexyl chloroformate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN1012	Butylene	Forbidden									
UN3022	1,2-Butylene oxide, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Butyl ethers - see Dibutyl ethers (UN 1149)</i>										
	<i>Butyl ethyl ether - see Ethyl butyl ether (UN 1179)</i>										
UN1128	n-Butyl formate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>tert-Butyl hydroperoxide (<= 72%, water >= 28%) - see Organic peroxide type F, liquid (UN 3109) [OP.13]</i>										
	<i>tert-Butyl hydroperoxide (<= 79%, water > 14%) - see Organic peroxide type E, liquid (UN 3107) [OP.13, OP.23]</i>										
	<i>tert-Butyl hydroperoxide (> 79% and <= 90%, water >= 10%) - see Organic peroxide type C, liquid (UN 3104) [OP.13]</i>										
	<i>tert-Butyl hydroperoxide (<= 80%, diluent type A >= 20%) - see Organic peroxide type D, liquid (UN 3105) [OP.4, OP.13]</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>tert</i> -Butyl hydroperoxide (< 82%) + <i>Di</i> - <i>tert</i> -butylperoxide (> 9%), (water > 7%) - see Organic peroxide type C, liquid (UN 3104) [OP.1]										
	<i>tert</i> -Butyl hydroperoxide (> 90%)	Forbidden									
UN3255	tert -Butyl hypochlorite	Forbidden									
UN2690	N,n -Butylimidazole	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>N</i> - <i>n</i> -Butyliminazole - see N,n -Butylimidazole (UN 2690)										
UN2484	tert -Butyl isocyanate	Forbidden									
UN2485	n -Butyl isocyanate	Forbidden									
UN2347	Butyl mercaptan	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2227	n -Butyl methacrylate, stabilized	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2350	Butyl methyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>tert</i> -Butyl monoperoxymaleate (<= 52%, diluent type A >= 48%) - see Organic peroxide type C, liquid (UN 3103)										
	<i>tert</i> -Butyl monoperoxymaleate (<= 52%, inert solid >= 48%) - see Organic peroxide type E, solid (UN 3108)										
	<i>tert</i> -Butyl monoperoxymaleate (<= 52%) as a paste - see Organic peroxide type E, solid (UN 3108)										
	<i>tert</i> -Butyl monoperoxymaleate (> 52%)	Forbidden									
UN2351	Butyl nitrites	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2351	Butyl nitrites	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>tert</i> -Butyl peroxyacetate (<= 32%, diluent type B >= 68%) - see Organic peroxide type F, liquid (UN 3109)										
	<i>tert</i> -Butyl peroxyacetate (> 32% and <= 52%, diluent type A >= 48%) - see Organic peroxide type C, liquid (UN 3104)										
	<i>tert</i> -Butyl peroxyacetate (> 52% and < 77%, diluent type A > 23%)	Forbidden									
	<i>tert</i> -Butyl peroxybenzoate (<= 52%, inert solid >= 48% - see Organic peroxide type D, solid (UN 3106)										
	<i>tert</i> -Butyl peroxybenzoate (> 52% and < 77%, diluent type A <= 23%) - see Organic peroxide type D, liquid (UN 3105)										
	<i>tert</i> -Butyl peroxybenzoate (> 77%) - see Organic peroxide type C, liquid (UN 3104)										
	<i>tert</i> -Butyl peroxy (<= 12%) + <i>tert</i> -Butyl peroxybenzoate (>= 14%, diluent type A >= 14%, inert solid >= 60%) - see Organic peroxide type D, solid (UN 3106)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>tert-Butyl peroxybutyl fumarate</i> (<= 52%, diluent type A >= 48%) - see Organic peroxide type D, liquid (UN 3105)										
	<i>tert-Butyl peroxyacrylonitrile</i> (<= 77%, diluent type A >= 23%) - see Organic peroxide type D, liquid (UN 3105)										
	<i>tert-Butyl peroxydiethylacetate</i>	Forbidden									
	<i>tert-Butyl peroxyethylacetate</i> (<= 31%) + <i>tert-Butyl peroxybenzoate</i> (>= 36%, diluent type B >= 33%)	Forbidden									
	<i>tert-Butyl peroxy-2-ethylhexanoate</i>	Forbidden									
	<i>tert-Butyl peroxy-2-ethylhexanoate</i> (<= 12%) + 2,2-Di-(<i>tert-butylperoxy</i>) butane (>= 14%, diluent type A >= 14%, inert solid >= 60%) - see Organic peroxide type D, solid (UN 3106)										
	<i>tert-Butyl peroxy-2-ethylhexanoate</i> (<= 31%) + 2,2-Di-(<i>tert-butylperoxy</i>) butane (>= 36%, diluent type B >= 33%)	Forbidden									
	<i>tert-Butyl peroxy-2-ethylhexylcarbonate</i> (<= 100%) - see Organic peroxide type D, liquid (UN 3105)										
	<i>tert-Butyl peroxyisobutyrate</i>	Forbidden									
	<i>tert-Butylperoxy isopropylcarbonate</i> (<= 77%, diluent type A >= 23%) - see Organic peroxide type C, liquid (UN 3103)										
	1-(2- <i>tert-Butylperoxy isopropyl</i>)-3-isopropenylbenzene (<= 42%, inert solid >= 58%) - see Organic peroxide type E, liquid (UN 3107)										
	1-(2- <i>tert-Butylperoxy isopropyl</i>)-3-isopropenylbenzene (<= 77%, diluent type A >= 23%) - see Organic peroxide type D, liquid (UN 3105)										
	<i>tert-Butyl peroxy-2-methylbenzoate</i> (<= 100%) - see Organic peroxide type C, liquid (UN 3103)										
	<i>tert-Butyl peroxyneodecanoate</i>	Forbidden									
	<i>tert-Butyl peroxyneoheptanoate</i>	Forbidden									
	<i>tert-Butyl peroxy-pivalate</i>	Forbidden									
	<i>tert-Butylperoxy stearylcarbonate</i> (<= 100%) - see Organic peroxide type D, solid (UN 3106)										
	<i>tert-Butyl peroxy-3,5,5-trimethyl-hexanoate</i> (> 32%) - see Organic peroxide type D, liquid (UN 3105)										
	<i>tert-Butyl peroxy-3,5,5-trimethyl-hexanoate</i> (<= 32%, diluent type A >= 68%) - see Organic peroxide type F, liquid (UN 3109)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Butylphenols, liquid - see Alkylphenols, liquid, n.o.s. (UN 3145)</i>										
	<i>Butylphenols, solid - see Alkylphenols, solid, n.o.s. (UN 2430)</i>										
UN1914	Butyl propionates	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>p-tert-Butyltoluene - see Butyltoluenes (UN 2667)</i>										
UN2667	Butyltoluenes	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN1747	Butyltrichlorosilane	Forbidden	II								
UN2956	5-tert-Butyl-2,4,6-trinitro-m-xylene	Forbidden									
UN2352	Butyl vinyl ether, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>But-1-yne - see Ethyl acetylene, stabilized (UN 2452)</i>										
UN2716	1,4-Butynediol	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>2-Butyne-1,4-diol - see 1,4-Butynediol (UN 2716)</i>										
UN1129	Butyraldehyde	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2840	Butyraldoxime	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2820	Butyric acid	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2739	Butyric anhydride	8	III	CORROSIVE	Y841	1 L	852	5 L			
	<i>Butyrone - see Dipropyl ketone (UN 2710)</i>										
UN2411	Butyronitrile	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2353	Butyryl chloride	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>Cable cutters, explosive - see Cutters, cable, explosive (UN 0070)</i>										
UN1572	Cacodylic acid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2570	Cadmium compound*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2570	Cadmium compound*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2570	Cadmium compound*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN1407	Caesium	Forbidden	I								
UN2682	Caesium hydroxide	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2681	Caesium hydroxide solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2681	Caesium hydroxide solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1451	Caesium nitrate	5.1	III					Not Accepted			
	<i>Caffeine - see Alkaloids etc. (UN 1544, UN 3140)</i>										
	<i>Cajeputene - see Dipentene (UN 2052)</i>										
UN1401	Calcium	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN1855	Calcium alloys, pyrophoric	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1573	Calcium arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1574	Calcium arsenate and calcium arsenite mixture, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	Calcium bisulphite solution - see Bisulphites, aqueous solution, n.o.s. (UN 2693)										
UN1402	Calcium carbide	Forbidden	I								
UN1402	Calcium carbide	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN1452	Calcium chlorate	5.1	II					Not Accepted			
UN2429	Calcium chlorate, aqueous solution	5.1	II					Not Accepted			
UN2429	Calcium chlorate, aqueous solution	5.1	III					Not Accepted			
UN1453	Calcium chlorite	5.1	II					Not Accepted			
UN1403	Calcium cyanamide with more than 0.1% calcium carbide	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A71
UN1575	Calcium cyanide	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN1923	Calcium dithionite	4.2	II					Not Accepted			
UN1404	Calcium hydride	Forbidden	I								
UN1923	Calcium hydrosulphite	4.2	II					Not Accepted			
UN1748	Calcium hypochlorite, dry	5.1	II					Not Accepted			
UN1748	Calcium hypochlorite, dry	5.1	III					Not Accepted			
UN3485	Calcium hypochlorite, dry, corrosive with > 39% available chlorine (8.8% available oxygen)	5.1 (8)	II					Not Accepted			
UN2880	Calcium hypochlorite, hydrated with >= 5.5% and <= 16% water	5.1	II					Not Accepted			
UN2880	Calcium hypochlorite, hydrated with >= 5.5% and <= 16% water	5.1	III					Not Accepted			
UN3487	Calcium hypochlorite, hydrated, corrosive with >= 5.5% and < 16% water	5.1 (8)	II					Not Accepted			
UN3487	Calcium hypochlorite, hydrated, corrosive with >= 5.5% and < 16% water	5.1 (8)	III					Not Accepted			
UN2880	Calcium hypochlorite, hydrated mixture with >= 5.5% and < 16% water	5.1	II					Not Accepted			
UN2880	Calcium hypochlorite, hydrated mixture with >= 5.5% and < 16% water	5.1	III					Not Accepted			
UN3486	Calcium hypochlorite mixture, dry, corrosive with > 10% and <= 39% available chlorine	5.1 (8)	III					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3485	Calcium hypochlorite mixture, dry, corrosive with > 39% available chlorine (8.8% available oxygen)	5.1 (8)	II					Not Accepted			
UN2208	Calcium hypochlorite mixture, dry with > 10% and <= 39% available chlorine	5.1	III					Not Accepted			
UN1748	Calcium hypochlorite mixture, dry with > 39% available chlorine (8.8% available oxygen)	5.1	II					Not Accepted			
UN1748	Calcium hypochlorite mixture, dry with > 39% available chlorine (8.8% available oxygen)	5.1	III					Not Accepted			
UN2844	Calcium manganese silicon	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			
UN1454	Calcium nitrate	5.1	III					Not Accepted			
UN1910	Calcium oxide	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1455	Calcium perchlorate	5.1	II					Not Accepted			
UN1456	Calcium permanganate	5.1	II					Not Accepted			
UN1457	Calcium peroxide	5.1	II					Not Accepted			
UN1360	Calcium phosphide	Forbidden	I								
UN1855	Calcium, pyrophoric	Forbidden									
UN1313	Calcium resinate	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN1314	Calcium resinate, fused	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	Calcium selenate - see Selenates (UN 2630)										
UN1405	Calcium silicide	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN1405	Calcium silicide	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3
	Calcium silicon - see Calcium silicide (UN 1405)										
	Calcium superoxide - see Calcium peroxide (UN 1457)										
	Camphanone - see Camphor (UN 2717)										
UN2717	Camphor, synthetic	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN1130	Camphor oil	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	Camping gas - see Receptacles, small, containing gas (UN 2037)										
UN2829	Caproic acid	8	III	CORROSIVE	Y841	1 L	852	5 L			
	Caps, toy - see Fireworks										
UN2758	Carbamate pesticide, liquid, flammable, toxic flash point less than 23°C*	Forbidden	I								
UN2758	Carbamate pesticide, liquid, flammable, toxic flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2992	Carbamate pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2992	Carbamate pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2992	Carbamate pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2991	Carbamate pesticide, liquid, toxic, flammable flash point $\geq 23^{\circ}\text{C}^*$	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2991	Carbamate pesticide, liquid, toxic, flammable flash point $\geq 23^{\circ}\text{C}^*$	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2991	Carbamate pesticide, liquid, toxic, flammable flash point $\geq 23^{\circ}\text{C}^*$	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2757	Carbamate pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2757	Carbamate pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2757	Carbamate pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
	<i>Carbolic acid etc. - see Phenol etc. (UN 1671, UN 2312, UN 2821)</i>										
UN1361	Carbon (animal or vegetable origin)	Forbidden									
UN1362	Carbon, activated	4.2	III					Not Accepted			
	<i>Carbon bisulphide - see Carbon disulphide (UN 1131)</i>										
	<i>Carbon black (animal or vegetable origin) - see Carbon (UN 1361)</i>										
UN1013	Carbon dioxide	2.2		NON-FLAMMABLE GAS			200	30 kg			
	<i>Carbon dioxide and ethylene oxide mixture - see Ethylene oxide and carbon dioxide mixture (UN 1041, UN 1952, UN 3300)</i>										
UN2187	Carbon dioxide, refrigerated liquid	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	30 kg			A801
UN1845	Carbon dioxide, solid	9		MISCELLANEOUS			954	68 kg G	954	68 kg G	A48, A151
UN1131	Carbon disulphide	Forbidden									
UN1016	Carbon monoxide, compressed	Forbidden									
	<i>Carbon oxysulphide - see Carbonyl sulphide (UN 2204)</i>										
UN2516	Carbon tetrabromide	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1846	Carbon tetrachloride	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>Carbonyl chloride - see Phosgene (UN 1076)</i>										
UN2417	Carbonyl fluoride	Forbidden									
UN2204	Carbonyl sulphide	Forbidden									
	<i>Cartridge cases, empty, primed - see Cases, cartridge, empty, with primer (UN 0055, UN 0379)</i>										
	<i>Cartridges, actuating, for aircraft ejector seat catapult, fire extinguisher, canopy removal or apparatus - see Cartridges, power device</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Cartridges, explosive - see Charges, demolition (UN 0048)</i>										
UN0049	Cartridges, flash	Forbidden									
UN0050	Cartridges, flash	Forbidden									
UN0005	Cartridges for weapons <i>bursting charge</i>	Forbidden									
UN0006	Cartridges for weapons <i>bursting charge</i>	Forbidden									
UN0007	Cartridges for weapons <i>bursting charge</i>	Forbidden									
UN0321	Cartridges for weapons <i>bursting charge</i>	Forbidden									
UN0348	Cartridges for weapons <i>bursting charge</i>	Forbidden									
UN0412	Cartridges for weapons <i>bursting charge</i>	Forbidden									
UN0014	Cartridges for weapons, blank	1.4S		EXPLOSIVE 1.4 S			130	25 kg			
UN0326	Cartridges for weapons, blank	Forbidden									
UN0327	Cartridges for weapons, blank	Forbidden									
UN0338	Cartridges for weapons, blank	Forbidden									
UN0413	Cartridges for weapons, blank	Forbidden									
UN0012	Cartridges for weapons, inert projectile	1.4S		EXPLOSIVE 1.4 S			130	25 kg			
UN0328	Cartridges for weapons, inert projectile	Forbidden									
UN0339	Cartridges for weapons, inert projectile	Forbidden									
UN0417	Cartridges for weapons, inert projectile	Forbidden									
	<i>Cartridges, illuminating - see Ammunition, illuminating</i>										
UN0277	Cartridges, oil well	Forbidden									
UN0278	Cartridges, oil well	Forbidden									
UN0275	Cartridges, power device	Forbidden									
UN0276	Cartridges, power device	Forbidden									
UN0323	Cartridges, power device	1.4S		EXPLOSIVE 1.4 S			134	25 kg			A165
UN0381	Cartridges, power device	Forbidden									
UN0054	Cartridges, signal	Forbidden									
UN0312	Cartridges, signal	Forbidden									
UN0405	Cartridges, signal	1.4S		EXPLOSIVE 1.4 S			135	25 kg			
UN0012	Cartridges, small arms	1.4S		EXPLOSIVE 1.4 S			130	25 kg			
UN0339	Cartridges, small arms	Forbidden									
UN0417	Cartridges, small arms	Forbidden									
UN0014	Cartridges, small arms, blank	1.4S		EXPLOSIVE 1.4 S			130	25 kg			
UN0327	Cartridges, small arms, blank	Forbidden									
UN0338	Cartridges, small arms, blank	Forbidden									
	<i>Cartridges, starter, jet engine - see Cartridges, power device</i>										
UN0055	Cases, cartridge, empty, with primer	1.4S		EXPLOSIVE 1.4 S			136	25 kg			
UN0379	Cases, cartridge, empty, with primer	Forbidden									
UN0446	Cases, combustible, empty, without primer	Forbidden									
UN0447	Cases, combustible, empty, without primer	Forbidden									
	<i>Casinghead gasoline - see Gasoline (UN 1203)</i>										
UN2969	Castor beans	9	II	MISCELLANEOUS			956	30 kg	956	30 kg	A31, A48
UN2969	Castor flake	9	II	MISCELLANEOUS			956	30 kg	956	30 kg	A31, A48
UN2969	Castor meal	9	II	MISCELLANEOUS			956	30 kg	956	30 kg	A31, A48

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2969	Castor pomace	9	II	MISCELLANEOUS			956	30 kg	956	30 kg	A31, A48
UN1719	Caustic alkali liquid, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1719	Caustic alkali liquid, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	Caustic potash - see Potassium hydroxide, solid (UN 1813); Potassium hydroxide solution (UN 1814)										
	Caustic soda - see Sodium hydroxide, solid (UN 1823); Sodium hydroxide solution (UN 1824)										
	Caustic soda liquor - see Sodium hydroxide solution (UN 1824)										
UN3292	Cells, containing sodium	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13			492	25 kg G			A94
UN2000	Celluloid in blocks, rods, rolls, sheets, tubes, etc.	4.1	III	FLAMMABLE SOLID			456	25 kg			A3, A48
UN2002	Celluloid, scrap	Forbidden									
	Cement, flammable - see Adhesives containing flammable liquid (UN 1133)										
UN1333	Cerium slabs, ingots or rods	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN3078	Cerium turnings or gritty powder	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
	Cesium - see Caesium (UN 1407)										
	Charcoal, activated - see Carbon, activated (UN1362)										
	Charcoal, non-activated - see Carbon (UN 1361)										
	Charcoal screenings, wet	Forbidden									
	Charcoal, wet	Forbidden									
UN0457	Charges, bursting, plastics bonded	Forbidden									
UN0458	Charges, bursting, plastics bonded	Forbidden									
UN0459	Charges, bursting, plastics bonded	Forbidden									
UN0460	Charges, bursting, plastics bonded	1.4S		EXPLOSIVE 1.4 S			130	25 kg			A165
UN0048	Charges, demolition	Forbidden									
UN0056	Charges, depth	Forbidden									
	Charges, expelling, explosive, for fire extinguishers - see Cartridges, power device										
UN0442	Charges, explosive, commercial without detonator	Forbidden									
UN0443	Charges, explosive, commercial without detonator	Forbidden									
UN0444	Charges, explosive, commercial without detonator	Forbidden									
UN0445	Charges, explosive, commercial without detonator	1.4S		EXPLOSIVE 1.4 S			137	25 kg			A165
UN0271	Charges, propelling	Forbidden									
UN0272	Charges, propelling	Forbidden									
UN0415	Charges, propelling	Forbidden									
UN0491	Charges, propelling	Forbidden									
UN0242	Charges, propelling, for cannon	Forbidden									
UN0279	Charges, propelling, for cannon	Forbidden									
UN0414	Charges, propelling, for cannon	Forbidden									
UN0059	Charges, shaped without detonator	Forbidden									
UN0439	Charges, shaped without detonator	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0440	Charges, shaped <i>without detonator</i>	Forbidden									
UN0441	Charges, shaped <i>without detonator</i>	1.4S		EXPLOSIVE 1.4 S			137	25 kg			A165
UN0237	Charges, shaped, flexible, linear	Forbidden									
UN0288	Charges, shaped, flexible, linear	Forbidden									
UN0060	Charges, supplementary, explosive	Forbidden									
UN3316	Chemical kit	9	I	MISCELLANEOUS	Y960	1 kg	960	10 kg	960	10 kg	A44, A163
UN3316	Chemical kit	9	II	MISCELLANEOUS	Y960	1 kg	960	10 kg	960	10 kg	A44, A163
UN3316	Chemical kit	9	III	MISCELLANEOUS	Y960	1 kg	960	10 kg	960	10 kg	A44, A163
UN3315	Chemical sample, toxic	Forbidden									
	<i>Chile saltpetre - see Sodium nitrate (UN 1498)</i>										
UN2075	Chloral, anhydrous, stabilized	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1458	Chlorate and borate mixture	5.1	II					Not Accepted			
UN1458	Chlorate and borate mixture	5.1	III					Not Accepted			
UN1459	Chlorate and magnesium chloride mixture, solid	5.1	II					Not Accepted			
UN1459	Chlorate and magnesium chloride mixture, solid	5.1	III					Not Accepted			
UN3407	Chlorate and magnesium chloride mixture solution	5.1	II					Not Accepted			
UN3407	Chlorate and magnesium chloride mixture solution	5.1	III					Not Accepted			
UN1461	Chlorates, inorganic, n.o.s.*	5.1	II					Not Accepted			
UN3210	Chlorates, inorganic, aqueous solution, n.o.s.*	5.1	II					Not Accepted			
UN3210	Chlorates, inorganic, aqueous solution, n.o.s.*	5.1	III					Not Accepted			
UN2626	Chloric acid, aqueous solution <i>with <= 10% chloric acid</i>	Forbidden									
UN1017	Chlorine	Forbidden									
	<i>Chlorine azide</i>	Forbidden									
	<i>Chlorine dioxide</i>	Forbidden									
UN2548	Chlorine pentafluoride	Forbidden									
UN1749	Chlorine trifluoride	Forbidden									
UN1462	Chlorites, inorganic, n.o.s.*	5.1	II					Not Accepted			
UN1908	Chlorite solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1908	Chlorite solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>Chloroacetaldehyde - see 2-Chloroethanal (UN 2232)</i>										
UN3250	Chloroacetic acid, molten	Forbidden									
UN1751	Chloroacetic acid, solid	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	668	15 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1750	Chloroacetic acid solution	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN1695	Chloroacetone, stabilized	Forbidden									
	<i>Chloroacetone, unstabilized</i>	Forbidden									
UN2668	Chloroacetonitrile	Forbidden									
UN3416	Chloroacetophenone, liquid	Forbidden	II								
UN1697	Chloroacetophenone, solid	Forbidden	II								
UN1752	Chloroacetyl chloride	Forbidden									
UN2019	Chloroanilines, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2018	Chloroanilines, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2233	Chloroanisidines	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1134	Chlorobenzene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2234	Chlorobenzotrifluorides	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2235	Chlorobenzyl chlorides, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN3427	Chlorobenzyl chlorides, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>1-Chloro-3-bromopropane - see 1-Bromo-3-chloropropane</i>										
	<i>1-Chlorobutane - see Chlorobutanes</i>										
	<i>2-Chlorobutane - see Chlorobutanes</i>										
UN1127	Chlorobutanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN3437	Chlorocresols, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2669	Chlorocresols solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2669	Chlorocresols solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
	<i>3-Chloro-4-diethylaminobenzene diazonium zinc chloride - see Self-reactive substance, type D (UN 3226)</i>										
UN1974	Chlorodifluorobromomethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2517	1-Chloro-1,1-difluoroethane	Forbidden									
UN1018	Chlorodifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1973	Chlorodifluoromethane and chloropentafluoroethane mixture fixed boiling point, with approximately 49% chlorodifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
	<i>3-Chloro-1,2-dihydroxypropane - see Glycerol alpha-monochlorohydrin</i>										
	<i>Chlorodimethyl ether - see Methyl chloromethyl ether (UN 1239)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1577	Chlorodinitrobenzenes, liquid	6.1	II					Not Accepted			
UN3441	Chlorodinitrobenzenes, solid	6.1	II					Not Accepted			
UN2232	2-Chloroethanal	Forbidden									
	<i>Chloroethane - see Ethyl chloride (UN 1037)</i>										
	<i>Chloroethane nitrile - see Chloroacetonitrile (UN 2668)</i>										
	<i>2-Chloroethanol - see Ethylene chlorohydrin (UN 1135)</i>										
UN1888	Chloroform	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y680	2 L	680	25 L			
UN3277	Chloroformates, toxic, corrosive, n.o.s.*	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN2742	Chloroformates, toxic, corrosive, flammable, n.o.s.*	6.1 (3,8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
	<i>Chloromethane - see Methyl chloride (UN 1063)</i>										
	<i>1-Chloro-3-methylbutane - see Amyl chloride (UN 1107)</i>										
	<i>2-Chloro-2-methylbutane - see Amyl chloride (UN 1107)</i>										
UN2745	Chloromethyl chloroformate	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
	<i>Chloromethyl cyanide - see Chloroacetonitrile</i>										
UN2354	Chloromethyl ethyl ether	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
	<i>Chloromethyl methyl ether - see Methyl chloromethyl ether</i>										
UN2236	3-Chloro-4-methylphenyl isocyanate, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3428	3-Chloro-4-methylphenyl isocyanate, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>3-Chloro-2-methylprop-1-ene - see Methylallyl chloride (UN 2668)</i>										
UN2237	Chloronitroanilines	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN3409	Chloronitrobenzenes, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A113
UN1578	Chloronitrobenzenes, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A113
UN2433	Chloronitrotoluenes, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN3457	Chloronitrotoluenes, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1020	Chloropentafluoroethane	2.2		NON-FLAMMABLE GAS			200	30 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	3-Chloroperoxybenzoic acid (<= 57%, inert solid >= 3%, water >= 40%) - see Organic peroxide type D, solid (UN 3106)										
	3-Chloroperoxybenzoic acid (<= 77%, inert solid >= 6%, water >= 17%) - see Organic peroxide type D, solid (UN 3106)										
	3-Chloroperoxybenzoic acid (> 57% and < 86%, inert solid with <= 14%)	Forbidden									
UN2904	Chlorophenolates, liquid	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2905	Chlorophenolates, solid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2021	Chlorophenols, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2020	Chlorophenols, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A25
UN1753	Chlorophenyltrichlorosilane	Forbidden	II								
UN1580	Chloropicrin	Forbidden									
UN1581	Chloropicrin and methyl bromide mixture with > 2% chloropicrin	Forbidden									
UN1582	Chloropicrin and methyl chloride mixture	Forbidden									
UN1583	Chloropicrin mixture, n.o.s.*	Forbidden									
UN2507	Chloroplatinic acid, solid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1991	Chloroprene, stabilized	Forbidden	I								
	<i>Chloroprene, uninhibited</i>	Forbidden									
UN1278	1-Chloropropane	Forbidden	II								
UN2356	2-Chloropropane	3	I	FLAMMABLE LIQUID			351	1 L			
UN2849	3-Chloropropanol-1	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2456	2-Chloropropene	3	I	FLAMMABLE LIQUID			351	1 L			
	<i>3-Chloropropenes - see Allyl chloride (UN 1100)</i>										
UN2511	2-Chloropropionic acid	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2822	2-Chloropyridine	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2987	Chlorosilanes, corrosive, n.o.s.	8	II	CORROSIVE			Forbidden	Forbidden			A1
UN2986	Chlorosilanes, corrosive, flammable, n.o.s.	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID			Forbidden	Forbidden			A1
UN2985	Chlorosilanes, flammable, corrosive, n.o.s.	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE			377	1 L			
UN3361	Chlorosilanes, toxic, corrosive, n.o.s.*	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13			681	1 L			
UN3362	Chlorosilanes, toxic, corrosive, flammable, n.o.s.*	6.1 (3,8)	II	Refer to DOT Special Permit or 49 CFR 173.13			681	1 L			
UN2988	Chlorosilanes, water-reactive, flammable, corrosive, n.o.s.	Forbidden	I								
UN1754	Chlorosulphonic acid with or without sulphur trioxide	Forbidden									
UN1021	1-Chloro-1,2,2,2-tetrafluoroethane	2.2		NON-FLAMMABLE GAS			200	30 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2238	Chlorotoluenes	3	III	FLAMMABLE LIQUID Refer to DOT Special Permit or 49 CFR 173.13	Y344	10 L	355	25 L			
UN1579	4-Chloro-o-toluidine hydrochloride, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN3410	4-Chloro-o-toluidine hydrochloride solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN3429	Chlorotoluidines, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2239	Chlorotoluidines, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1983	1-Chloro-2,2,2-trifluoroethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
	<i>Chlorotrifluoroethylene - see Trifluorochloroethylene, stabilized</i>										
UN1022	Chlorotrifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2599	Chlorotrifluoromethane and trifluoromethane azeotropic mixture approx. 60% chlorotrifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
	<i>Chromic acid, solid - see Chromium trioxide, anhydrous</i>										
UN1755	Chromic acid solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1755	Chromic acid solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>Chromic anhydride, solid - see Chromium trioxide, anhydrous</i>										
UN1756	Chromic fluoride, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1757	Chromic fluoride solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1757	Chromic fluoride solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>Chromic nitrate - see Chromium nitrate (UN 2720)</i>										
	<i>Chromic trioxide - see Chromium trioxide, anhydrous (UN 1463)</i>										
UN2720	Chromium nitrate	5.1	III					Not Accepted			
UN1758	Chromium oxychloride	8	I	CORROSIVE			850	0.5 L			
UN1463	Chromium trioxide, anhydrous	5.1 (6.1,8)	II					Not Accepted			
UN2240	Chromosulphuric acid	8	I	CORROSIVE			850	0.5 L			
	<i>Chrysotile - see White asbestos (UN 2590)</i>										
	<i>Cigar and cigarette lighter fluid - see Flammable liquid, n.o.s. (UN 1993)</i>										
	<i>Cigar and cigarette lighters, charged with fuel - see Lighters (UN 1057)</i>										
	<i>Cinene - see Dipentene (UN 2052)</i>										
	<i>Cinnamene - see Styrene monomer, stabilized (UN 2055)</i>										
	<i>Cinnamol - see Styrene monomer, stabilized (UN 2055)</i>										
UN3291	Clinical waste, unspecified, n.o.s.	6.2	II					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Coal briquettes, hot</i>	Forbidden									
UN1023	Coal gas, compressed	Forbidden									
UN1136	Coal tar distillates, flammable	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1136	Coal tar distillates, flammable	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Coal tar naphtha - see Petroleum distillates, n.o.s.; Petroleum products, n.o.s.</i>										
	<i>Coal tar oil - see Coal tar distillates, flammable</i>										
UN1139	Coating solution includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining	3	I	FLAMMABLE LIQUID			351	1 L			
UN1139	Coating solution includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1139	Coating solution includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2001	Cobalt naphthenates, powder	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN1318	Cobalt resinate, precipitated	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	<i>Cocculus - see Toxins, extracted from living sources, liquid, n.o.s.; Toxins, extracted from living sources, solid, n.o.s.</i>										
	<i>Coke, hot</i>	Forbidden									
	<i>Collodion cottons - see Nitrocellulose</i>										
	<i>Cologne spirits - see Perfumery products with flammable solvents (UN 1266)</i>										
UN0382	Components, explosive train, n.o.s.*	Forbidden									
UN0383	Components, explosive train, n.o.s.*	Forbidden									
UN0384	Components, explosive train, n.o.s.*	1.4S		EXPLOSIVE 1.4 S			101	25 kg			A62
UN0461	Components, explosive train, n.o.s.*	Forbidden									
UN1956	Compressed gas, n.o.s.*	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1954	Compressed gas, flammable, n.o.s.*	Forbidden									
UN3156	Compressed gas, oxidizing, n.o.s.*	2.2 (5.1)						Not Accepted			
UN1955	Compressed gas, toxic, n.o.s.*	Forbidden									
UN3304	Compressed gas, toxic, corrosive, n.o.s.*	Forbidden									
UN1953	Compressed gas, toxic, flammable, n.o.s.*	Forbidden									
UN3305	Compressed gas, toxic, flammable, corrosive, n.o.s.*	Forbidden									
UN3303	Compressed gas, toxic, oxidizing, n.o.s.*	Forbidden									
UN3306	Compressed gas, toxic, oxidizing, corrosive, n.o.s.*	Forbidden									
ID8000	Consumer commodity	9		MISCELLANEOUS			Y963	30 kg G	Y963	30 kg G	A112
UN0248	Contrivances, water-activated with burster, expelling charge or propelling charge*	Forbidden									
UN0249	Contrivances, water-activated with burster, expelling charge or propelling charge*	Forbidden									
UN1585	Copper acetoarsenite	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Copper acetylide</i>	Forbidden									
	<i>Copper amine azide</i>	Forbidden									
UN1586	Copper arsenite	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Copper (II) arsenite - see Copper arsenite</i>										
UN2776	Copper based pesticide, liquid, flammable, toxic flash point < 23°C*	Forbidden	I								
UN2776	Copper based pesticide, liquid, flammable, toxic flash point < 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3010	Copper based pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3010	Copper based pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3010	Copper based pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3009	Copper based pesticide, liquid, toxic, flammable flash point >= 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3009	Copper based pesticide, liquid, toxic, flammable flash point >= 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3009	Copper based pesticide, liquid, toxic, flammable flash point >= 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2775	Copper based pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2775	Copper based pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2775	Copper based pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2721	Copper chlorate	5.1	II					Not Accepted			
UN2802	Copper chloride	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1587	Copper cyanide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Copper selenate - see Selenates</i>										
	<i>Copper selenite - see Selenites</i>										
	<i>Copper tetramine nitrate</i>	Forbidden									
UN1363	Copra	Forbidden									
UN0065	Cord, detonating flexible	Forbidden									
UN0289	Cord, detonating flexible	Forbidden									
UN0102	Cord, detonating metal clad	Forbidden									
UN0290	Cord, detonating metal clad	Forbidden									
UN0104	Cord, detonating, mild effect metal clad	Forbidden									
UN0066	Cord, igniter	Forbidden									
	<i>Cordite - see Powder, smokeless</i>										
UN1760	Corrosive liquid, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN1760	Corrosive liquid, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1760	Corrosive liquid, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3264	Corrosive liquid, acidic, inorganic, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN3264	Corrosive liquid, acidic, inorganic, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3264	Corrosive liquid, acidic, inorganic, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN3265	Corrosive liquid, acidic, organic, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN3265	Corrosive liquid, acidic, organic, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3265	Corrosive liquid, acidic, organic, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN3266	Corrosive liquid, basic, inorganic, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN3266	Corrosive liquid, basic, inorganic, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3266	Corrosive liquid, basic, inorganic, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN3267	Corrosive liquid, basic, organic, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN3267	Corrosive liquid, basic, organic, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3267	Corrosive liquid, basic, organic, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2920	Corrosive liquid, flammable, n.o.s.*	8 (3)	I	CORROSIVE & FLAMMABLE LIQUID			850	0.5 L			
UN2920	Corrosive liquid, flammable, n.o.s.*	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN3093	Corrosive liquid, oxidizing, n.o.s.*	Forbidden	I								
UN3093	Corrosive liquid, oxidizing, n.o.s.*	8 (5.1)	II					Not Accepted			
UN3301	Corrosive liquid, self-heating, n.o.s.*	8 (4.2)	I					Not Accepted			
UN3301	Corrosive liquid, self-heating, n.o.s.*	8 (4.2)	II					Not Accepted			
UN2922	Corrosive liquid, toxic, n.o.s.*	8 (6.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			850	0.5 L			
UN2922	Corrosive liquid, toxic, n.o.s.*	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
UN2922	Corrosive liquid, toxic, n.o.s.*	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y841	1 L	852	5 L			A3
UN3094	Corrosive liquid, water-reactive, n.o.s.*	Forbidden	I								
UN3094	Corrosive liquid, water-reactive, n.o.s.*	8 (4.3)	II	Refer to DOT Special Permit or 49 CFR 173.13			851	1 L			
UN1759	Corrosive solid, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN1759	Corrosive solid, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1759	Corrosive solid, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN3260	Corrosive solid, acidic, inorganic, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3260	Corrosive solid, acidic, inorganic, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN3260	Corrosive solid, acidic, inorganic, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN3261	Corrosive solid, acidic, organic, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3261	Corrosive solid, acidic, organic, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN3261	Corrosive solid, acidic, organic, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN3262	Corrosive solid, basic, inorganic, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3262	Corrosive solid, basic, inorganic, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN3262	Corrosive solid, basic, inorganic, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN3263	Corrosive solid, basic, organic, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3263	Corrosive solid, basic, organic, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3263	Corrosive solid, basic, organic, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN2921	Corrosive solid, flammable, n.o.s.*	8 (4.1)	I	CORROSIVE & FLAMMABLE SOLID			858	1 kg			
UN2921	Corrosive solid, flammable, n.o.s.*	8 (4.1)	II	CORROSIVE & FLAMMABLE SOLID	Y844	5 kg	859	15 kg			
UN3084	Corrosive solid, oxidizing, n.o.s.*	8 (5.1)	I					Not Accepted			
UN3084	Corrosive solid, oxidizing, n.o.s.*	8 (5.1)	II					Not Accepted			
UN3095	Corrosive solid, self-heating, n.o.s.*	8 (4.2)	I					Not Accepted			
UN3095	Corrosive solid, self-heating, n.o.s.*	8 (4.2)	II					Not Accepted			
UN2923	Corrosive solid, toxic, n.o.s.*	8 (6.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			858	1 kg			
UN2923	Corrosive solid, toxic, n.o.s.*	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y844	5 kg	859	15 kg			
UN2923	Corrosive solid, toxic, n.o.s.*	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y845	5 kg	860	25 kg			A3
UN3096	Corrosive solid, water-reactive, n.o.s.*	8 (4.3)	I	Refer to DOT Special Permit or 49 CFR 173.13			858	1 kg			
UN3096	Corrosive solid, water-reactive, n.o.s.*	8 (4.3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y844	5 kg	859	15 kg			
	<i>Cosmetics, n.o.s. - see Consumer commodity (ID 8000)</i>										
	<i>Cosmetics, corrosive, liquid, n.o.s. - see Corrosive liquid, n.o.s. (UN 1760)</i>										
	<i>Cosmetics, corrosive, solid, n.o.s. - see Corrosive solid, n.o.s. (UN 1759)</i>										
	<i>Cosmetics, flammable, liquid, n.o.s. - see Flammable liquid, n.o.s. (UN 1993); Perfumery products (UN 1266)</i>										
	<i>Cosmetics, flammable, solid, n.o.s. - see Flammable solid, inorganic, n.o.s. (UN 3178); Flammable solid, organic, n.o.s. (UN 1325)</i>										
	<i>Cosmetics, oxidizing material, liquid, n.o.s. - see Oxidizing liquid, n.o.s. (UN 3139)</i>										
	<i>Cosmetics, oxidizing material, solid, n.o.s. - see Oxidizing solid, n.o.s. (UN 1479)</i>										
UN1364	Cotton waste, oily	Forbidden									
UN1365	Cotton, wet	Forbidden									
UN3024	Coumarin derivative pesticide, liquid, flammable, toxic flashpoint less than 23°C*	Forbidden	I								
UN3024	Coumarin derivative pesticide, liquid, flammable, toxic flashpoint less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3026	Coumarin derivative pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3026	Coumarin derivative pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3026	Coumarin derivative pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3025	Coumarin derivative pesticide, liquid, toxic, flammable flashpoint $\geq 23^{\circ}\text{C}^*$	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3025	Coumarin derivative pesticide, liquid, toxic, flammable flashpoint $\geq 23^{\circ}\text{C}^*$	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3025	Coumarin derivative pesticide, liquid, toxic, flammable flashpoint $\geq 23^{\circ}\text{C}^*$	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3027	Coumarin derivative pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3027	Coumarin derivative pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3027	Coumarin derivative pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
	Creosote - see Toxic liquid, organic, n.o.s.										
	Creosote salts - see Naphthalene, crude or Naphthalene, refined										
UN2076	Cresols, liquid	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN3455	Cresols, solid	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	668	15 kg			
UN2022	Cresylic acid	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
	Crocidolite - see Blue asbestos										
UN1143	Crotonaldehyde, stabilized	Forbidden									
UN3472	Crotonic acid, liquid	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2823	Crotonic acid, solid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
	Crotonic aldehyde, stabilized - see Crotonaldehyde, stabilized										
UN1144	Crotonylene	3	I	FLAMMABLE LIQUID			351	1 L			
	Crude naphtha - see Petroleum distillates, n.o.s.										
	Cumene - see Isopropylbenzene										
	Cumyl hydroperoxide (> 90% and < 98%, diluent type A <= 10%) - see Organic peroxide type E, liquid (UN 3107) [OP.13]										
	Cumyl hydroperoxide (< 90%, diluent type A <= 10%) - see Organic peroxide type F, liquid (UN 3109) [OP.13, OP.18]										
	Cumyl peroxyneodecanoate	Forbidden									
	Cumyl peroxyneheptanoate	Forbidden									
	Cumyl peroxyvalate	Forbidden									
	Cupric cyanide - see Copper cyanide (UN 1587)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1761	Cupriethylenediamine solution	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
UN1761	Cupriethylenediamine solution	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y841	1 L	852	5 L			A3
UN0070	Cutters, cable, explosive	1.4S		EXPLOSIVE 1.4 S			134	25 kg			
UN1588	Cyanides, inorganic, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A13
UN1588	Cyanides, inorganic, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A13
UN1588	Cyanides, inorganic, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A13
UN1935	Cyanide solution, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			
UN1935	Cyanide solution, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1935	Cyanide solution, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
	<i>Cyanides, organic, flammable, toxic, n.o.s. - see Nitriles, flammable, toxic, n.o.s. (UN 3273)</i>										
	<i>Cyanides, organic, toxic, n.o.s. - see Nitriles, toxic, liquid, n.o.s. (UN 3276); Nitriles, toxic, solid, n.o.s. (UN 3439)</i>										
	<i>Cyanides, organic, toxic, flammable, n.o.s. - see Nitriles, toxic, flammable, n.o.s. (UN 3275)</i>										
	<i>Cyanoacetone nitrile - see Malononitrile (UN 2647)</i>										
UN1026	Cyanogen	Forbidden									
UN1889	Cyanogen bromide	Forbidden									
UN1589	Cyanogen chloride, stabilized	Forbidden									
UN2670	Cyanuric chloride	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
	<i>Cyanuric triazide</i>	Forbidden									
UN2601	Cyclobutane	Forbidden									
UN2744	Cyclobutyl chloroformate	6.1 (3,8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN2518	1,5,9-Cyclododecatriene	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2241	Cycloheptane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2603	Cycloheptatriene	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2242	Cycloheptene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>1,4-Cyclohexadienedione - see Benzoquinone</i>										
UN1145	Cyclohexane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Cyclohexanethiol - see Cyclohexyl mercaptan</i>										
UN1915	Cyclohexanone	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Cyclohexanone peroxide(s) (<= 32%, inert solid >= 68%)</i>							30 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Cyclohexanone peroxide(s) (<= 72%) as a paste - see Organic peroxide type D, solid (UN 3106) [OP.5, OP.20]</i>										
	<i>Cyclohexanone peroxide(s) (<= 72%, diluent type A >= 28%) - see Organic peroxide type D, liquid (UN 3105) [OP.5]</i>										
	<i>Cyclohexanone peroxide(s) (<= 91%, water >= 9%) - see Organic peroxide type C, solid (UN 3104) [OP.13]</i>										
UN2256	Cyclohexene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1762	Cyclohexenyltrichlorosilane	Forbidden	II								
UN2243	Cyclohexyl acetate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2357	Cyclohexylamine	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN2488	Cyclohexyl isocyanate	Forbidden									
UN3054	Cyclohexyl mercaptan	3	III	FLAMMABLE LIQUID	Y344	10 L	355	1 L			
UN1763	Cyclohexyltrichlorosilane	Forbidden	II								
UN0391	Cyclonite and cyclotetramethylenetetranitramine mixture, desensitized >= 10% phlegmatizer	Forbidden									
UN0391	Cyclonite and cyclotetramethylenetetranitramine mixture, wetted with >= 15% water	Forbidden									
UN0483	Cyclonite, desensitized	Forbidden									
UN0072	Cyclonite, wetted >= 15% water	Forbidden									
UN2940	Cyclooctadiene phosphines	4.2	II					Not Accepted			
UN2520	Cyclooctadienes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2358	Cyclooctatetraene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1146	Cyclopentane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2244	Cyclopentanol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2245	Cyclopentanone	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2246	Cyclopentene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1027	Cyclopropane	Forbidden									
UN0484	Cyclotetramethylenetetranitramine, desensitized	Forbidden									
	<i>Cyclotetramethylenetetranitramine (dry or unphlegmatized) (HMX)</i>	Forbidden									
UN0226	Cyclotetramethylenetetranitramine, wetted	Forbidden									
UN0391	Cyclotrimethylenetrinitramine and cyclotetramethylene-tetranitramine mixture, desensitized with >= 10% phlegmatizer	Forbidden									
UN0391	Cyclotrimethylenetrinitramine and cyclotetramethylene-tetranitramine mixture, wetted with <= 15% water	Forbidden									
UN0483	Cyclotrimethylenetrinitramine, desensitized	Forbidden									
UN0072	Cyclotrimethylenetrinitramine, wetted with >= 15% water	Forbidden									
UN2046	Cymenes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3363	Dangerous goods in apparatus	9		MISCELLANEOUS			See 962	See 173.222(c)	See 962	See 962	A48, A107
UN3363	Dangerous goods in machinery	9		MISCELLANEOUS			See 962	See 173.222(c)	See 962	See 962	A48, A107
	<i>Deanol - see Dimethylaminoethanol (UN 2051)</i>										
UN1868	Decaborane	Forbidden	II								
UN1147	Decahydronaphthalene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Decalin - see Decahydronaphthalene (UN 1147)</i>										
UN2247	n-Decane	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN0132	Deflagrating metal salts of aromatic nitroderivatives, n.o.s.	Forbidden									
	<i>Depth charges - see Charges, depth</i>										
UN3379	Desensitized explosive, liquid, n.o.s.*	Forbidden									
UN3380	Desensitized explosive, solid, n.o.s.*	Forbidden									
	<i>Detonating relays - see Detonator assemblies, non- electric; Detonators, non-electric</i>										
UN0360	Detonator assemblies, non-electric for blasting	Forbidden									
UN0361	Detonator assemblies, non-electric for blasting	Forbidden									
UN0500	Detonator assemblies, non-electric for blasting	1.4S		EXPLOSIVE 1.4 S			131	25 kg			A165
UN0030	Detonators, electric for blasting	Forbidden									
UN0255	Detonators, electric for blasting	Forbidden									
UN0456	Detonators, electric for blasting	1.4S		EXPLOSIVE 1.4 S			131	25 kg			A165
UN0073	Detonators for ammunition	Forbidden									
UN0364	Detonators for ammunition	Forbidden									
UN0365	Detonators for ammunition	Forbidden									
UN0366	Detonators for ammunition	1.4S		EXPLOSIVE 1.4 S			133	25 kg			A165
UN0029	Detonators, non-electric for blasting	Forbidden									
UN0267	Detonators, non-electric for blasting	Forbidden									
UN0455	Detonators, non-electric for blasting	1.4S		EXPLOSIVE 1.4 S			131	25 kg			A165
UN1957	Deuterium, compressed	Forbidden									
UN3150	Devices, small, hydrocarbon gas powered release device	Forbidden									
UN1148	Diacetone alcohol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1148	Diacetone alcohol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Diacetone alcohol peroxides</i>	Forbidden									
	<i>Diacetyl peroxide</i>	Forbidden									
	<i>Diacetyl peroxydicarbonate</i>	Forbidden									
UN2359	Diallylamine	3 (6.1,8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y340	0.5 L	352	1 L			
UN2360	Diallyl ether	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2651	4,4'-Diaminodiphenylmethane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>1,2-Diaminoethane - see Ethylenediamine (UN 1604)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Diaminopropylamine - see 3,3'-Iminodipropylamine (UN 2269)</i>										
UN2841	Di-n-amylamine	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			
	<i>Di-tert-amylperoxide (<= 100%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>Di-(tert-amylperoxy)cyclohexane (<= 82%, diluent type A >= 18%) - see Organic peroxide type C, liquid (UN 3103)</i>										
	<i>p-Diazidobenzene</i>	Forbidden									
	<i>1,2-Diazidoethane</i>	Forbidden									
	<i>1,1'-Diazoaminonaphthalene</i>	Forbidden									
	<i>Diazoaminotetrazole (dry)</i>	Forbidden									
	<i>Diazodinitrophenol (dry)</i>	Forbidden									
UN0074	Diazodinitrophenol, wetted with >= 40% water or mixture of alcohol and water	Forbidden									
	<i>Diazodiphenylmethane</i>	Forbidden									
	<i>2-Diazo-1-naphthol sulphonic acid ester mixture, Type D, (< 100%) - see Self-reactive solid type D [SR.5]</i>										
	<i>2-Diazo-1-naphthol-4-sulphonylchloride (100%)</i>	Forbidden									
	<i>2-Diazo-1-naphthol-5-sulphonylchloride (100%)</i>	Forbidden									
	<i>Diazonium nitrates (dry)</i>	Forbidden									
	<i>Diazonium perchlorates (dry)</i>	Forbidden									
	<i>1,3-Diazopropane</i>	Forbidden									
	<i>Dibenzopyridine - see Acridine (UN 2713)</i>										
	<i>Dibenzoyl peroxide (> 35% and < 52%, inert solid with <= 48%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>Dibenzoyl peroxide (<= 35%, inert solid >= 65%)</i>							30 kg			
	<i>Dibenzoyl peroxide (> 36 and < 42%, diluent type A <= 18%, water >= 40%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>Dibenzoyl peroxide (<= 42%) as a stable dispersion in water - see Organic peroxide type F, liquid (UN 3109)</i>										
	<i>Dibenzoyl peroxide (> 51%, inert solid with <= 48%)</i>	Forbidden									
	<i>Dibenzoyl peroxide (> 52% and < 62%) as a paste - see Organic peroxide type D, solid (UN 3106) [OP.20]</i>										
	<i>Dibenzoyl peroxide (<= 52%) as a paste - see Organic peroxide type E, solid (UN 3108) [OP.20]</i>										
	<i>Dibenzoyl peroxide (<= 56.5% as a paste, water >= 15%) - see Organic peroxide type E, solid (UN 3108)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Dibenzoyl peroxide (<= 62%, inert solid >= 28%, water >= 10%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>Dibenzoyl peroxide, (> 77% and < 94%, water <= 6%)</i>	Forbidden									
	<i>Dibenzoyl peroxide (<= 77%, water >= 23%) - see Organic peroxide type C, solid (UN 3104)</i>										
UN2434	Dibenzylchlorosilane	8	II	CORROSIVE		Forbidden	Forbidden	Forbidden			A1
	<i>Dibenzyl peroxydicarbonate, more than 87% with water</i>	Forbidden									
UN1911	Diborane	Forbidden									
	<i>Dibromoacetylene</i>	Forbidden									
UN2648	1,2-Dibromobutan-3-one	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>1,2-Dibromo-3-chloropropane - see Dibromochloropropanes (UN 2872)</i>										
UN2872	Dibromochloropropanes	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2872	Dibromochloropropanes	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN1941	Dibromodifluoromethane R12B2	9	III	MISCELLANEOUS	Y964	30 kg G	964	25 L	964	25 L	
UN2664	Dibromomethane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>2,5-Dibutoxy-4-(4-morpholinyl) benzediazonium, tetrachlorozincate (2:1) (100%) - see Self-reactive solid, type E</i>										
UN2248	Di-n-butylamine	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN2873	Dibutylaminoethanol	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>2-Dibutylaminoethanol - see Dibutylaminoethanol</i>										
	<i>N,N-Di-n-butylaminoethanol - see Dibutylaminoethanol</i>										
	<i>Di-(4-tert-butylcyclohexyl) peroxydicarbonate</i>	Forbidden									
UN1149	Dibutyl ethers	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Di-tert-butyl peroxide (> 52%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>Di-tert-butyl peroxide (<= 52%, diluent type B >= 48%) - see Organic peroxide type F, liquid (UN 3109)</i>										
	<i>Di-tert-butyl peroxyazolate (<= 52%, diluent type A >= 48%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>2,2-Di-(tert-butylperoxy) butane (<= 52%, diluent type A >= 48%) - see Organic peroxide type C, liquid (UN 3103)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	2,2-Di-(tert-butylperoxy) butane (<= 57%, diluent type A >= 43%) - see Organic peroxide type D, liquid (UN 3105)										
	1,6-Di-(tert-butylperoxycarbonyperoxy) hexane (<= 72%, diluent type A >= 28%) - see Organic peroxide type C, liquid (UN 3103)										
	1,1-Di-(tert-butylperoxy)cyclohexane (<= 13%, diluent type A >= 13%, diluent type B >= 74%) - see Organic peroxide type F, liquid (UN 3109)										
	1,1-Di-(tert-butylperoxy)cyclohexane (<= 27%, diluent type A >= 25%) - see Organic peroxide type E, liquid (UN 3107) [OP.21]										
	1,1-Di-(tert-butylperoxy)cyclohexane (> 42% and <= 52%, diluent type A >= 48%) - see Organic peroxide type D, liquid (UN 3105)										
	1,1-Di-(tert-butylperoxy)cyclohexane (<= 42%, diluent type A >= 13%, inert solid >= 45%) - see Organic peroxide type D, solid (UN 3106)										
	1,1-Di-(tert-butylperoxy)cyclohexane (<= 42%, diluent type A >= 58%) - see Organic peroxide type F, liquid (UN 3109)										
	1,1-Di-(tert-butylperoxy)cyclohexane (> 52% and <= 80%, diluent type A >= 20%) - see Organic peroxide type C, liquid (UN 3103)										
	1,1-Di-(tert-butylperoxy)cyclohexane (<= 72%, diluent type B >= 28%) - see Organic peroxide type C, liquid (UN 3103) [OP.30]										
	1,1-Di-(tert-butylperoxy)cyclohexane (> 80%)	Forbidden									
	1,1-Di-(tert-butylperoxy)cyclohexane + tert-butyl peroxy-2-ethylhexanoate (<= 43% + <= 16%, diluent type A >= 41%) - see Organic peroxide type D, liquid (UN 3105)										
	Di-n-butyl peroxydicarbonate	Forbidden									
	Di-sec-butyl peroxydicarbonate	Forbidden									
	Di-(tert-butylperoxyisopropyl) benzene(s) (> 42%, inert solid with <= 57%) - see Organic peroxide type D, solid (UN 3106)										
	Di-(tert-butylperoxyisopropyl) benzene(s) (<= 42%, inert solid >= 58%)							30 kg			
	Di-(tert-butylperoxy)phthalate (> 42% and < 52%, diluent type A <= 48%) - see Organic peroxide type D, liquid (UN 3105)										
	Di-(tert-butylperoxy)phthalate (<= 42%, diluent type A >= 58%) - see Organic peroxide type E, liquid (UN 3107)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Di-(tert-butylperoxy)phthalate (<= 52%) as a paste - see Organic peroxide type D, solid (UN 3106) [OP.20]</i>										
	<i>2,2-Di-(tert-butylperoxy)propane (<= 42%, diluent type A >= 13%, inert solid >= 45%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>2,2-Di-(tert-butylperoxy)propane (<= 52%, diluent type A >= 48%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane (<= 32%, diluent type A >= 26%, diluent type B >= 42%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane (> 57% and <= 90%, diluent type A >= 10%) - see Organic peroxide type C, liquid (UN 3103)</i>										
	<i>1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane (<= 57%, diluent type A >= 43%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane (<= 57%, inert solid >= 43%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane (<= 77%, diluent type B >= 23%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane (<= 90%, diluent type B >= 10%) - see Organic peroxide type C, liquid (UN 3103)</i>										
	<i>1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane, (> 90%)</i>	Forbidden									
UN1764	Dichloroacetic acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2649	1,3-Dichloroacetone	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1765	Dichloroacetyl chloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	Dichloroacetylene	Forbidden									
UN1590	Dichloroanilines, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A113
UN3442	Dichloroanilines, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A113
UN1591	o-Dichlorobenzene	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A113

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Di-4-chlorobenzoyl peroxide (<= 32%, inert solid >= 68%)</i>							30 kg			
	<i>Di-4-chlorobenzoyl peroxide (<= 52%) as a paste - see Organic peroxide type D, solid (UN 3106) [OP.20]</i>										
	<i>Di-4-chlorobenzoyl peroxide (<= 77%, water >= 23%)</i>	Forbidden									
UN1916	2,2'-Dichlorodiethyl ether	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1028	Dichlorodifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2602	Dichlorodifluoromethane and difluoroethane azeotropic mixture approximately 74% dichlorodifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2249	Dichlorodimethyl ether, symmetrical	Forbidden									
UN2362	1,1-Dichloroethane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>1,2-Dichloroethane - see Ethylene dichloride</i>										
UN1150	1,2-Dichloroethylene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Dichloroethyl sulphide</i>	Forbidden									
UN1029	Dichlorofluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
	<i>alpha-Dichlorohydrin - see 1,3-Dichloropropanol-2</i>										
UN2465	Dichloroisocyanuric acid, dry	5.1	II					Not Accepted			
UN2465	Dichloroisocyanuric acid, salts	5.1	II					Not Accepted			
UN2490	Dichloroisopropyl ether	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1593	Dichloromethane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2650	1,1-Dichloro-1-nitroethane	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1152	Dichloropentanes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Dichlorophenols - see Chlorophenols, liquid; Chlorophenols, solid</i>										
UN2250	Dichlorophenyl isocyanates	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1766	Dichlorophenyltrichlorosilane	Forbidden	II								
UN1279	1,2-Dichloropropane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2750	1,3-Dichloropropanol-2	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>1,3-Dichloro-2-propanone - see 1,3-Dichloroacetone</i>										
UN2047	Dichloropropenes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2047	Dichloropropenes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN2189	Dichlorosilane	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Dichloro-s-triazine-2,4,6-trione - see Dichloroisocyanuric acid, dry; Dichloroisocyanuric acid, salts</i>										
UN1958	1,2-Dichloro-1,1,2,2-tetrafluoroethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
	<i>Dichlorovinylchloroarsine</i>	Forbidden									
	<i>Dicumyl peroxide (> 52%) - see Organic peroxide type F, solid (UN 3110) [OP.12]</i>										
	<i>Dicumyl peroxide (<= 52%, inert solid >= 48%) [OP.29]</i>							30 kg			
	<i>1,4-Dicyanobutane - see Adiponitrile</i>										
UN2565	Dicyclohexylamine	8	III	CORROSIVE	Y841	1 L	852	5 L			
	<i>Dicyclohexylamine nitrite - see Dicyclohexylammonium nitrite</i>										
UN2687	Dicyclohexylammonium nitrite	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	<i>Dicyclohexyl peroxydicarbonate</i>	Forbidden									
UN2048	Dicyclopentadiene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Didecanoyl peroxide</i>	Forbidden									
UN2372	1,2-Di-(dimethylamino ethane)	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>2,2-Di-(4,4-di-(tert-butylperoxy) cyclohexyl) propane (<= 22%, diluent type B >= 78%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>2,2-Di-(4,4-di-(tert-butylperoxy) cyclohexyl) propane (<= 42%, inert solid >= 58%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>2,2-Di-(4,4-di-tert-butylperoxycyclohexyl) propane, more than 42% with inert solid</i>	Forbidden									
	<i>Di-2,4-dichlorobenzoyl peroxide (<= 52%), as a paste (UN 3118)</i>	Forbidden									
	<i>Di-2,4-dichlorobenzoyl peroxide (<= 52%) as a paste with silicon oil - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>Di-2,4-dichlorobenzoyl peroxide (< 77%, water <= 23%)</i>	Forbidden									
UN1465	Didymium nitrate	5.1	III					Not Accepted			
UN1202	Diesel fuel	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Di-(2-ethoxyethyl) peroxydicarbonate</i>	Forbidden									
	<i>Diethanol nitrosamine dinitrate (dry)</i>	Forbidden									
	<i>1,1-Diethoxyethane - see Acetal</i>										
	<i>1,2-Diethoxyethane - see Ethylene glycol diethyl ether</i>										
UN2373	Diethoxymethane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>2,5-Diethoxy-4-morpholinobenzenediazonium tetrafluoroborate (100%)</i>	Forbidden									
	<i>2,5-Diethoxy-4-morpholinobenzenediazonium zinc chloride</i>	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>2,5-Diethoxy-4-(4-morpholinyl)-benzenediazonium sulphate - see Self-reactive solid type D</i>										
	<i>2,5-Diethoxy-4-(phenylsulphonyl) benzenediazonium zinc chloride (> 67%)</i>	Forbidden									
UN2374	3,3-Diethoxypropene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1154	Diethylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2686	2-Diethylaminoethanol	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN2684	3-Diethylaminopropylamine	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			
UN2432	N,N-Diethylaniline	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A113
UN2049	Diethylbenzene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Diethylcarbinol - see Amyl alcohols (UN 1105)</i>										
UN2366	Diethyl carbonate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1767	Diethyldichlorosilane	Forbidden	II								
	<i>Diethylenediamine - see Piperazine (UN 2579)</i>										
	<i>Diethyleneglycol bis allyl carbonate (<= 88%) + Diisopropylperoxydicarbonate (>= 12%)</i>	Forbidden									
UN0075	Diethyleneglycol dinitrate, desensitized >= 25% non-volatile, water insoluble phlegmatizer	Forbidden									
	<i>Diethyleneglycol dinitrate (dry)</i>	Forbidden									
UN2079	Diethylenetriamine	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>N,N-Diethylethanolamine - see 2-Diethylaminoethanol</i>										
UN1155	Diethyl ether	3	I	FLAMMABLE LIQUID			351	1 L			
UN2685	N,N-Diethylethylenediamine	8 (3)	II	FLAMMABLE LIQUID & CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
	<i>Diethylgold bromide</i>	Forbidden									
	<i>Di-(2-ethylhexyl)peroxydicarbonate</i>	Forbidden									
	<i>Di-(2-ethylhexyl) phosphoric acid - see Diisooctyl acid phosphate</i>										
UN1156	Diethyl ketone	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Diethyl peroxydicarbonate, more than 27% in solution</i>	Forbidden									
UN1594	Diethyl sulphate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2375	Diethyl sulphide	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2751	Diethylthiophosphoryl chloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>2,4-Difluoroaniline - see Fluoroanilines (UN 2941)</i>										
	<i>Difluorochloroethane - see 1-Chloro-1,1-difluoroethane</i>										
UN1030	1,1-Difluoroethane	Forbidden									
UN1959	1,1-Difluoroethylene	Forbidden									
UN3252	Difluoromethane	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Difluoromethane, pentafluoroethane and 1,1,1,2-tetrafluoroethane azeotropic mixture (23%) difluoromethane and pentafluoroethane (25%) - see Refrigerant gas R 407C</i>										
	<i>Difluoromethane, pentafluoroethane and 1,1,1,2-tetrafluoroethane azeotropic mixture (20%) difluoromethane and pentafluoroethane (40%) - see Refrigerant gas R 407A</i>										
	<i>Difluoromethane, pentafluoroethane and 1,1,1,2-tetrafluoroethane azeotropic mixture (10%) difluoromethane and pentafluoroethane (70%) - see Refrigerant gas R 407B</i>										
UN1768	Difluorophosphoric acid, anhydrous	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>2,2-Dihydroperoxypropane</i>	Forbidden									
	<i>2,2-Dihydroperoxypropane, not more than 27% when with 73% or more inert solid</i>	Forbidden									
UN2376	2,3-Dihydropyran	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Di-(1-hydroxycyclohexyl)peroxide (<= 100%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>1,8-Dihydroxy-2,4,5,7-tetranitroanthraquinone (chrysamminic acid)</i>	Forbidden									
	<i>Di-(1-hydroxytetrazole) (dry)</i>	Forbidden									
	<i>Diiodoacetylene</i>	Forbidden									
UN2361	Diisobutylamine	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			
UN2050	Diisobutylene, isomeric compound	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1157	Diisobutyl ketone	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Diisobutyryl peroxide</i>	Forbidden									
UN1902	Diisooctyl acid phosphate	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN1158	Diisopropylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>Di-isopropylbenzene dihydroperoxide (<= 82%, diluent type A >= 5%, water >= 5%) - see Organic peroxide type D, solid (UN 3106) [OP.24]</i>										
UN1159	Diisopropyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Diisopropyl peroxydicarbonate</i>	Forbidden									
UN2521	Diketene, stabilized	Forbidden									
	<i>Dilauroyl peroxide (< 100%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>Dilauroyl peroxide (<= 42%) as a stable dispersion in water - see Organic peroxide type F, liquid (UN 3109)</i>										
	<i>4-(Dimethylamino)-benzenediazonium trichlorozincate(-1) (100%) - see Self-reactive solid, type E</i>										
	<i>Di-(3-methoxybutyl) peroxydicarbonate</i>	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2377	1,1-Dimethoxyethane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2252	1,2-Dimethoxyethane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	2,5-Dimethoxy-4-(4-methylphenylsulphonyl) benzenediazonium zinc chloride (79%)	Forbidden									
	Dimethoxystrychnine - see Brucine										
UN1032	Dimethylamine, anhydrous	Forbidden									
UN1160	Dimethylamine, aqueous solution	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2378	2-Dimethylaminoacetonitrile	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
	4-(Dimethylamino)-benzenediazonium trichlorozincate (- 1) - see Self-reactive solid type E (UN 3228)										
	4-Dimethylamino-6-(2-dimethylaminoethoxy) toluene-2- diazonium zinc chloride (100%)	Forbidden									
UN2051	2-Dimethylaminoethanol	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN3302	2-Dimethylaminoethyl acrylate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2522	2-Dimethylaminoethyl methacrylate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2253	N,N-Dimethylaniline	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	Dimethylarsenic acid - see Cacodylic acid										
	Di-(2-methylbenzoyl) peroxide (<= 87%, water >= 13%)	Forbidden									
	Di-(3-methylbenzoyl) peroxide (<= 20%) + Benzoyl (3- methylbenzoyl) peroxide (>= 18%) + Dibenzoyl peroxide (>= 4%)	Forbidden									
	Di-(4-methylbenzoyl) peroxide (<= 52%) as a paste with silicon oil - see Organic peroxide type D, solid (UN 3106)										
	2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane, (<= 82%)	Forbidden									
	2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (<= 82%, water >= 18%) - see Organic peroxide type C, solid (UN 3104)										
	2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (<= 82% inert solid >= 18%) - see Organic peroxide type D, solid (UN 3106)										
	N,N-Dimethylbenzylamine - see Benzyl dimethylamine										
UN2457	2,3-Dimethylbutane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2379	1,3-Dimethylbutylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2262	Dimethylcarbamoyl chloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1161	Dimethyl carbonate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2263	Dimethylcyclohexanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2264	N,N-Dimethylcyclohexylamine	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN1162	Dimethyldichlorosilane	Forbidden	II								
UN2380	Dimethyldiethoxysilane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	2,5-Dimethyl-2,5-di-(2-ethylhexanoylperoxy) hexane	Forbidden									
	2,5-Dimethyl-2,5-dihydroperoxyhexane (<= 82%, water >= 18%) - see Organic peroxide type C, solid (UN 3104)										
UN2707	Dimethyldioxanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2707	Dimethyldioxanes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	2,5-Dimethyl-1,4-dioxane - see Dimethyldioxanes										
UN2381	Dimethyl disulphide	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexane (<= 47%) as a paste - see Organic peroxide type E, solid (UN 3108)										
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexane (> 52% and <= 90%, diluent type A >= 10%) - see Organic peroxide type D, liquid (UN 3105)										
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexane (<= 52%, diluent type A >= 48%) - see Organic peroxide type F, liquid (UN 3109)										
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexane (<= 77%, inert solid >= 23%) - see Organic peroxide type E, solid (UN 3108)										
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexane (> 90%) - see Organic peroxide type C, liquid (UN 3103)										
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexyne-3 (> 52 and <= 86%, diluent type A >= 14%) - see Organic peroxide type C, liquid (UN 3103) [OP.26]										
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexyne-3 (<= 52%, inert solid >= 48%) - see Organic peroxide type D, solid (UN 3106)										
	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexyne-3 (> 86%)	Forbidden									
	2,5-Dimethyl-2,5-di-(3,5,5- trimethylhexanoylperoxy)hexane (<= 77%, diluent type A >= 23%) - see Organic peroxide type D, liquid (UN 3105)										
	Dimethylethanolamine - see 2-Dimethylaminoethanol										
UN1033	Dimethyl ether	Forbidden									
UN2265	N,N-Dimethylformamide	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>1,1-Dimethylhydrazine - see Dimethylhydrazine, unsymmetrical</i>										
UN2382	Dimethylhydrazine, symmetrical	Forbidden									
UN1163	Dimethylhydrazine, unsymmetrical	Forbidden									
	<i>1,1-Dimethyl-3-hydroxybutylperoxyneohexanoate</i>	Forbidden									
	<i>N,N-Dimethyl-4-nitrosoaniline - see p-Nitrosodimethylaniline</i>										
UN2044	2,2-Dimethylpropane	Forbidden									
UN2266	Dimethyl-N-propylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1595	Dimethyl sulphate	Forbidden									
UN1164	Dimethyl sulphide	3	II	FLAMMABLE LIQUID	Y341	1 L	353	1 L			
UN2267	Dimethyl thiophosphoryl chloride	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN1370	Dimethylzinc	Forbidden									
	<i>Dimyristyl peroxydicarbonate</i>	Forbidden									
	<i>Di-(2-neodecanoylperoxyisopropyl) benzene</i>	Forbidden									
UN0489	DINGU	Forbidden									
UN1596	Dinitroanilines	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1597	Dinitrobenzenes, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1597	Dinitrobenzenes, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3443	Dinitrobenzenes, solid	6.1	II					Not Accepted			
	<i>Dinitrochlorobenzenes - see Chlorodinitrobenzenes, liquid; Chlorodinitrobenzenes, solid</i>										
UN1598	Dinitro-o-cresol	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
	<i>Dinitro-7,8-dimethylglycoluril (dry)</i>	Forbidden									
	<i>1,3-Dinitro-5,5-dimethyl hydantoin</i>	Forbidden									
	<i>1,3-Dinitro-4,5-dinitrosobenzene</i>	Forbidden									
	<i>1,2-Dinitroethane</i>	Forbidden									
	<i>1,1-Dinitroethane (dry)</i>	Forbidden									
UN1067	Dinitrogen tetroxide	Forbidden									
UN0489	Dinitroglycoluril	Forbidden									
	<i>Dinitromethane</i>	Forbidden									
UN0076	Dinitrophenol dry or wetted < 15% water, by weight	Forbidden									
UN0077	Dinitrophenolates alkali metals, dry or wetted with <= 15% water, by weight	Forbidden									
UN1321	Dinitrophenolates, wetted >= 15% water, by weight	4.1 (6.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			451	1 kg			A40

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1599	Dinitrophenol solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1599	Dinitrophenol solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN1320	Dinitrophenol, wetted >= 15% water, by weight	4.1 (6.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			451	1 kg			A40
	Dinitropropylene glycol	Forbidden									
UN0078	Dinitroresorcinol dry or wetted < 15% water, by weight	Forbidden									
	2,4-Dinitroresorcinol (heavy metal salts of) (dry)	Forbidden									
	4,6-Dinitroresorcinol (heavy metal salts of) (dry)	Forbidden									
UN1322	Dinitroresorcinol, wetted >= 15% water, by weight	4.1	I	FLAMMABLE SOLID			451	1 kg			A40
	3,5-Dinitrosalicylic acid (lead salt) (dry)	Forbidden									
UN0406	Dinitrosobenzene	Forbidden									
	Dinitrosobenzylamide and salts of (dry)	Forbidden									
	N,N'-Dinitroso-N,N'-dimethyl terephthalamide (<= 72%) as a paste - see Self-reactive solid type C										
	N,N'-Dinitroso-N,N'-dimethyl terephthalamide, as a paste (72%) - see Self-reactive solid, type C										
	N,N'-Dinitrosopentamethylene tetramine (82%) - see Self-reactive solid, type C										
	N,N'-Dinitrosopentamethylene tetramine (<= 82%) with phlegmatizer - see Self-reactive solid type C										
	2,2-Dinitrostilbene	Forbidden									
	1,4-Dinitro-1,1,4,4-tetramethylolbutane tetranitrate (dry)	Forbidden									
	Dinitrotoluene mixed with sodium chlorate - see Explosive, blasting, type C										
UN2038	Dinitrotoluenes, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1600	Dinitrotoluenes, molten	Forbidden									
UN3454	Dinitrotoluenes, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	2,4-Dinitro-1,3,5-trimethylbenzene	Forbidden									
	Di-(beta-nitroxyethyl) ammonium nitrate	Forbidden									
	a,a'-Di-(nitroxy) methylether	Forbidden									
	1,9-Dinitroxy pentamethylene-2,4,6,8-tetramine (dry)	Forbidden									
	Di-n-nonanoyl peroxide	Forbidden									
	Di-n-octanoyl peroxide	Forbidden									
UN1165	Dioxane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1166	Dioxolane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2052	Dipentene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	Di-(2-phenoxyethyl) peroxydicarbonate (> 85%)	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Di-(2-phenoxyethyl) peroxydicarbonate (<= 85%, water >= 15%) - see Organic peroxide type D, solid (UN 3106)</i>										
UN1698	Diphenylamine chloroarsine	Forbidden									
UN1699	Diphenylchloroarsine, liquid	Forbidden									
UN3450	Diphenylchloroarsine, solid	Forbidden	I								
UN1769	Diphenyldichlorosilane	Forbidden	II								
UN1770	Diphenylmethyl bromide	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
	<i>Diphenyloxide-4,4'-disulphohydrazide (100%) - see Self reactive solid, type D (UN 3226)</i>										
UN0079	Dipicrylamine	Forbidden									
UN0401	Dipicryl sulphide dry or wetted < 10% water	Forbidden									
UN2852	Dipicryl sulphide, wetted >= 10% water	Forbidden	I								
	<i>Dipropionyl peroxide</i>	Forbidden									
	<i>Dipropionyl peroxide, more than 28% in solution</i>	Forbidden									
UN2383	Dipropylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>4-Dipropylaminobenzenediazonium zinc chloride (100%) - see Self reactive solid, type D (UN 3226)</i>										
	<i>Dipropylene triamine - see 3,3'-Iminodipropylamine</i>										
UN2384	Di-n-propyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Di-n-propyl peroxydicarbonate</i>	Forbidden									
UN2710	Dipropyl ketone	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1903	Disinfectant, liquid, corrosive, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN1903	Disinfectant, liquid, corrosive, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1903	Disinfectant, liquid, corrosive, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN3142	Disinfectant, liquid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3142	Disinfectant, liquid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3142	Disinfectant, liquid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN1601	Disinfectant, solid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN1601	Disinfectant, solid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1601	Disinfectant, solid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN3253	Disodium trioxosilicate	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
	<i>Disuccinic acid peroxide</i>	Forbidden									
	<i>Di-(3,5,5-trimethylhexanoyl) peroxide</i>	Forbidden									
UN1167	Divinyl ether, stabilized	3	I	FLAMMABLE LIQUID			351	1 L			
UN1771	Dodecyltrichlorosilane	Forbidden	II								
	<i>Drugs, n.o.s. - see Consumer commodity</i>										
	<i>Drugs, corrosive, liquid, n.o.s. - see Corrosive liquid, n.o.s.</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Drugs, corrosive, solid, n.o.s. - see Corrosive solid, n.o.s.</i>										
	<i>Drugs, flammable, liquid, n.o.s. - see Flammable liquid, n.o.s.</i>										
	<i>Drugs, flammable, solid, n.o.s. - see Flammable solid, inorganic, n.o.s.; Flammable solid, organic, n.o.s.</i>										
	<i>Drugs, oxidizing, substance, n.o.s. - see Oxidizing liquid or solid, n.o.s.</i>										
	<i>Drugs, toxic, liquid, n.o.s. - see Toxic liquid, organic, n.o.s.</i>										
	<i>Drugs, toxic, solid, n.o.s. - see Toxic solid, organic, n.o.s.</i>										
UN1845	Dry ice	9		MISCELLANEOUS			954	68 kg G	954	68 kg G	A48, A151
	<i>Dye and dye intermediates, flammable liquid - see Flammable liquid, n.o.s.</i>										
UN2801	Dye intermediate, liquid, corrosive, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN2801	Dye intermediate, liquid, corrosive, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2801	Dye intermediate, liquid, corrosive, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1602	Dye intermediate, liquid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN1602	Dye intermediate, liquid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1602	Dye intermediate, liquid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3147	Dye intermediate, solid, corrosive, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3147	Dye intermediate, solid, corrosive, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN3147	Dye intermediate, solid, corrosive, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN3143	Dye intermediate, solid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3143	Dye intermediate, solid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3143	Dye intermediate, solid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2801	Dye, liquid, corrosive, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN2801	Dye, liquid, corrosive, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2801	Dye, liquid, corrosive, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1602	Dye, liquid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN1602	Dye, liquid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1602	Dye, liquid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3147	Dye, solid, corrosive, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3147	Dye, solid, corrosive, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN3147	Dye, solid, corrosive, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3143	Dye, solid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3143	Dye, solid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3143	Dye, solid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
	<i>Dynamite - see Explosive, blasting, type A</i>										
	<i>Electric storage batteries - see Batteries, etc.</i>										
	<i>Electrolyte (acid or alkali) for batteries - see Battery fluid, acid or Battery fluid, alkali</i>										
	<i>Electron tubes containing mercury - see Mercury contained in manufactured articles</i>										
UN3257	Elevated temperature liquid, n.o.s. at or above 100°C and below its flash point including molten metals, molten salts, etc.*	9	III	MISCELLANEOUS			Forbidden	Forbidden	Forbidden	Forbidden	
UN3256	Elevated temperature liquid, flammable, n.o.s. flash point above 60°C, at or above its flash point*	Forbidden	III								
UN3258	Elevated temperature solid, n.o.s. at or above 240°C*	9	III	MISCELLANEOUS			Forbidden	Forbidden	Forbidden	Forbidden	
UN3166	Engine, fuel cell, flammable gas powered	9		MISCELLANEOUS						Not Accepted	A806
UN3166	Engine, fuel cell, flammable liquid powered	9		MISCELLANEOUS			950	30 kg G	950	30 kg G	A806
UN3166	Engine, internal combustion, flammable gas powered	9		MISCELLANEOUS			Forbidden	Forbidden		Not Accepted	A806
UN3166	Engine, internal combustion, flammable liquid powered	9		MISCELLANEOUS			950	30 kg G	950	30 kg G	A806
	<i>Engines, rocket - see Rocket motors, etc.</i>										
UN3082	Environmentally hazardous substance, liquid, n.o.s.*	9	III	MISCELLANEOUS	Y964	30 kg G	964	25 L	964	25 L	A97, A158
UN3077	Environmentally hazardous substance, solid, n.o.s.*	9	III	MISCELLANEOUS	Y956	30 kg G	956	30 kg	956	30 kg	A97, A158, A179
UN2558	Epibromohydrin	Forbidden									
UN2023	Epichlorohydrin	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A113
	<i>1,2-Epoxybutane, stabilized - see 1,2-Butylene oxide, stabilized</i>										
	<i>Epoxyethane - see Ethylene oxide</i>										
UN2752	1,2-Epoxy-3-ethoxypropane	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>2,3-Epoxy-1-propanal - see Glycidaldehyde</i>										
	<i>2,3-Epoxypropyl ethyl ether - see 1,2-Epoxy-3-ethoxypropane</i>										
UN3272	Esters, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN3272	Esters, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1035	Ethane	Forbidden									
UN1961	Ethane, refrigerated liquid	Forbidden									
	<i>Ethanethiol - see Ethyl mercaptan</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1170	Ethanol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A58, A180
UN1170	Ethanol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A58, A180
UN2491	Ethanolamine	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>Ethanol amine dinitrate</i>	Forbidden									
UN2491	Ethanolamine solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN3475	Ethanol and gasoline mixture, > 10% ethanol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A156
UN3475	Ethanol and motor spirit mixture, > 10% ethanol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A156
UN3475	Ethanol and petrol mixture, > 10% ethanol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A156
UN1170	Ethanol solution	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A58, A180
UN1170	Ethanol solution	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A58, A180
	<i>Ether - see Diethyl ether</i>										
UN3271	Ethers, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN3271	Ethers, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>2-(N,N-Ethoxycarbonyl-phenylamino)-3-methoxy-4-(N-methyl-N-cyclohexylamino)benzene diazonium zinc chloride (<= 62%, < 92%)</i>	Forbidden									
	<i>2-(n,n-Ethoxycarbonylphenylamino)-3-methoxy-4-(n-methyl-n-cyclohexylamino) benzenediazonium zinc chloride</i>	Forbidden									
	<i>2-Ethoxyethanol - see Ethylene glycol monoethyl ether</i>										
	<i>2-Ethoxyethyl acetate - see Ethylene glycol monoethyl ether acetate</i>										
	<i>Ethoxy propane-1 - see Ethyl propyl ether</i>										
UN1173	Ethyl acetate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2452	Ethylacetylene, stabilized	Forbidden									
UN1917	Ethyl acrylate, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1170	Ethyl alcohol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A58, A180
UN1170	Ethyl alcohol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A58, A180
UN1170	Ethyl alcohol solution	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A58, A180
UN1170	Ethyl alcohol solution	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A58, A180
UN1036	Ethylamine	Forbidden									
UN2270	Ethylamine, aqueous solution with 50% or more and < 70% ethylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2271	Ethyl amyl ketone	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2272	N-Ethylaniline	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2273	2-Ethylaniline	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN1175	Ethylbenzene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2274	N-Ethyl-N-benzylaniline	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2753	N-Ethylbenzyltoluidines, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN3460	N-Ethylbenzyltoluidines, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1176	Ethyl borate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1891	Ethyl bromide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1603	Ethyl bromoacetate	Forbidden									
UN2275	2-Ethylbutanol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1177	2-Ethylbutyl acetate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1179	Ethyl butyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1178	2-Ethylbutylaldehyde	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1180	Ethyl butyrate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1037	Ethyl chloride	Forbidden									
UN1181	Ethyl chloroacetate	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>Ethyl chlorocarbonate - see Ethyl chloroformate</i>										
UN1182	Ethyl chloroformate	Forbidden									
UN2935	Ethyl 2-chloropropionate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2826	Ethyl chlorothioformate	Forbidden									
UN1862	Ethyl crotonate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Ethyl 3,3-di-(tert-amylperoxy)butyrate (<= 67%, diluent type A >= 33%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>Ethyl 3,3-di-(tert-butylperoxy)butyrate (<= 52%, inert solid >= 48%) - see Organic peroxide type D, solid (UN 3106)</i>										
	<i>Ethyl 3,3-di-(tert-butylperoxy)butyrate (<= 77%, diluent type A >= 23%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>Ethyl 3,3-di-(tert-butylperoxy)butyrate (> 77%) - see Organic peroxide type C, liquid (UN 3103)</i>										
UN1892	Ethylidichloroarsine	Forbidden									
UN1183	Ethylidichlorosilane	Forbidden	I								
UN1962	Ethylene	Forbidden									
UN3138	Ethylene, acetylene and propylene mixture, refrigerated liquid >= 71.5% ethylene, <= 22.5% acetylene, <= 6% propylene	Forbidden									
UN1135	Ethylene chlorohydrin	Forbidden									
UN1604	Ethylenediamine	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
	<i>Ethylene diamine diperchlorate</i>	Forbidden									
UN1605	Ethylene dibromide	Forbidden									
	<i>Ethylene dibromide and methyl bromide liquid mixture - see Methyl bromide and ethylene dibromide mixture, liquid</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1184	Ethylene dichloride	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN1153	Ethylene glycol diethyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1153	Ethylene glycol diethyl ether	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Ethylene glycol dinitrate</i>	Forbidden									
UN1171	Ethylene glycol monoethyl ether	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1172	Ethylene glycol monoethyl ether acetate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1188	Ethylene glycol monomethyl ether	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1189	Ethylene glycol monomethyl ether acetate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1185	Ethyleneimine, stabilized	Forbidden									
UN1040	Ethylene oxide	Forbidden									
UN1041	Ethylene oxide and carbon dioxide mixture with > 9% and <= 87% ethylene oxide	Forbidden									
UN3300	Ethylene oxide and carbon dioxide mixture with > 87% ethylene oxide	Forbidden									
UN1952	Ethylene oxide and carbon dioxide mixture with <= 9% ethylene oxide	2.2		NON-FLAMMABLE GAS			200	25 kg			
UN3297	Ethylene oxide and chlorotetrafluoroethane mixture with <= 8.8% ethylene oxide	2.2		NON-FLAMMABLE GAS			200	25 kg			
UN3070	Ethylene oxide and dichlorodifluoromethane mixture with <= 12.5% ethylene oxide	2.2						Not Accepted			
UN3298	Ethylene oxide and pentafluoroethane mixture with <= 7.9% ethylene oxide	2.2		NON-FLAMMABLE GAS			200	25 kg			
UN2983	Ethylene oxide and propylene oxide mixture with <= 30% ethylene oxide	Forbidden	I								
UN3299	Ethylene oxide and tetrafluoroethane mixture with <= 5.6% ethylene oxide	2.2		NON-FLAMMABLE GAS			200	25 kg			
UN1040	Ethylene oxide with nitrogen up to a total pressure of 1 MPa at 50°C	Forbidden									
UN1038	Ethylene, refrigerated liquid	Forbidden									
UN1155	Ethyl ether	3	I	FLAMMABLE LIQUID			351	1 L			
UN2453	Ethyl fluoride	Forbidden									
UN1190	Ethyl formate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2276	2-Ethylhexylamine	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			
UN2748	2-Ethylhexyl chloroformate	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
	<i>Ethyl hydroperoxide</i>	Forbidden									
	<i>Ethylidene chloride - see 1,1-Dichloroethane (UN 2362)</i>										
UN2385	Ethyl isobutyrate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2481	Ethyl isocyanate	Forbidden	I								
UN1192	Ethyl lactate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2363	Ethyl mercaptan	Forbidden	I								
UN2277	Ethyl methacrylate, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1039	Ethyl methyl ether	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1193	Ethyl methyl ketone	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Ethyl methyl ketone peroxide, (diluent type A <= 48%, available oxygen > 10% and < 10.7%)</i>	Forbidden									
	<i>Ethyl methyl ketone peroxide, (diluent type A <= 55%, available oxygen >= 10%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>Ethyl methyl ketone peroxide, (diluent type A <= 60%, available oxygen >= 8.2%) - see Organic peroxide type E, liquid (UN 3107)</i>										
	<i>Ethyl nitrate</i>	Forbidden									
	<i>Ethyl nitrite</i>	Forbidden									
UN1194	Ethyl nitrite solution	Forbidden									
UN2524	Ethyl orthoformate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2525	Ethyl oxalate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Ethyl perchlorate</i>	Forbidden									
UN2435	Ethylphenyldichlorosilane	Forbidden	II								
UN2386	1-Ethylpiperidine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1195	Ethyl propionate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2615	Ethyl propyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Ethyl silicate - see Tetraethyl silicate (UN 1292)</i>										
	<i>Ethyl sulphate - see Diethyl sulphate (UN 1594)</i>										
	<i>Ethylsulphuric acid - see Alkylsulphuric acids (UN 2571)</i>										
UN2754	N-Ethyltoluidines	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1196	Ethyltrichlorosilane	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE			377	1 L			
	<i>Etiologic agent - see Infectious substance, affecting humans; Infectious substance, affecting animals</i>										
	<i>Explosive articles - see Articles, explosive, n.o.s.</i>										
UN0081	Explosive, blasting, type A	Forbidden									
UN0082	Explosive, blasting, type B	Forbidden									
UN0331	Explosive, blasting, type B	Forbidden									
UN0083	Explosive, blasting, type C	Forbidden									
UN0084	Explosive, blasting, type D	Forbidden									
UN0241	Explosive, blasting, type E	Forbidden									
UN0332	Explosive, blasting, type E	Forbidden									
	<i>Explosive, emulsion - see Explosive, blasting, type E</i>										
	<i>Explosive, seismic - see Explosive, blasting, type A, B or C</i>										
	<i>Explosive, slurry - see Explosive, blasting, type E</i>										
	<i>Explosive substances - see Substances, explosive, n.o.s.</i>										
	<i>Explosive, water gel - see Explosive, blasting, type E</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1169	Extracts, aromatic, liquid	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1169	Extracts, aromatic, liquid	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1197	Extracts, flavouring, liquid	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1197	Extracts, flavouring, liquid	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1373	Fabrics, animal, n.o.s. with oil	Forbidden									
UN1353	Fabrics impregnated with weakly nitrated nitrocellulose, n.o.s.	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN1373	Fabrics, synthetic, n.o.s. with oil	Forbidden									
UN1373	Fabrics, vegetable, n.o.s. with oil	Forbidden									
UN1606	Ferric arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1607	Ferric arsenite	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1773	Ferric chloride, anhydrous	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2582	Ferric chloride solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1466	Ferric nitrate	5.1	III					Not Accepted			
UN1323	Ferrocerium	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			A42
UN1408	Ferrosilicon >= 30% and < 90% silicon	4.3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	485	25 kg			A3, A10
UN1608	Ferrous arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2793	Ferrous metal borings in a form liable to self-heating	4.2	III					Not Accepted			
UN2793	Ferrous metal cuttings in a form liable to self-heating	4.2	III					Not Accepted			
UN2793	Ferrous metal shavings in a form liable to self-heating	4.2	III					Not Accepted			
UN2793	Ferrous metal turnings in a form liable to self-heating	4.2	III					Not Accepted			
UN1043	Fertilizer ammoniating solution with free ammonia	Forbidden									
	Fertilizers ammonium nitrate based - see Ammonium nitrate based fertilizer										
	Fibreglass repair kit - see Polyester resin kit										
UN1373	Fibres, animal, n.o.s. with oil	Forbidden									
UN1353	Fibres impregnated with weakly nitrated nitrocellulose, n.o.s.	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN1373	Fibres, synthetic, n.o.s. with oil	Forbidden									
UN1373	Fibres, vegetable, n.o.s. with oil	Forbidden									
UN1324	Films, nitrocellulose base gelatin coated, except scrap	4.1	III	FLAMMABLE SOLID	Y454	10 kg	454	25 kg			
	Films, nitrocellulose base, from which gelatin has been removed - see Celluloid, scrap										
UN1774	Fire extinguisher charges corrosive liquid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	Fire extinguisher charges, expelling, explosive - see Cartridges, power device										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1044	Fire extinguishers with compressed or liquefied gas	2.2		NON-FLAMMABLE GAS			213	30 kg			A19
UN2623	Firelighters, solid flammable liquid	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN0333	Fireworks	Forbidden									
UN0334	Fireworks	Forbidden									
UN0335	Fireworks	Forbidden									
UN0336	Fireworks	Forbidden									
UN0337	Fireworks	1.4S						Not Accepted			
UN3316	First aid kit	9	I	MISCELLANEOUS	Y960	1 kg	960	10 kg	960	10 kg	A44, A163
UN3316	First aid kit	9	II	MISCELLANEOUS	Y960	1 kg	960	10 kg	960	10 kg	A44, A163
UN3316	First aid kit	9	III	MISCELLANEOUS	Y960	1 kg	960	10 kg	960	10 kg	A44, A163
	<i>Fissile radioactive materials - see</i> Radioactive material, fissile, n.o.s.										
	<i>Flammable gas - see</i> Compressed gas, flammable, n.o.s.; Liquefied gas, flammable, n.o.s.										
	<i>Flammable gas in lighters - see</i> Lighters										
	<i>Flammable gas (small receptacles not fitted with a dispersion device, not refillable) - see</i> Receptacles, small, containing gas										
UN1993	Flammable liquid, n.o.s.*	3	I	FLAMMABLE LIQUID			351	1 L			
UN1993	Flammable liquid, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1993	Flammable liquid, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN2924	Flammable liquid, corrosive, n.o.s.*	3 (8)	I	FLAMMABLE LIQUID & CORROSIVE			350	0.5 L			
UN2924	Flammable liquid, corrosive, n.o.s.*	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2924	Flammable liquid, corrosive, n.o.s.*	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3
UN1992	Flammable liquid, toxic, n.o.s.*	Forbidden	I								
UN1992	Flammable liquid, toxic, n.o.s.*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN1992	Flammable liquid, toxic, n.o.s.*	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			A3
UN3286	Flammable liquid, toxic, corrosive, n.o.s.*	Forbidden	I								
UN3286	Flammable liquid, toxic, corrosive, n.o.s.*	3 (6.1,8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y340	0.5 L	352	1 L			
UN3180	Flammable solid, corrosive, inorganic, n.o.s.*	4.1 (8)	II	FLAMMABLE SOLID & CORROSIVE	Y441	5 kg	445	15 kg			
UN3180	Flammable solid, corrosive, inorganic, n.o.s.*	4.1 (8)	III	FLAMMABLE SOLID & CORROSIVE	Y442	5 kg	446	25 kg			A3
UN2925	Flammable solid, corrosive, organic, n.o.s.*	4.1 (8)	II	FLAMMABLE SOLID & CORROSIVE	Y441	5 kg	445	15 kg			
UN2925	Flammable solid, corrosive, organic, n.o.s.*	4.1 (8)	III	FLAMMABLE SOLID & CORROSIVE	Y442	5 kg	446	25 kg			A3
UN3178	Flammable solid, inorganic, n.o.s.*	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3178	Flammable solid, inorganic, n.o.s.*	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
UN1325	Flammable solid, organic, n.o.s.*	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN1325	Flammable solid, organic, n.o.s.*	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
UN3176	Flammable solid, organic, molten, n.o.s.*	Forbidden									
UN3097	Flammable solid, oxidizing, n.o.s.*	Forbidden									
UN3179	Flammable solid, toxic, inorganic, n.o.s.*	4.1 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y440	1 kg	445	15 kg			
UN3179	Flammable solid, toxic, inorganic, n.o.s.*	4.1 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y443	10 kg	446	25 kg			A3
UN2926	Flammable solid, toxic, organic, n.o.s.*	4.1 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y440	1 kg	445	15 kg			
UN2926	Flammable solid, toxic, organic, n.o.s.*	4.1 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y443	10 kg	468	25 kg			A3
UN0093	Flares, aerial	Forbidden									
UN0403	Flares, aerial	Forbidden									
UN0404	Flares, aerial	1.4S		EXPLOSIVE 1.4 S			135	25 kg			
UN0420	Flares, aerial	Forbidden									
UN0421	Flares, aerial	Forbidden									
	<i>Flares, aeroplane - see</i> Flares, aerial										
	<i>Flares, distress, small - see</i> Signal devices, hand										
	<i>Flares, highway or railway - see</i> Signal devices, hand										
UN0092	Flares, surface	Forbidden									
UN0418	Flares, surface	Forbidden									
UN0419	Flares, surface	Forbidden									
	<i>Flares, water-activated - see</i> Contrivances, water-activated										
UN0094	Flash powder	Forbidden									
UN0305	Flash powder	Forbidden									
	<i>Flue dusts, toxic - see</i> Arsenical dust										
	<i>Fluoric acid - see</i> Hydrofluoric acid										
UN1045	Fluorine, compressed	Forbidden									
UN2642	Fluoroacetic acid	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			665	1 kg			
UN2941	Fluoroanilines	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2387	Fluorobenzene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1775	Fluoroboric acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>Fluoroethane - see</i> Ethyl fluoride										
	<i>Fluoroform - see</i> Trifluoromethane										
	<i>Fluoromethane - see</i> Methyl fluoride										
UN1776	Fluorophosphoric acid, anhydrous	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2856	Fluorosilicates, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1778	Fluorosilicic acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1777	Fluorosulphonic acid	8	I	CORROSIVE			850	0.5 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2388	Fluorotoluenes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2209	Formaldehyde solution with $\geq 25\%$ formaldehyde	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN1198	Formaldehyde solution, flammable	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A180
	Formaldehyde solution with $\geq 10\%$ and $< 25\%$ formaldehyde - see Aviation regulated liquid, n.o.s. (UN 3334) [XB.3]										
	Formalin - see Formaldehyde etc.										
	Formamidine sulphinic acid - see Thiourea dioxide										
UN1779	Formic acid with not $> 85\%$ acid, by mass	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN3412	Formic acid with $\geq 5\%$ and $< 10\%$ acid, by mass	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN3412	Formic acid with $\geq 10\%$ and $\leq 85\%$ acid, by mass	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	Formic aldehyde - see Formaldehyde solution, flammable; Formaldehyde solution										
	2-Formyl-3,4-dihydro-2H-pyran - see Acrolein dimer, stabilized										
	N-Formyl-2-(nitromethylene)-1,3-perhydrothiazine (100%)	Forbidden									
UN0099	Fracturing devices, explosive without detonator for oil wells	Forbidden									
UN1863	Fuel, aviation, turbine engine	3	I	FLAMMABLE LIQUID			351	1 L			
UN1863	Fuel, aviation, turbine engine	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1863	Fuel, aviation, turbine engine	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN3477	Fuel cell cartridges contained in equipment containing corrosive substances	8		CORROSIVE			874	5 kg			A146, A157
UN3473	Fuel cell cartridges contained in equipment containing flammable liquids	3		FLAMMABLE LIQUID			375	5 kg			A146
UN3479	Fuel cell cartridges contained in equipment containing hydrogen in metal hydride	2.1		FLAMMABLE GAS			216	1 kg			A146, A162
UN3478	Fuel cell cartridges contained in equipment containing liquefied flammable gas	2.1		FLAMMABLE GAS			216	1 kg			A146, A161
UN3476	Fuel cell cartridges contained in equipment containing water-reactive substances	4.3		Refer to DOT Special Permit or 49 CFR 173.13			496	5 kg			A146, A157
UN3477	Fuel cell cartridges containing corrosive substances	8		CORROSIVE			873	5 kg			A146, A157
UN3473	Fuel cell cartridges containing flammable liquids	3		FLAMMABLE LIQUID			374	5 kg			A146
UN3479	Fuel cell cartridges containing hydrogen in metal hydride	2.1		FLAMMABLE GAS			215	1 kg			A146, A162
UN3478	Fuel cell cartridges containing liquefied flammable gas	2.1		FLAMMABLE GAS			215	1 kg			A146, A161
UN3476	Fuel cell cartridges containing water-reactive substances	4.3		Refer to DOT Special Permit or 49 CFR 173.13			495	5 kg			A146, A157
UN3477	Fuel cell cartridges packed with equipment containing corrosive substances	8		CORROSIVE			875	5 kg			A146, A157

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3473	Fuel cell cartridges packed with equipment containing flammable liquids	3		FLAMMABLE LIQUID			376	5 kg			A146
UN3479	Fuel cell cartridges packed with equipment containing hydrogen in metal hydride	2.1		FLAMMABLE GAS			217	1 kg			A146, A162
UN3478	Fuel cell cartridges packed with equipment containing liquefied flammable gas	2.1		FLAMMABLE GAS			217	1 kg			A146, A161
UN3476	Fuel cell cartridges packed with equipment containing water-reactive substances	4.3		Refer to DOT Special Permit or 49 CFR 173.13			497	5 kg			A146, A157
	Fuel system components (e.g. fuel control units, carburetors, fuel lines, fuel pumps - see Dangerous goods in apparatus; Dangerous goods in machinery as appropriate										
	Fulminate of mercury (dry)	Forbidden									
	Fulminate of mercury, wet - see Mercury fulminate, wetted										
	Fulminating gold	Forbidden									
	Fulminating mercury	Forbidden									
	Fulminating platinum	Forbidden									
	Fulminating silver	Forbidden									
	Fulminic acid	Forbidden									
	Fumaroyl dichloride - see Fumaryl chloride										
UN1780	Fumaryl chloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	Fumigant - see appropriate pesticide										
	Fungicide - see appropriate pesticide										
UN1199	Furaldehydes	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2389	Furan	Forbidden	I								
UN2874	Furfuryl alcohol	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2526	Furfurylamine	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			
	Furyl carbinol - see Furfuryl alcohol										
UN0102	Fuse, detonating metal clad	Forbidden									
UN0290	Fuse, detonating metal clad	Forbidden									
UN0104	Fuse, detonating, mild effect metal clad	Forbidden									
UN0103	Fuse, igniter tubular, metal clad	Forbidden									
UN1201	Fusel oil	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1201	Fusel oil	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN0101	Fuse, non-detonating	Forbidden									
UN0105	Fuse, safety	1.4S		EXPLOSIVE 1.4 S			140	25 kg			
	Fuzes, combination, percussion or time - see Fuzes, detonating or Fuzes, igniting										
UN0106	Fuzes, detonating	Forbidden									
UN0107	Fuzes, detonating	Forbidden									
UN0257	Fuzes, detonating	Forbidden									
UN0367	Fuzes, detonating	1.4S		EXPLOSIVE 1.4 S			141	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0408	Fuzes, detonating with protective features	Forbidden									
UN0409	Fuzes, detonating with protective features	Forbidden									
UN0410	Fuzes, detonating with protective features	Forbidden									
UN0316	Fuzes, igniting	Forbidden									
UN0317	Fuzes, igniting	Forbidden									
UN0368	Fuzes, igniting	1.4S		EXPLOSIVE 1.4 S			141	25 kg			
	Galactan trinitrate	Forbidden									
UN2803	Gallium	8	III	CORROSIVE			867	20 kg			A69
UN2037	Gas cartridges (flammable) without a release device, non-refillable	2.1		FLAMMABLE GAS	Y203	1 kg	203	1 kg			A167
UN2037	Gas cartridges (non-flammable) without a release device, non-refillable	2.2		NON-FLAMMABLE GAS	Y203	1 kg	203	1 kg			A98, A167
UN2037	Gas cartridges (oxidizing) without a release device, non-refillable	2.2 (5.1)						Not Accepted			
UN2037	Gas cartridges (toxic and corrosive) without a release device, non-refillable	Forbidden									
UN2037	Gas cartridges (toxic and flammable) without a release device, non-refillable	Forbidden									
UN2037	Gas cartridges (toxic and oxidizing) without a release device, non-refillable	Forbidden									
UN2037	Gas cartridges (toxic, flammable and corrosive) without a release device, non-refillable	Forbidden									
UN2037	Gas cartridges (toxic, oxidizing and corrosive) without a release device, non-refillable	Forbidden									
UN2037	Gas cartridges (toxic) without a release device, non-refillable	Forbidden									
	Gas, compressed - see Compressed gas										
	Gas drips, hydrocarbon - see Hydrocarbons, liquid, n.o.s.										
	Gas liquefied - see Liquefied gas, etc.										
UN1202	Gas oil	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1203	Gasoline	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A100
	Gasoline, casinghead - see Gasoline										
UN3158	Gas, refrigerated liquid, n.o.s.*	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	25 kg			A801
UN3312	Gas, refrigerated liquid, flammable, n.o.s.*	Forbidden									
UN3311	Gas, refrigerated liquid, oxidizing, n.o.s.*	Forbidden									
UN3167	Gas sample, non-pressurized, flammable, n.o.s. (not refrigerated liquid)	2.1		FLAMMABLE GAS			206	1 L			
UN3169	Gas sample, non-pressurized, toxic, n.o.s. (not refrigerated liquid)	Forbidden									
UN3168	Gas sample, non-pressurized, toxic, flammable, n.o.s. (not refrigerated liquid)	Forbidden									
	Gas turbine engines - see Engines, internal combustion										
	Gelatin, blasting - see Explosive, blasting, type A										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Gelatin dynamites - see Explosive, blasting, type A</i>										
UN3245	Genetically modified micro-organisms	9		MISCELLANEOUS			959	30 kg	959	30 kg	A47
UN3245	Genetically modified organisms	9		MISCELLANEOUS			959	30 kg	959	30 kg	A47
UN2192	Germane	Forbidden									
	<i>Germanium hydride - see Germane</i>										
	<i>Glycerol-1,3-dichlorohydrin - see 1,3-Dichloropropanol-2</i>										
	<i>Glycerol-1,3-dinitrate</i>	Forbidden									
	<i>Glycerol gluconate trinitrate</i>	Forbidden									
	<i>Glycerol lactate trinitrate</i>	Forbidden									
UN2689	Glycerol alpha-monochlorohydrin	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Glyceryl trinitrate - see Nitroglycerin, etc.</i>										
UN2622	Glycidaldehyde	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN0284	Grenades hand or rifle, with bursting charge	Forbidden									
UN0285	Grenades hand or rifle, with bursting charge	Forbidden									
UN0292	Grenades hand or rifle, with bursting charge	Forbidden									
UN0293	Grenades hand or rifle, with bursting charge	Forbidden									
	<i>Grenades, illuminating - see Ammunition, illuminating</i>										
UN0110	Grenades, practice hand or rifle	1.4S		EXPLOSIVE 1.4 S			141	25 kg			
UN0318	Grenades, practice hand or rifle	Forbidden									
UN0372	Grenades, practice hand or rifle	Forbidden									
UN0452	Grenades, practice hand or rifle	Forbidden									
	<i>Grenades, smoke - see Ammunition, smoke</i>										
UN1467	Guanidine nitrate	5.1	III					Not Accepted			
	<i>Guanyl nitrosaminoguanylidene hydrazine (dry)</i>	Forbidden									
UN0113	Guanyl nitrosaminoguanylidene hydrazine, wetted with >= 30% water, by weight	Forbidden									
	<i>Guanyl nitrosaminoguanylidene hydrazine, wetted, < 30% water</i>	Forbidden									
	<i>Guanyl nitrosaminoguanyltetrazene (dry)</i>	Forbidden									
UN0114	Guanyl nitrosaminoguanyltetrazene, wetted with 30% or more water or mixture of alcohol and water	Forbidden									
	<i>Guanyl nitrosaminoguanyltetrazene, wetted, < 30% water or mixture of alcohol and water</i>	Forbidden									
UN0027	Gunpowder granular or as a meal	Forbidden									
UN0028	Gunpowder, compressed	Forbidden									
UN0028	Gunpowder in pellets	Forbidden									
	<i>Gutta percha solution - see Rubber solution</i>										
UN2545	Hafnium powder, dry	Forbidden	I					Not Accepted			
UN2545	Hafnium powder, dry	4.2	II					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2545	Hafnium powder, dry	4.2	III					Not Accepted			
UN1326	Hafnium powder, wetted	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			A35
UN1202	Heating oil, light	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Heat producing article (battery operated equipment, such as underwater torches or soldering equipment, which, if accidentally activated (see special provision A93), will generate extreme heat and can cause fire)</i>			MISCELLANEOUS			Forbidden	Forbidden	Forbidden	Forbidden	
UN1046	Helium, compressed	2.2		NON-FLAMMABLE GAS			200	30 kg			A69
UN1963	Helium, refrigerated liquid	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	30 kg			A801
UN3296	Heptafluoropropane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3056	n-Heptaldehyde	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>n-Heptanal - see n-Heptaldehyde</i>										
UN1206	Heptanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>4-Heptanone - see Dipropyl ketone</i>										
UN2278	n-Heptene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2661	Hexachloroacetone	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2729	Hexachlorobenzene	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	30 kg			
UN2279	Hexachlorobutadiene	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Hexachloro-1,3-butadiene - see Hexachlorobutadiene</i>										
UN2646	Hexachlorocyclopentadiene	Forbidden									
UN2875	Hexachlorophene	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>Hexachloro-2-propanone - see Hexachloroacetone</i>										
UN1781	Hexadecyltrichlorosilane	Forbidden	II								
UN2458	Hexadiene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1612	Hexaethyl tetraphosphate and compressed gas mixture	Forbidden									
UN1611	Hexaethyl tetraphosphate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2420	Hexafluoroacetone	Forbidden									
UN2552	Hexafluoroacetone hydrate, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3436	Hexafluoroacetone hydrate, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2193	Hexafluoroethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1782	Hexafluorophosphoric acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1858	Hexafluoropropylene	2.2		NON-FLAMMABLE GAS			200	30 kg			
	<i>Hexahydrocresol - see Methylcyclohexanols, etc.</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Hexahydromethyl phenol - see Methycyclohexanols, etc.</i>										
UN1207	Hexaldehyde	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>3,3,6,6,9,9-Hexamethyl-1,2,4,5-tetra oxacyclononane, more than 52%</i>	Forbidden									
UN2280	Hexamethylenediamine, solid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1783	Hexamethylenediamine solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1783	Hexamethylenediamine solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2281	Hexamethylene diisocyanate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2493	Hexamethyleneimine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1328	Hexamethylenetetramine	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	<i>Hexamethylene triperoxide diamine (dry)</i>	Forbidden									
	<i>Hexamethylol benzene hexanitrate</i>	Forbidden									
	<i>Hexamine - see Hexamethylenetetramine</i>										
UN1208	Hexanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Hexanitroazoxy benzene</i>	Forbidden									
	<i>2,2,4,4,6,6-Hexanitro-3,3-dihydroxyazobenzene (dry)</i>	Forbidden									
UN0079	Hexanitrodiphenylamine	Forbidden									
	<i>2,3,4,4,6,6-Hexanitrodiphenylether</i>	Forbidden									
	<i>N,N'-(Hexanitrodiphenyl) ethylene dinitramine (dry)</i>	Forbidden									
	<i>Hexanitrodiphenyl urea</i>	Forbidden									
	<i>Hexanitroethane</i>	Forbidden									
	<i>Hexanitrooxanilide</i>	Forbidden									
UN0392	Hexanitrostilbene	Forbidden									
	<i>Hexanoic acid - see Caproic acid</i>										
UN2282	Hexanols	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2370	1-Hexene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN0391	Hexogen and cyclotetramethylenetetranitramine mixture, desensitized with >= 10% phlegmatizer	Forbidden									
UN0391	Hexogen and cyclotetramethylenetetranitramine mixture, wetted with >=15% water	Forbidden									
UN0483	Hexogen, desensitized	Forbidden									
UN0072	Hexogen, wetted with not less than 15% water	Forbidden									
UN0118	Hexolite dry or wetted < 15% water	Forbidden									
UN0118	Hexotol dry or wetted < 15% water	Forbidden									
UN0393	Hexotonal	Forbidden									
UN0079	Hexyl	Forbidden									
	<i>tert-Hexyl peroxyneodecanoate (<= 71%, diluent type A >= 29%)</i>	Forbidden									
	<i>tert-Hexyl peroxyvalate (<= 72%, diluent type B >= 28%)</i>	Forbidden									
UN1784	Hexyltrichlorosilane	Forbidden	II								

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>High explosives - see individual explosive entries</i>										
UN0484	HMX, desensitized	Forbidden									
	<i>HMX (dry or unphlegmatized)</i>	Forbidden									
UN0226	HMX, wetted with >= 15% water	Forbidden									
UN2029	Hydrazine, anhydrous	Forbidden	I								
UN2030	Hydrazine, aqueous solution > 37%, by mass	Forbidden	I								
UN2030	Hydrazine, aqueous solution > 37%, by mass	Forbidden	II								
UN2030	Hydrazine, aqueous solution > 37%, by mass	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y841	1 L	852	5 L			A1, A36
UN3293	Hydrazine, aqueous solution <= 37% hydrazine	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3484	Hydrazine, aqueous solution, flammable, > 37%	Forbidden	I								
	<i>Hydrazine azide</i>	Forbidden									
	<i>Hydrazine chlorate</i>	Forbidden									
	<i>Hydrazine dicarbonic acid diazide</i>	Forbidden									
	<i>Hydrazine perchlorate</i>	Forbidden									
	<i>Hydrazine selenate</i>	Forbidden									
	<i>Hydrides, metal, water-reactive, n.o.s. - see Metal hydrides, water-reactive, n.o.s.</i>										
UN1787	Hydriodic acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1787	Hydriodic acid	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>Hydriodic acid, anhydrous - see Hydrogen iodide, anhydrous</i>										
UN1788	Hydrobromic acid more than 49% strength	Forbidden									
UN1788	Hydrobromic acid not more than 49% strength	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1788	Hydrobromic acid not more than 49% strength	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1964	Hydrocarbon gas mixture, compressed, n.o.s.*	Forbidden									
UN1965	Hydrocarbon gas mixture, liquefied, n.o.s.*	Forbidden									
	<i>Hydrocarbon gas-powered small devices - see Devices, small, hydrocarbon gas powered</i>										
UN3150	Hydrocarbon gas refills for small devices with release device	Forbidden									
UN3295	Hydrocarbons, liquid, n.o.s.	3	I	FLAMMABLE LIQUID			351	1 L			
UN3295	Hydrocarbons, liquid, n.o.s.	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN3295	Hydrocarbons, liquid, n.o.s.	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1789	Hydrochloric acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1789	Hydrochloric acid	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1613	Hydrocyanic acid, aqueous solution with <= 20% Hydrogen cyanide	Forbidden									
UN1790	Hydrofluoric acid more than 60% strength	8 (6.1)	I					Not Accepted			
UN1790	Hydrofluoric acid 60% or less strength	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
UN1786	Hydrofluoric acid and sulphuric acid mixture	Forbidden	I								
	<i>Hydrofluoroboric acid - see Fluoroboric acid</i>										
UN2034	Hydrogen and methane mixture, compressed	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Hydrogen arsenide - see Arsenic</i>										
UN1048	Hydrogen bromide, anhydrous	Forbidden									
	<i>Hydrogen bromide solution - see Hydrobromic acid</i>										
UN1050	Hydrogen chloride, anhydrous	Forbidden									
UN2186	Hydrogen chloride, refrigerated liquid	Forbidden									
UN1049	Hydrogen, compressed	Forbidden									
UN1613	Hydrogen cyanide, aqueous solution with not more than 20% hydrogen cyanide	Forbidden									
UN3294	Hydrogen cyanide, solution in alcohol with not more than 45% hydrogen cyanide	Forbidden									
UN1051	Hydrogen cyanide, stabilized less than 3% water	Forbidden									
UN1614	Hydrogen cyanide, stabilized less than 3% water and absorbed in a porous inert material	Forbidden									
	<i>Hydrogen cyanide, unstabilized</i>	Forbidden									
UN1740	Hydrogendifluorides, solid, n.o.s.	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1740	Hydrogendifluorides, solid, n.o.s.	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN3471	Hydrogendifluorides, solution, n.o.s.	8 (6.1)	II	CORROSIVE & TOXIC	Y840	0.5 L	851	1 L			
UN3471	Hydrogendifluorides, solution, n.o.s.	8 (6.1)	III	CORROSIVE & TOXIC	Y841	1 L	852	5 L			
UN1052	Hydrogen fluoride, anhydrous	Forbidden									
	<i>Hydrogen fluoride solution - see Hydrofluoric acid</i>										
UN3468	Hydrogen in a metal hydride storage system	Forbidden									
UN3468	Hydrogen in a metal hydride storage system contained in equipment	Forbidden									
UN3468	Hydrogen in a metal hydride storage system packed with equipment	Forbidden									
UN2197	Hydrogen iodide, anhydrous	Forbidden									
	<i>Hydrogen iodide solution - see Hydriodic acid (UN 1787)</i>										
UN3149	Hydrogen peroxide and peroxyacetic acid mixture, stabilized with acid(s), water <= 5% peroxyacetic acid	5.1 (8)	II					Not Accepted			
UN2014	Hydrogen peroxide, aqueous solution > 40% and less than 60% hydrogen peroxide, stabilized as necessary	Forbidden									
UN2984	Hydrogen peroxide, aqueous solution > 8% and <= 20% hydrogen peroxide, stabilized as necessary	5.1	III					Not Accepted			
UN2014	Hydrogen peroxide, aqueous solution > 20% and <= 40% hydrogen peroxide, stabilized as necessary	5.1 (8)	II					Not Accepted			
UN2015	Hydrogen peroxide, aqueous solution, stabilized > 60% hydrogen peroxide	Forbidden									
UN2015	Hydrogen peroxide, stabilized	Forbidden									
UN1966	Hydrogen, refrigerated liquid	Forbidden									
UN2202	Hydrogen selenide, anhydrous	Forbidden									
	<i>Hydrogen silicide - see Silane</i>										
UN1053	Hydrogen sulphide	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Hydroselenic acid - see Hydrogen selenide, anhydrous</i>										
	<i>Hydrosilicofluoric acid - see Fluorosilicic acid</i>										
UN0508	1-Hydroxybenzotriazole, anhydrous <i>dry or wetted < 20% water, by mass</i>	Forbidden									
UN3474	1-Hydroxybenzotriazole monohydrate	4.1	I	FLAMMABLE SOLID			451	0.5 kg			
	<i>3-Hydroxybutan-2-one - see Acetyl methyl carbinol</i>										
	<i>3-Hydroxy-1,1-dimethylbutyl peroxyneodecanoate</i>	Forbidden									
	<i>2-(2-Hydroxyethoxy)-1-1 (pyrrolidin-1-yl)benzene-4-diazonium zinc chloride</i>	Forbidden									
	<i>3-(2-Hydroxyethoxy)-1-1 (pyrrolidin-1-yl)benzene diazonium zinc chloride</i>	Forbidden									
	<i>Hydroxyl amine iodide</i>	Forbidden									
UN2865	Hydroxylamine sulphate	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
	<i>1-Hydroxy-3-methyl-2-penten-4-yne - see 1-Pentol (UN 2705)</i>										
	<i>3-Hydroxyphenol - see Resorcinol (UN 2876)</i>										
UN3212	Hypochlorites, inorganic, n.o.s.*	5.1	II					Not Accepted			
UN1791	Hypochlorite solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1791	Hypochlorite solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>Hyponitrous acid</i>	Forbidden									
UN0121	Igniters	Forbidden									
UN0314	Igniters	Forbidden									
UN0315	Igniters	Forbidden									
UN0325	Igniters	Forbidden									
UN0454	Igniters	1.4S		EXPLOSIVE 1.4 S			142	25 kg			
	<i>Ignition element for lighter, containing pyrophoric liquid</i>	Forbidden									
UN2269	3,3'-Iminodipropylamine	8	III	CORROSIVE	Y841	1 L	852	5 L			
	<i>Indiarubber - see Rubber solution</i>										
UN2900	Infectious substance, affecting animals only	6.2						Not Accepted			
UN2814	Infectious substance, affecting humans	6.2						Not Accepted			
	<i>Inflammable - see Flammable, etc.</i>										
	<i>Ink, printer's, flammable - see Printing ink (UN 1210)</i>										
	<i>Inositol hexanitrate (dry)</i>	Forbidden									
UN1968	Insecticide gas, n.o.s. (aerosols in boxes)*	2.2		NON-FLAMMABLE GAS	Y203	30 kg G	203	30 kg			
UN1968	Insecticide gas, n.o.s. (cylinders)*	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3354	Insecticide gas, flammable, n.o.s.*	Forbidden									
UN1967	Insecticide gas, toxic, n.o.s.*	Forbidden									
UN3355	Insecticide gas, toxic, flammable, n.o.s.*	Forbidden									
	<i>Inulin trinitrate (dry)</i>	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3495	Iodine	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y845	5 kg	860	25 kg			A113
	<i>Iodine azide (dry)</i>	Forbidden									
UN1792	Iodine monochloride	Forbidden	II								
UN2495	Iodine pentafluoride	Forbidden									
UN2390	2-Iodobutane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Iodomethane - see Methyl iodide (UN 2644)</i>										
UN2391	Iodomethylpropanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2392	Iodopropanes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Iodotoluene - see Benzyl iodide (UN 2653)</i>										
	<i>Iodoxy compounds (dry)</i>	Forbidden									
	<i>IPDI - see Isophorone diisocyanate</i>										
	<i>Iridium nitratopentamine iridium nitrate</i>	Forbidden									
	<i>Iron and Iron (III), etc. - see Ferric, etc.</i>										
UN1376	Iron oxide, spent obtained from coal gas purification	Forbidden									
UN1994	Iron pentacarbonyl	Forbidden									
	<i>Iron powder, pyrophoric - see Pyrophoric alloy, n.o.s.; Pyrophoric metal, n.o.s.</i>										
UN1376	Iron sponge, spent obtained from coal gas purification	Forbidden									
	<i>Iron swarf - see Ferrous metal borings; Ferrous metal cuttings; Ferrous metal shavings; Ferrous metal turnings</i>										
	<i>Irritating agents - see Tear gas substance, liquid, n.o.s.; Tear gas substance, solid, n.o.s.</i>										
UN1969	Isobutane	Forbidden									
UN1212	Isobutanol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Isobutene - see Isobutylene (UN 1055)</i>										
UN1213	Isobutyl acetate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2527	Isobutyl acrylate, stabilized	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1212	Isobutyl alcohol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2045	Isobutyl aldehyde	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1214	Isobutylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1055	Isobutylene	Forbidden									
UN2393	Isobutyl formate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2528	Isobutyl isobutyrate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2486	Isobutyl isocyanate	6.1 (3)		Refer to DOT Special Permit or 49 CFR 173.13		Forbidden	Forbidden	Forbidden			
UN2283	Isobutyl methacrylate, stabilized	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2394	Isobutyl propionate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2045	Isobutyraldehyde	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2529	Isobutyric acid	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2284	Isobutyronitrile	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2395	Isobutryl chloride	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2478	Isocyanates, flammable, toxic, n.o.s.*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2478	Isocyanates, flammable, toxic, n.o.s.*	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			A3
UN2478	Isocyanate solution, flammable, toxic, n.o.s.*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2478	Isocyanate solution, flammable, toxic, n.o.s.*	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			A3
UN2206	Isocyanate solution, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2206	Isocyanate solution, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3080	Isocyanate solution, toxic, flammable, n.o.s.*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2206	Isocyanates, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2206	Isocyanates, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3080	Isocyanates, toxic, flammable, n.o.s.*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2285	Isocyanatobenzotrifluorides	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate - see Isophorone diisocyanate (UN 2290)</i>										
	<i>Isoododecane - see Pentamethylheptane (UN 2286)</i>										
UN2287	Isoheptene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2288	Isohexene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Isooctane - see Octanes (UN 1262)</i>										
UN1216	Isooctene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Isopentane - see Pentanes (UN 1265)</i>										
UN2371	Isopentenes	3	I	FLAMMABLE LIQUID			351	1 L			
	<i>Isopentylamine - see Amylamine (UN 1106)</i>										
	<i>Isopentyl nitrite - see Amyl nitrite (UN 1113)</i>										
UN2289	Isophoronediamine	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2290	Isophorone diisocyanate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN1218	Isoprene, stabilized	3	I	FLAMMABLE LIQUID			351	1 L			
UN1219	Isopropanol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A180
UN2403	Isopropenyl acetate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2303	Isopropenylbenzene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1220	Isopropyl acetate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1793	Isopropyl acid phosphate	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1219	Isopropyl alcohol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A180
UN1221	Isopropylamine	3 (8)	I	FLAMMABLE LIQUID & CORROSIVE			350	0.5 L			
UN1918	Isopropylbenzene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Isopropyl bromide - see 2-Bromopropane (UN 2344)</i>										
	<i>Isopropyl sec-butyl peroxydicarbonate (< 32%), with di-sec-butyl peroxydicarbonate (15 - 18%), with di-isopropyl peroxydicarbonate (12 - 15%, diluent type A <= 38%)</i>	Forbidden									
	<i>Isopropyl sec-butyl peroxydicarbonate (<= 52%), with di-sec-butyl peroxydicarbonate (>= 28%), with di-isopropyl peroxydicarbonate (< 22%)</i>	Forbidden									
UN2405	Isopropyl butyrate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Isopropyl chloride - see 2-Chloropropane (UN 2356)</i>										
UN2947	Isopropyl chloroacetate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2407	Isopropyl chloroformate	Forbidden									
UN2934	Isopropyl 2-chloropropionate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Isopropylcumyl hydroperoxide > 72%</i>	Forbidden									
	<i>Isopropylcumyl hydroperoxide (<= 72%, diluent type A >= 28%) [OP.13]</i>	Forbidden									
	<i>Isopropyl ether - see Diisopropyl ether (UN 1159)</i>										
	<i>Isopropylethylene - see 3-Methyl-1-butene (UN 2561)</i>										
	<i>Isopropyl formate - see Propyl formates (UN 1281)</i>										
UN2406	Isopropyl isobutyrate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2483	Isopropyl isocyanate	Forbidden									
	<i>Isopropyl mercaptan - see Propanethiols (UN 2402)</i>										
UN1222	Isopropyl nitrate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2409	Isopropyl propionate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Isopropyltoluene - see Cymenes</i>										
	<i>Isopropyltoluol - see Cymenes</i>										
UN2907	Isosorbide dinitrate mixture with >= 60% lactose, mannose, starch or calcium hydrogen phosphate	4.1	II	FLAMMABLE SOLID			445	15 kg			A49
UN3251	Isosorbide-5-mononitrate	Forbidden									
	<i>Isothiocyanic acid</i>	Forbidden									
	<i>Isovaleraldehyde - see Valeraldehyde</i>										
	<i>Jet fuel - see Fuel, aviation, turbine engine</i>										
UN0124	Jet perforating guns, charged oil well, without detonator	Forbidden									
UN0494	Jet perforating guns, charged oil well, without detonator	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Jet tappers, without detonator - see Charges, shaped</i>										
UN1223	Kerosene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1224	Ketones, liquid, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1224	Ketones, liquid, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1056	Krypton, compressed	2.2		NON-FLAMMABLE GAS			200	30 kg			A69
UN1970	Krypton, refrigerated liquid	2.2						Not Accepted			
	<i>Lacquer base or lacquer chips, nitrocellulose, dry - see Nitrocellulose, etc. (UN 2557)</i>										
UN1616	Lead acetate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1617	Lead arsenates	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1618	Lead arsenites	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Lead azide (dry)</i>	Forbidden									
UN0129	Lead azide, wetted with >= 20% alcohol and/or water	Forbidden									
	<i>Lead chloride, solid - see Lead compound, soluble, n.o.s.</i>										
UN2291	Lead compound, soluble, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A92
UN1620	Lead cyanide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1872	Lead dioxide	5.1	III					Not Accepted			
UN1469	Lead nitrate	5.1 (6.1)	II					Not Accepted			
	<i>Lead nitroresorcinate (dry)</i>	Forbidden									
UN1470	Lead perchlorate, solid	5.1 (6.1)	II					Not Accepted			
UN3408	Lead perchlorate, solution	5.1 (6.1)	II					Not Accepted			
UN3408	Lead perchlorate, solution	5.1 (6.1)	III					Not Accepted			
	<i>Lead peroxide - see Lead dioxide</i>										
UN2989	Lead phosphite, dibasic	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	5 kg			
UN2989	Lead phosphite, dibasic	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	15 kg			A3
	<i>Lead picrate (dry)</i>	Forbidden									
	<i>Lead styphnate (dry)</i>	Forbidden									
UN0130	Lead styphnate, wetted with >= 20% alcohol and/or water	Forbidden									
UN1794	Lead sulphate more than 3% free acid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
	<i>Lead tetraethyl or tetramethyl - see Motor fuel anti-knock mixture (UN 1649)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Lead trinitroresorcinate (dry)</i>	Forbidden									
UN0130	Lead trinitroresorcinate, wetted	Forbidden									
UN3072	Life-saving appliances, not self-inflating containing dangerous goods as equipment	9		MISCELLANEOUS			See 955	30 kg G	See 955	30 kg G	A48, A87
UN2990	Life-saving appliances, self-inflating	9		MISCELLANEOUS			See 955	30 kg G	See 955	30 kg G	A48, A87
	<i>Lighter flints - see Ferrocium</i>										
	<i>Lighter fluid - see Flammable liquid, n.o.s.</i>										
UN1057	Lighter refills containing flammable gas	2.1		FLAMMABLE GAS			201	1 kg			
UN1057	Lighters containing flammable gas	2.1		FLAMMABLE GAS			201	1 kg			
	<i>Lighters (cigarettes), containing pyrophoric liquid</i>	Forbidden									
	<i>Lighters (cigarettes) with lighter fluids</i>	Forbidden									
UN0131	Lighters, fuse	1.4S		EXPLOSIVE 1.4 S			142	25 kg			
	<i>Limonene, inactive - see Dipentene</i>										
UN3163	Liquefied gas, n.o.s.*	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1058	Liquefied gases non-flammable charged with nitrogen, carbon dioxide, or air	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3161	Liquefied gas, flammable, n.o.s.*	Forbidden									
UN3157	Liquefied gas, oxidizing, n.o.s.*	2.2 (5.1)						Not Accepted			
UN3162	Liquefied gas, toxic, n.o.s.*	Forbidden									
UN3308	Liquefied gas, toxic, corrosive, n.o.s.*	Forbidden									
UN3160	Liquefied gas, toxic, flammable, n.o.s.*	Forbidden									
UN3309	Liquefied gas, toxic, flammable, corrosive, n.o.s.*	Forbidden									
UN3307	Liquefied gas, toxic, oxidizing, n.o.s.*	Forbidden									
UN3310	Liquefied gas, toxic, oxidizing, corrosive, n.o.s.*	Forbidden									
	<i>Liquefied petroleum gas - see Petroleum gases, liquefied</i>										
	<i>Liquor - see Alcoholic beverages</i>										
UN1415	Lithium	Forbidden	I								
UN1410	Lithium aluminium hydride	Forbidden	I								
UN1411	Lithium aluminium hydride, ethereal	Forbidden	I								
	<i>Lithium amide - see Alkali metal amides</i>										
UN1413	Lithium borohydride	Forbidden	I								
UN2830	Lithium ferrosilicon	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN1414	Lithium hydride	Forbidden	I								
UN2805	Lithium hydride, fused solid	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			
UN2680	Lithium hydroxide	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2679	Lithium hydroxide solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2679	Lithium hydroxide solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1471	Lithium hypochlorite, dry	5.1	II					Not Accepted			
UN1471	Lithium hypochlorite, dry	5.1	III					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1471	Lithium hypochlorite mixture	5.1	II					Not Accepted			
UN1471	Lithium hypochlorite mixture	5.1	III					Not Accepted			
UN3480	Lithium ion batteries (including lithium ion polymer batteries)	9	II	MISCELLANEOUS			965	5 kg G	965	30 kg G	A808
UN3481	Lithium ion batteries contained in equipment (including lithium ion polymer batteries)	9	II	MISCELLANEOUS			See 967	See 967	See 967	See 967	A808
UN3481	Lithium ion batteries packed with equipment (including lithium ion polymer batteries)	9	II	MISCELLANEOUS			See 966	See 966	See 966	See 966	A808
UN3090	Lithium metal batteries (including lithium alloy batteries)	9	II	MISCELLANEOUS				Not Accepted	968	30 kg G	A808
UN3091	Lithium metal batteries contained in equipment (including lithium alloy batteries)	9	II	MISCELLANEOUS			See 970	See 970	See 970	See 970	A808
UN3091	Lithium metal batteries packed with equipment (including lithium alloy batteries)	9	II	MISCELLANEOUS			See 969	See 969	See 969	See 969	A808
UN2722	Lithium nitrate	5.1	III					Not Accepted			
UN2806	Lithium nitride	Forbidden	I								
UN1472	Lithium peroxide	5.1	II					Not Accepted			
UN1417	Lithium silicon	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			
	LNG - see Methane, refrigerated liquid (UN 1972); Natural gas, refrigerated liquid (UN 1972)										
UN1621	London Purple	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
	LPG - see Petroleum gases, liquefied (UN 1075)										
	Lye - see Sodium hydroxide, solid (UN 1823); Sodium hydroxide, solution (UN 1824)										
	Lythene - see Petroleum distillates, n.o.s. (UN 1268)										
UN1869	Magnesium in pellets, turnings or ribbons	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A15
UN1869	Magnesium alloys greater than 50% magnesium in pellets, turnings or ribbons	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A15
UN1418	Magnesium alloys powder	Forbidden	I								
UN1418	Magnesium alloys powder	4.3 (4.2)	II					Not Accepted			
UN1418	Magnesium alloys powder	4.3 (4.2)	III					Not Accepted			
UN1419	Magnesium aluminium phosphide	Forbidden	I								
UN1622	Magnesium arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	Magnesium bisulphite solution - see Bisulphites, aqueous solution, n.o.s. (UN 2693)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1473	Magnesium bromate	5.1	II					Not Accepted			
UN2723	Magnesium chlorate	5.1	II					Not Accepted			
	<i>Magnesium chloride and chlorate mixture - see Chlorate and magnesium chloride mixture, solution or solid</i>										
UN2004	Magnesium diamide	4.2	II					Not Accepted			
	<i>Magnesium dross, hot or wet</i>	Forbidden									
UN2853	Magnesium fluorosilicate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN2950	Magnesium granules, coated particle size not less than 149 microns	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			
UN2010	Magnesium hydride	Forbidden	I								
UN1474	Magnesium nitrate	5.1	III					Not Accepted			
UN1475	Magnesium perchlorate	5.1	II					Not Accepted			
UN1476	Magnesium peroxide	5.1	II					Not Accepted			
UN2011	Magnesium phosphide	Forbidden	I								
UN1418	Magnesium powder	Forbidden	I								
UN1418	Magnesium powder	4.3 (4.2)	II					Not Accepted			
UN1418	Magnesium powder	4.3 (4.2)	III					Not Accepted			
	<i>Magnesium scrap - see Magnesium or Magnesium alloys</i>										
UN2624	Magnesium silicide	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			
	<i>Magnesium silicofluoride - see Magnesium fluorosilicate</i>										
UN2807	Magnetized material	9		MAGNETIZED MATERIAL			953	30 kg G	953	30 kg G	A802
UN2215	Maleic anhydride	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2215	Maleic anhydride, molten	Forbidden									
	<i>Malonic dinitrile - see Malononitrile</i>										
	<i>Malonic ethyl ester nitrile - see ethyl cyanoacetate</i>										
	<i>Malonodinitrile - see Malononitrile</i>										
UN2647	Malononitrile	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2210	Maneb	4.2 (4.3)	III					Not Accepted			
UN2210	Maneb preparation with not less than 60% maneb	4.2 (4.3)	III					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2968	Maneb preparation, stabilized against self-heating	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3
UN2968	Maneb, stabilized against self-heating	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3
	Manganese ethylene-di-dithiocarbamate - see Maneb, etc.										
	Manganese ethylene-1,2-di-dithiocarbamate - see Maneb, etc.										
UN2724	Manganese nitrate	5.1	III					Not Accepted			
UN1330	Manganese resinates	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	Mannitan tetranitrate	Forbidden									
	Mannitol hexanitrate (dry)	Forbidden									
UN0133	Mannitol hexanitrate, wetted	Forbidden									
UN2254	Matches, fusee	Forbidden									
UN1944	Matches, safety book, card or strike on box	4.1	III	FLAMMABLE SOLID	Y455	10 kg	455	25 kg			A125
UN1331	Matches, "strike anywhere"	Forbidden									
	Matches, trick - see Fireworks (UN 0333, UN 0334, UN 0335, UN 0336, UN 0337)										
UN1945	Matches, wax "vesta"	4.1	III	FLAMMABLE SOLID	Y455	10 kg	455	25 kg			A125
UN3291	Medical waste, n.o.s.	6.2	II					Not Accepted			
	Medicine, n.o.s. - see Consumer commodity (ID 8000)										
UN3248	Medicine, liquid, flammable, toxic, n.o.s.	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			A80
UN3248	Medicine, liquid, flammable, toxic, n.o.s.	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	5 L			A3, A80
UN1851	Medicine, liquid, toxic, n.o.s.	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1851	Medicine, liquid, toxic, n.o.s.	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	5 L			A3
UN3249	Medicine, solid, toxic, n.o.s.	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	5 kg			
UN3249	Medicine, solid, toxic, n.o.s.	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	5 kg	670	5 kg			A3
	p-Mentha-1,8-diene - see Dipentene (UN 2052)										
	p-Menthyl hydroperoxide (> 72%) - see Organic peroxide type D, liquid (UN 3105) [OP.13]										
	p-Menthyl hydroperoxide (<= 72%, diluent type A >= 28%) - see Organic peroxide type F, liquid (UN 3109) [OP.27]										
UN3336	Mercaptan mixture, liquid, flammable, n.o.s.*	3	I	FLAMMABLE LIQUID			Forbidden	Forbidden			
UN3336	Mercaptan mixture, liquid, flammable, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN3336	Mercaptan mixture, liquid, flammable, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1228	Mercaptan mixture, liquid, flammable, toxic, n.o.s.*	Forbidden	II								

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1228	Mercaptan mixture, liquid, flammable, toxic, n.o.s.*	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y373	1 L	373	5 L			A1, A3, A36
UN3071	Mercaptan mixture, liquid, toxic, flammable, n.o.s.*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3336	Mercaptans, liquid, flammable, n.o.s.*	3	I	FLAMMABLE LIQUID			Forbidden	Forbidden			
UN3336	Mercaptans, liquid, flammable, n.o.s.*	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN3336	Mercaptans, liquid, flammable, n.o.s.*	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1228	Mercaptans, liquid, flammable, toxic, n.o.s.*	Forbidden	II								
UN1228	Mercaptans, liquid, flammable, toxic, n.o.s.*	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y373	1 L	373	5 L			A1, A3, A36
UN3071	Mercaptans, liquid, toxic, flammable, n.o.s.*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>2-Mercaptoethanol - see Thioglycol (UN 2966)</i>										
	<i>2-Mercaptopropionic acid - see Thiolactic acid (UN 2936)</i>										
UN0448	5-Mercaptotetrazol-1-acetic acid	Forbidden									
UN1623	Mercuric arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1624	Mercuric chloride	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1625	Mercuric nitrate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1626	Mercuric potassium cyanide	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
	<i>Mercuric sulphate - see Mercury sulphate (UN 1645)</i>										
	<i>Mercuriol - see Mercury nucleate (UN 1639)</i>										
	<i>Mercurous azide</i>	Forbidden									
	<i>Mercurous bisulphate - see Mercury sulphate</i>										
UN1627	Mercurous nitrate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Mercurous sulphate - see Mercury sulphate</i>										
UN2809	Mercury	8	III	CORROSIVE			868	25 kg			
UN2809	Mercury contained in manufactured articles	8	III	CORROSIVE			See 869	25 kg			A48, A69
UN1629	Mercury acetate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Mercury acetylde</i>	Forbidden									
UN1630	Mercury ammonium chloride	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2778	Mercury based pesticide, liquid, flammable, toxic <i>flash point < 23°C*</i>	Forbidden	I								
UN2778	Mercury based pesticide, liquid, flammable, toxic <i>flash point < 23°C*</i>	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3012	Mercury based pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3012	Mercury based pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3012	Mercury based pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3011	Mercury based pesticide, liquid, toxic, flammable <i>flash point</i> >= 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3011	Mercury based pesticide, liquid, toxic, flammable <i>flash point</i> >= 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3011	Mercury based pesticide, liquid, toxic, flammable <i>flash point</i> >= 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2777	Mercury based pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2777	Mercury based pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2777	Mercury based pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN1631	Mercury benzoate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1634	Mercury bromides	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2024	Mercury compound, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6, A18
UN2024	Mercury compound, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6, A18
UN2024	Mercury compound, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6, A18
UN2025	Mercury compound, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6, A18
UN2025	Mercury compound, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6, A18
UN2025	Mercury compound, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6, A18
UN1636	Mercury cyanide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN0135	Mercury fulminate, wetted	Forbidden									
UN1637	Mercury gluconate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Mercury iodide aquabasic ammonobasic</i>	Forbidden									
UN1638	Mercury iodide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Mercury nitride</i>	Forbidden									
UN1639	Mercury nucleate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1640	Mercury oleate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1641	Mercury oxide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1642	Mercury oxycyanide, desensitized	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1643	Mercury potassium iodide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1644	Mercury salicylate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1645	Mercury sulphate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1646	Mercury thiocyanate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Mercury vapour tubes - see Mercury contained in manufactured articles (UN 2809)</i>										
	<i>Mesitylene - see 1,3,5-Trimethylbenzene (UN 2325)</i>										
UN1229	Mesityl oxide	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN3281	Metal carbonyls, liquid n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A137
UN3281	Metal carbonyls, liquid n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A137
UN3281	Metal carbonyls, liquid n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A137
UN3466	Metal carbonyls, solid n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3466	Metal carbonyls, solid n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3466	Metal carbonyls, solid n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2881	Metal catalyst, dry*	Forbidden	I								
UN2881	Metal catalyst, dry*	Forbidden	II								
UN2881	Metal catalyst, dry*	4.2	III					Not Accepted			
UN1378	Metal catalyst, wetted with a visible excess of liquid*	Forbidden	II								
UN1332	Metaldehyde	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN3182	Metal hydrides, flammable, n.o.s.*	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN3182	Metal hydrides, flammable, n.o.s.*	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
UN1409	Metal hydrides, water-reactive, n.o.s.*	Forbidden	I								
UN1409	Metal hydrides, water-reactive, n.o.s.*	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN3208	Metallic substance, water-reactive, n.o.s.*	Forbidden	I								
UN3208	Metallic substance, water-reactive, n.o.s.*	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			
UN3208	Metallic substance, water-reactive, n.o.s.*	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y476	10 kg	485	25 kg			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3209	Metallic substance, water-reactive, self-heating, n.o.s.*	Forbidden	I								
UN3209	Metallic substance, water-reactive, self-heating, n.o.s.*	4.3 (4.2)	II				Forbidden	Forbidden			
UN3209	Metallic substance, water-reactive, self-heating, n.o.s.*	4.3 (4.2)	III					Not Accepted			
UN3089	Metal powder, flammable, n.o.s.	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN3089	Metal powder, flammable, n.o.s.	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
UN3189	Metal powder, self-heating, n.o.s.*	4.2	II					Not Accepted			
UN3189	Metal powder, self-heating, n.o.s.*	4.2	III					Not Accepted			
UN3181	Metal salts of organic compounds, flammable, n.o.s.*	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN3181	Metal salts of organic compounds, flammable, n.o.s.*	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
UN2396	Methacrylaldehyde, stabilized	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2531	Methacrylic acid, stabilized	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3079	Methacrylonitrile, stabilized	Forbidden	I								
UN2614	Methallyl alcohol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Methanal</i> - see Formaldehyde solution, flammable; Formaldehyde solution										
	<i>Methane and hydrogen, mixture</i> - see Hydrogen and methane mixture, compressed										
UN1971	Methane, compressed	Forbidden									
UN1972	Methane, refrigerated liquid with high methane content	Forbidden									
UN3246	Methanesulphonyl chloride	Forbidden									
UN1230	Methanol	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			A104, A113
	<i>Methazoic acid</i>	Forbidden									
	<i>2-Methoxyethyl acetate</i> - see Ethylene glycol monomethyl ether acetate										
UN2605	Methoxymethyl isocyanate	Forbidden	I								
UN2293	4-Methoxy-4-methylpentan-2-one	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>1-Methoxy-2-nitrobenzene or 1-Methoxy-3-nitrobenzene or 1-Methoxy-4-nitrobenzene</i> - see Nitroanisoles etc (UN 2730, UN 3458)										
UN3092	1-Methoxy-2-propanol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1231	Methyl acetate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1060	Methylacetylene and propadiene mixture, stabilized	Forbidden									
	<i>beta-Methyl acrolein</i> - see Crotonaldehyde, stabilized										
UN1919	Methyl acrylate, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1234	Methylal	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methyl alcohol</i> - see Methanol (UN 1230)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Methylallyl alcohol - see Methallyl alcohol (UN 2614)</i>										
UN2554	Methylallyl chloride	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1061	Methylamine, anhydrous	Forbidden									
UN1235	Methylamine, aqueous solution	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>Methylamine dinitramine and dry salts thereof</i>	Forbidden									
	<i>Methylamine nitroform</i>	Forbidden									
	<i>Methylamine perchlorate (dry)</i>	Forbidden									
	<i>2-(n,n-Methylaminoethylcarbonyl)-4-(3,4-dimethylphenylsulphonyl) benzenediazonium hydrogen sulphate</i>	Forbidden									
UN1233	Methylamyl acetate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Methyl amyl alcohol - see Methyl isobutyl carbinol (UN 2053)</i>										
	<i>Methyl amyl ketone - see n-Amyl methyl ketone (UN 1110)</i>										
UN2294	N-Methylaniline	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Methylated spirit - see Alcohols, n.o.s. (UN 1987); Alcohols, flammable, toxic, n.o.s. (UN 1986)</i>										
	<i>4-Methylbenzenesulphonylhydrazide - see Self reactive solid, type D (UN 3226)</i>										
UN2937	alpha-Methylbenzyl alcohol, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN3438	alpha-Methylbenzyl alcohol, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1062	Methyl bromide with not more than 2% chloropicrin	Forbidden									
	<i>Methyl bromide and chloropicrin mixture - see Chloropicrin and methyl bromide mixture</i>										
UN1647	Methyl bromide and ethylene dibromide mixture, liquid	Forbidden									
UN2643	Methyl bromoacetate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3371	2-Methylbutanal	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2397	3-Methylbutan-2-one	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2459	2-Methyl-1-butene	3	I	FLAMMABLE LIQUID			351	1 L			
UN2460	2-Methyl-2-butene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2561	3-Methyl-1-butene	3	I	FLAMMABLE LIQUID			351	1 L			
UN2945	N-Methylbutylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2398	Methyl tert-butyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1237	Methyl butyrate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1063	Methyl chloride	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Methyl chloride and chloropicrin mixture - see Chloropicrin and methyl chloride mixture</i>										
UN1912	Methyl chloride and methylene chloride mixture	Forbidden									
UN2295	Methyl chloroacetate	Forbidden									
	<i>Methyl chlorocarbonate - see Methyl chloroformate (UN 1238)</i>										
	<i>Methyl chloroform - see 1,1,1-Trichloroethane (UN 2831)</i>										
UN1238	Methyl chloroformate	Forbidden									
UN1239	Methyl chloromethyl ether	Forbidden									
UN2933	Methyl 2-chloropropionate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Methyl-alpha-chloropropionate - see Methyl 2-chloropropionate (UN 2933)</i>										
UN2534	Methylchlorosilane	Forbidden									
	<i>Methyl cyanide - see Acetonitrile (UN 1648)</i>										
	<i>Methylcyclohexanone peroxides (<= 67%, diluent type B >= 33%)</i>	Forbidden									
UN2296	Methylcyclohexane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2617	Methylcyclohexanols flammable	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2297	Methylcyclohexanone	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2298	Methylcyclopentane	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2299	Methyl dichloroacetate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN1242	Methyldichlorosilane	Forbidden	I								
	<i>Methylene bromide - see Dibromomethane (UN 2664)</i>										
	<i>Methylene chloride - see Dichloromethane (UN 1593)</i>										
	<i>Methylene chloride and methyl chloride mixture - see Methyl chloride and methylene chloride mixture (UN 1912)</i>										
	<i>Methylene cyanide - see Malononitrile (UN 2647)</i>										
	<i>p,p'-Methylene dianiline - see 4,4'-Diaminodiphenylmethane (UN 2651)</i>										
	<i>Methylene dibromide - see Dibromomethane (UN 2664)</i>										
	<i>Methylene-di-(3-4-6-trichlorophenol) - see Hexachlorophene (UN 1824)</i>										
	<i>Methylene glycol dinitrate</i>	Forbidden									
	<i>Methyl ethyl ether - see Ethyl methyl ether (UN 1824)</i>										
UN1193	Methyl ethyl ketone	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methyl ethyl ketone peroxide(s), (<= 50%, available oxygen > 10% and < 10.7%)</i>	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Methyl ethyl ketone peroxide(s) (<= 55%, available oxygen >= 10%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>Methyl ethyl ketone peroxide(s) (<= 60%, available oxygen >= 8.2%) - see Organic peroxide type E, liquid (UN 3107)</i>										
UN2300	2-Methyl-5-ethylpyridine	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2454	Methyl fluoride	Forbidden									
UN1243	Methyl formate	3	I	FLAMMABLE LIQUID			351	1 L			
UN2301	2-Methylfuran	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>a-Methylglucoside tetranitrate</i>	Forbidden									
	<i>a-Methylglycerol trinitrate</i>	Forbidden									
	<i>Methyl glycol - see Ethylene glycol monomethyl ether</i>										
	<i>Methyl glycol acetate - see Ethylene glycol monomethyl ether acetate</i>										
UN3023	2-Methyl-2-heptanethiol	Forbidden									
UN2302	5-Methylhexan-2-one	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1244	Methylhydrazine	Forbidden									
UN2644	Methyl iodide	Forbidden									
UN2053	Methyl isobutyl carbinol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1245	Methyl isobutyl ketone	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methyl isobutyl ketone peroxide(s) (<= 62%, diluent type A >= 19%) - see Organic peroxide type D, liquid (UN 3105) [OP1]</i>										
UN2480	Methyl isocyanate	Forbidden									
UN1246	Methyl isopropenyl ketone, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methyl isopropyl ketone peroxide(s) (diluent type A >= 70%) - see Organic peroxide type F, liquid (UN 3109) [OP31]</i>										
UN2477	Methyl isothiocyanate	Forbidden									
UN2400	Methyl isovalerate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1928	Methyl magnesium bromide in ethyl ether	Forbidden	I								
UN1064	Methyl mercaptan	Forbidden									
	<i>Methyl mercaptopropionaldehyde - see 4-Thiapentanal (UN 2785)</i>										
UN1247	Methyl methacrylate monomer, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2535	4-Methylmorpholine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2535	N-Methylmorpholine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>Methyl nitramine (dry), metal salts of</i>	Forbidden									
	<i>Methyl nitrate</i>	Forbidden									
	<i>Methyl nitrite</i>	Forbidden									
UN2606	Methyl orthosilicate	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2461	Methylpentadiene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methylpentanes - see Hexanes (UN 1208)</i>										
UN2560	2-Methylpentan-2-ol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>4-Methylpentan-2-ol - see Methyl isobutyl carbinol (UN 2053)</i>										
	<i>3-Methyl-2-penten-4-ynol - see 1-pentol (UN 2705)</i>										
UN2437	Methylphenyldichlorosilane	8	II	CORROSIVE			Forbidden	Forbidden			A1
	<i>2-Methyl-2-phenylpropane - see Butylbenzenes (UN 2709)</i>										
	<i>Methyl picric acid (heavy metal salts of)</i>	Forbidden									
UN2399	1-Methylpiperidine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1248	Methyl propionate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methylpropylbenzene - see Cymenes (UN 2046)</i>										
UN2612	Methyl propyl ether	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1249	Methyl propyl ketone	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methyl pyridines - see Picolines (UN 2313)</i>										
	<i>3-Methyl-4-(pyrrolidin-1-yl) benzenediazonium tetrafluoroborate</i>	Forbidden									
	<i>alpha-Methylstyrene - see Isopropenylbenzene (UN 2303)</i>										
	<i>Methylstyrene, inhibited - see Vinyltoluenes, inhibited (UN 2618)</i>										
	<i>Methyl sulphate - see Dimethyl sulphate (UN 1595)</i>										
	<i>Methyl sulphide - see Dimethyl sulphide (UN 1164)</i>										
UN2536	Methyltetrahydrofuran	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
				Refer to DOT Special Permit or 49 CFR 173.13							
UN2533	Methyl trichloroacetate	6.1	III		Y642	2 L	655	25 L			
UN1250	Methyltrichlorosilane	Forbidden	II								
	<i>Methyl trimethylol methane trinitrate</i>	Forbidden									
UN2367	alpha-Methylvaleraldehyde	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Methyl vinyl benzene, stabilized - see Vinyltoluenes, stabilized</i>										
UN1251	Methyl vinyl ketone, stabilized	Forbidden									
	<i>MIBC - see Methyl isobutyl carbinol</i>										
	<i>Mine rescue equipment containing carbon dioxide - see Carbon dioxide</i>										
UN0136	Mines bursting charge	Forbidden									
UN0137	Mines bursting charge	Forbidden									
UN0138	Mines bursting charge	Forbidden									
UN0294	Mines bursting charge	Forbidden									
	<i>Mirbane oil - see Nitrobenzene</i>										
	<i>Missiles, guided - see Rockets; Rockets, liquid fuelled</i>										
	<i>Mobility aids - see Battery-powered equipment; Battery-powered vehicle</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2508	Molybdenum pentachloride	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2054	Morpholine	8 (3)	I	CORROSIVE & FLAMMABLE LIQUID			850	0.5 L			
	<i>Motorcycles - see Vehicle, flammable liquid powered;</i> <i>Vehicle, flammable gas powered</i>										
UN1649	Motor fuel anti-knock mixture	Forbidden	I								
UN3483	Motor fuel anti-knock mixture, flammable	Forbidden									
UN1203	Motor spirit	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A100
	<i>Muriatic acid - see Hydrochloric acid (UN 1789)</i>										
UN2956	Musk xylene	Forbidden									
	<i>Mysorite - see Brown asbestos (UN 2212)</i>										
	<i>Naphtha etc. - see Petroleum distillates, n.o.s. (UN 1268); Petroleum products, n.o.s. (UN 1268)</i>										
UN1334	Naphthalene, crude	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	<i>Naphthalene diozonide</i>	Forbidden									
UN2304	Naphthalene, molten	Forbidden									
UN1334	Naphthalene, refined	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN2077	alpha-Naphthylamine	6.1	III					Not Accepted			
	<i>Naphthyl amineperchlorate</i>	Forbidden									
UN1650	beta-Naphthylamine, solid	6.1	II					Not Accepted			
UN3411	beta-Naphthylamine, solution	6.1	II					Not Accepted			
UN3411	beta-Naphthylamine, solution	6.1	III					Not Accepted			
UN1651	Naphthylthiourea	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1652	Naphthylurea	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1971	Natural gas, compressed <i>high methane content</i>	Forbidden									
	<i>Natural gasoline - see Gasoline (UN 1203); Motor spirit; Petrol (UN 1203)</i>										
UN1972	Natural gas, refrigerated liquid <i>high methane content</i>	Forbidden									
	<i>Neohexane - see Hexanes (UN 1208)</i>										
UN1065	Neon, compressed	2.2		NON-FLAMMABLE GAS			200	30 kg			A69
UN1913	Neon, refrigerated liquid	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	30 kg			A801
	<i>Neothyl - see Methyl propyl ether (UN 2612)</i>										
UN1259	Nickel carbonyl	Forbidden									
UN1653	Nickel cyanide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2725	Nickel nitrate	5.1	III					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2726	Nickel nitrite	5.1	III					Not Accepted			
	<i>Nickel picrate</i>	Forbidden									
	<i>Nickel tetracarbonyl - see Nickel carbonyl (UN 1259)</i>										
UN1654	Nicotine	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3144	Nicotine compound, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6
UN3144	Nicotine compound, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN3144	Nicotine compound, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN1655	Nicotine compound, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN1655	Nicotine compound, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1655	Nicotine compound, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6
UN1656	Nicotine hydrochloride, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN1656	Nicotine hydrochloride, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN3444	Nicotine hydrochloride, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1656	Nicotine hydrochloride solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN1656	Nicotine hydrochloride solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN3144	Nicotine preparation, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6
UN3144	Nicotine preparation, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN3144	Nicotine preparation, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN1655	Nicotine preparation, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN1655	Nicotine preparation, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1655	Nicotine preparation, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6
UN1657	Nicotine salicylate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3445	Nicotine sulphate, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3445	Nicotine sulphate, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1658	Nicotine sulphate solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1658	Nicotine sulphate solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN1659	Nicotine tartrate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1477	Nitrates, inorganic, n.o.s.	5.1	II					Not Accepted			
UN1477	Nitrates, inorganic, n.o.s.	5.1	III					Not Accepted			
UN3218	Nitrates, inorganic, aqueous solution, n.o.s.	5.1	II					Not Accepted			
UN3218	Nitrates, inorganic, aqueous solution, n.o.s.	5.1	III					Not Accepted			
	<i>Nitrates of diazonium compounds</i>	Forbidden									
UN1796	Nitrating acid mixture with > 50% nitric acid	Forbidden	I								
UN1796	Nitrating acid mixture with <= 50% nitric acid	Forbidden	II								
UN1826	Nitrating acid mixture, spent with > 50% nitric acid	Forbidden	I								
UN1826	Nitrating acid mixture, spent with <= 50% nitric acid	Forbidden	II								
UN2031	Nitric acid other than red fuming, with > 70% nitric acid	Forbidden	I								
UN2031	Nitric acid other than red fuming, <= 20% nitric acid	Forbidden	II								
UN2031	Nitric acid other than red fuming with >= 65% and <= 70% nitric acid	Forbidden	II								
UN2031	Nitric acid other than red fuming with > 20% and < 65% nitric acid	Forbidden	II								
UN2032	Nitric acid, red fuming	Forbidden									
UN1975	Nitric oxide and dinitrogen tetroxide mixture	Forbidden									
UN1975	Nitric oxide and nitrogen dioxide mixture	Forbidden									
UN1660	Nitric oxide, compressed	Forbidden									
UN3273	Nitriles, flammable, toxic, n.o.s.*	Forbidden	I								
UN3273	Nitriles, flammable, toxic, n.o.s.*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3275	Nitriles, toxic, flammable, n.o.s.*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A137
UN3275	Nitriles, toxic, flammable, n.o.s.*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A137
UN3276	Nitriles, toxic, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A137
UN3276	Nitriles, toxic, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A137

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3276	Nitriles, toxic, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A137
UN3439	Nitriles, toxic, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3439	Nitriles, toxic, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A5
UN3439	Nitriles, toxic, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A5
UN2627	Nitrites, inorganic, n.o.s.*	5.1	II					Not Accepted			
UN3219	Nitrites, inorganic, aqueous solution, n.o.s.*	5.1	II					Not Accepted			
UN3219	Nitrites, inorganic, aqueous solution, n.o.s.*	5.1	III					Not Accepted			
	<i>N-Nitroaniline</i>	Forbidden									
UN1661	Nitroanilines (<i>o</i> -, <i>m</i> -, <i>p</i> -)	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A113
UN2730	Nitroanisoles, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A113
UN3458	Nitroanisoles, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A113
UN1662	Nitrobenzene	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A113
	<i>m-Nitrobenzene diazonium perchlorate</i>	Forbidden									
UN2305	Nitrobenzenesulphonic acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>Nitrobenzol - see Nitrobenzene</i>										
UN0385	5-Nitrobenzotriazol	Forbidden									
UN2306	Nitrobenzotrifluorides, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3431	Nitrobenzotrifluorides, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2732	Nitrobromobenzene, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN3459	Nitrobromobenzene, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN0340	Nitrocellulose dry or wetted with < 25% water or alcohol	Forbidden									
UN0341	Nitrocellulose unmodified or plasticized with < 18% plasticizing substance	Forbidden									
UN3270	Nitrocellulose membrane filters with < 12.6% nitrogen, by dry mass	4.1	II	FLAMMABLE SOLID	Y458	1 kg	458	1 kg			A57, A73, A122
UN2557	Nitrocellulose mixture without plasticizer, without pigment with not more than 12.6% nitrogen, by dry mass	4.1	II	FLAMMABLE SOLID			452	1 kg			A57, A86

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2557	Nitrocellulose mixture without plasticizer, with pigment with not more than 12.6% nitrogen, by dry mass	4.1	II	FLAMMABLE SOLID			452	1 kg			A57, A86
UN2557	Nitrocellulose mixture with plasticizer, without pigment with not more than 12.6% nitrogen, by dry mass	4.1	II	FLAMMABLE SOLID			452	1 kg			A57, A86
UN2557	Nitrocellulose mixture with plasticizer, with pigment with not more than 12.6% nitrogen, by dry mass	4.1	II	FLAMMABLE SOLID			452	1 kg			A57, A86
UN0343	Nitrocellulose, plasticized with 18% or more plasticizing substance	Forbidden									
UN2059	Nitrocellulose solution, flammable with 12.6% or less nitrogen, by dry mass, and 55% or less nitrocellulose	3	I	FLAMMABLE LIQUID			351	1 L			A91
UN2059	Nitrocellulose solution, flammable with 12.6% or less nitrogen, by dry mass, and 55% or less nitrocellulose	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A91
UN2059	Nitrocellulose solution, flammable with 12.6% or less nitrogen, by dry mass, and 55% or less nitrocellulose	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A91
UN0342	Nitrocellulose, wetted with 25% or more alcohol	Forbidden									
UN2556	Nitrocellulose with alcohol with 25% or more alcohol by dry mass and 12.6% or less nitrogen, by dry mass	4.1	II	FLAMMABLE SOLID			452	1 kg			A57
UN2555	Nitrocellulose with water with 25% or more water	4.1	II	FLAMMABLE SOLID			452	15 kg			A57
	Nitrochlorobenzene - see Chloronitrobenzenes, liquid; Chloronitrobenzenes, solid										
UN2307	3-Nitro-4-chlorobenzotrifluoride	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3434	Nitroresols, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2446	Nitroresols, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	6-Nitro-4-diazotoluene-3-sulphonic acid (dry)	Forbidden									
UN2842	Nitroethane	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	Nitroethylene polymer	Forbidden									
	Nitroethyl nitrate	Forbidden									
UN1066	Nitrogen, compressed	2.2		NON-FLAMMABLE GAS			200	30 kg			A69
UN1067	Nitrogen dioxide	Forbidden									
UN1977	Nitrogen, refrigerated liquid	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	30 kg			A152, A168, A801
	Nitrogen trichloride	Forbidden									
UN2451	Nitrogen trifluoride	2.2 (5.1)						Not Accepted			
	Nitrogen triiodide	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Nitrogen triiodide monoamine</i>	Forbidden									
UN2421	Nitrogen trioxide	Forbidden									
UN0143	Nitroglycerin, desensitized with $\geq 40\%$ non-volatile water-insoluble phlegmatizer	Forbidden									
	<i>Nitroglycerin, liquid, not desensitized</i>	Forbidden									
UN3357	Nitroglycerin mixture, desensitized, liquid, n.o.s. with $\leq 30\%$ nitroglycerin*	Forbidden									
UN3343	Nitroglycerin mixture, desensitized, liquid, flammable, n.o.s. with $\leq 30\%$ nitroglycerin*	Forbidden									
UN3319	Nitroglycerin mixture desensitized, solid, n.o.s. with $> 2\%$ and $\leq 10\%$ nitroglycerin*	Forbidden	II								
UN1204	Nitroglycerin solution in alcohol with $\leq 1\%$ nitroglycerin	3	II	FLAMMABLE LIQUID	Y341	1 L	371	5 L			
UN3064	Nitroglycerin solution in alcohol with $> 1\%$ and $\leq 5\%$ nitroglycerin	Forbidden	II								
UN0144	Nitroglycerin solution in alcohol with $> 1\%$ and $\leq 10\%$ nitroglycerin	Forbidden									
UN0282	Nitroguanidine dry or wetted with $< 20\%$ water	Forbidden									
	<i>Nitroguanidine nitrate</i>	Forbidden									
UN1336	Nitroguanidine, wetted with $\geq 20\%$ water	4.1	I	FLAMMABLE SOLID			451	1 kg			A40
	<i>1-Nitro hydantoin</i>	Forbidden									
UN1798	Nitrohydrochloric acid	Forbidden	I								
	<i>Nitro isobutane triol trinitrate</i>	Forbidden									
	<i>Nitromannite (dry)</i>	Forbidden									
UN0133	Nitromannite, wetted with $\geq 40\%$ water, or mixture of alcohol and water	Forbidden									
UN1261	Nitromethane	Forbidden	II								
	<i>N-Nitro-N-methylglycolamide nitrate</i>	Forbidden									
	<i>2-Nitro-2-methylpropanol nitrate</i>	Forbidden									
	<i>Nitromuriatic acid - see Nitrohydrochloric acid</i>										
UN2538	Nitronaphthalene	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN1663	Nitrophenols (o-, m-, p-)	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A113
	<i>m-Nitrophenyldinitro methane</i>	Forbidden									
UN3376	4-Nitrophenylhydrazine with $< 30\%$ water	Forbidden									
UN2608	Nitropropanes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1369	p-Nitrosodimethylaniline	4.2	II					Not Accepted			
	<i>4-Nitrosophenol (100%)</i>	Forbidden									
UN0146	Nitrostarch dry or wetted with $< 20\%$ water	Forbidden									
UN1337	Nitrostarch, wetted with $\geq 20\%$ water	4.1	I	FLAMMABLE SOLID			451	1 kg			A40
	<i>Nitrosugars (dry)</i>	Forbidden									
UN1069	Nitrosyl chloride	Forbidden									
UN2308	Nitrosylsulphuric acid, liquid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3456	Nitrosylsulphuric acid, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1664	Nitrotoluenes, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3446	Nitrotoluenes, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2660	Nitrotoluidines <i>mono</i>	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN0490	Nitrotriazolone	Forbidden									
UN0147	Nitro urea	Forbidden									
UN1070	Nitrous oxide	2.2 (5.1)						Not Accepted			
UN2201	Nitrous oxide, refrigerated liquid	Forbidden									
UN1665	Nitroxylenes, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3447	Nitroxylenes, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Non-activated carbon - see Carbon (UN 1361)</i>										
	<i>Non-activated charcoal - see Carbon (UN 1361)</i>										
UN1920	Nonanes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Non-flammable gas etc. - see Compressed gas etc.; Liquefied gas etc.</i>										
	<i>Non-liquefied gas - see Compressed gas, etc.</i>										
	<i>Non-liquefied hydrocarbon gas - see Hydrocarbon gas mixture, compressed, n.o.s.</i>										
UN1799	Nonyltrichlorosilane	Forbidden	II								
UN2251	2,5-Norbornadiene, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Normal propyl alcohol - see Propyl alcohol, normal (UN 1274)</i>										
UN0490	NTO	Forbidden									
UN1800	Octadecyltrichlorosilane	Forbidden	II								
UN2309	Octadiene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>1,7-Octadiene-3,5-diyne-1,8-dimethoxy-9-octadecynoic acid</i>	Forbidden									
UN2422	Octafluorobut-2-ene	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1976	Octafluorocyclobutane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2424	Octafluoropropane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1262	Octanes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN0484	Octogen, desensitized	Forbidden									
	<i>Octogen (dry or unphlegmatized)</i>	Forbidden									
UN0226	Octogen, wetted with not less than 15% water	Forbidden									
UN0266	Octol dry or wetted less than 15% water	Forbidden									
UN0266	Octolite dry or wetted less than 15% water	Forbidden									
UN0496	Octonal	Forbidden									
UN1191	Octyl aldehydes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>tert-Octyl mercaptan - see 2-Methyl-2-heptanethiol (UN 3023)</i>										
UN1801	Octyltrichlorosilane	Forbidden	II								

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Oenanthol - see n-Heptaldehyde (UN 3056)</i>										
UN1071	Oil gas, compressed	Forbidden									
	<i>Oil well sampling device, charged - see Compressed gas, flammable, n.o.s. (UN 1954); Liquefied gas, flammable, n.o.s. (UN 3161)</i>										
	<i>Oleum - see Sulphuric acid, fuming (UN 1831)</i>										
	Organic peroxide type B, liquid	Forbidden									
	Organic peroxide type B, liquid, temperature controlled	Forbidden									
	Organic peroxide type B, solid	Forbidden									
	Organic peroxide type B, solid, temperature controlled	Forbidden									
UN3103	Organic peroxide type C, liquid*	5.2						Not Accepted			
UN3113	Organic peroxide type C, liquid, temperature controlled*	Forbidden									
UN3104	Organic peroxide type C, solid*	5.2						Not Accepted			
UN3114	Organic peroxide type C, solid, temperature controlled*	Forbidden									
UN3105	Organic peroxide type D, liquid*	5.2						Not Accepted			
UN3115	Organic peroxide type D, liquid, temperature controlled*	Forbidden									
UN3106	Organic peroxide type D, solid*	5.2						Not Accepted			
UN3116	Organic peroxide type D, solid, temperature controlled*	Forbidden									
UN3107	Organic peroxide type E, liquid*	5.2						Not Accepted			
UN3117	Organic peroxide type E, liquid, temperature controlled*	Forbidden									
UN3108	Organic peroxide type E, solid*	5.2						Not Accepted			
UN3118	Organic peroxide type E, solid, temperature controlled*	Forbidden									
UN3109	Organic peroxide type F, liquid*	5.2						Not Accepted			
UN3119	Organic peroxide type F, liquid, temperature controlled*	Forbidden									
UN3110	Organic peroxide type F, solid*	5.2						Not Accepted			
UN3120	Organic peroxide type F, solid, temperature controlled*	Forbidden									
UN3313	Organic pigments, self-heating	Forbidden	II								
UN3313	Organic pigments, self-heating	Forbidden	III								

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3280	Organoarsenic compound, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A137
UN3280	Organoarsenic compound, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A137
UN3280	Organoarsenic compound, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A137
UN3465	Organoarsenic compound, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3465	Organoarsenic compound, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3465	Organoarsenic compound, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2762	Organochlorine pesticide, liquid, flammable, toxic <i>flash point less than 23°C*</i>	Forbidden	I								
UN2762	Organochlorine pesticide, liquid, flammable, toxic <i>flash point less than 23°C*</i>	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2996	Organochlorine pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2996	Organochlorine pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2996	Organochlorine pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2995	Organochlorine pesticide, liquid, toxic, flammable <i>flash point not less than 23°C*</i>	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2995	Organochlorine pesticide, liquid, toxic, flammable <i>flash point not less than 23°C*</i>	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2995	Organochlorine pesticide, liquid, toxic, flammable <i>flash point not less than 23°C*</i>	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2761	Organochlorine pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2761	Organochlorine pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2761	Organochlorine pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN3282	Organometallic compound, toxic, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3282	Organometallic compound, toxic, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3282	Organometallic compound, toxic, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3467	Organometallic compound, toxic, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3467	Organometallic compound, toxic, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3467	Organometallic compound, toxic, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3392	Organometallic substance, liquid, pyrophoric*	Forbidden									
UN3394	Organometallic substance, liquid, pyrophoric, water reactive*	Forbidden									
UN3398	Organometallic substance, liquid, water reactive*	Forbidden	I								
UN3398	Organometallic substance, liquid, water reactive*	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13			478	1 L			
UN3398	Organometallic substance, liquid, water reactive*	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13			479	5 L			A3
UN3399	Organometallic substance, liquid, water reactive, flammable*	Forbidden	I								
UN3399	Organometallic substance, liquid, water reactive, flammable*	4.3 (3)	II					Not Accepted			
UN3399	Organometallic substance, liquid, water reactive, flammable*	4.3 (3)	III					Not Accepted			
UN3391	Organometallic substance, solid, pyrophoric*	Forbidden									
UN3393	Organometallic substance, solid, pyrophoric, water reactive*	Forbidden									
UN3400	Organometallic substance, solid, self-heating*	4.2	II					Not Accepted			
UN3400	Organometallic substance, solid, self-heating*	4.2	III					Not Accepted			
UN3395	Organometallic substance, solid, water reactive*	Forbidden	I								
UN3395	Organometallic substance, solid, water reactive*	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13			483	15 kg			
UN3395	Organometallic substance, solid, water reactive*	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13			486	25 kg			A3
UN3396	Organometallic substance, solid, water reactive, flammable*	Forbidden	I								
UN3396	Organometallic substance, solid, water reactive, flammable*	4.3 (4.1)	II	Refer to DOT Special Permit or 49 CFR 173.13			483	15 kg			
UN3396	Organometallic substance, solid, water reactive, flammable*	4.3 (4.1)	III	Refer to DOT Special Permit or 49 CFR 173.13			486	25 kg			A3
UN3397	Organometallic substance, solid, water reactive, self-heating*	Forbidden	I								
UN3397	Organometallic substance, solid, water reactive, self-heating*	4.3 (4.2)	II					Not Accepted			
UN3397	Organometallic substance, solid, water reactive, self-heating*	4.3 (4.2)	III					Not Accepted			
UN3279	Organophosphorus compound, toxic, flammable, n.o.s.*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6, A137
UN3279	Organophosphorus compound, toxic, flammable, n.o.s.*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6, A137
UN3278	Organophosphorus compound, toxic, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6, A137
UN3278	Organophosphorus compound, toxic, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6, A137

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3278	Organophosphorus compound, toxic, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6, A137
UN3464	Organophosphorus compound, toxic, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN3464	Organophosphorus compound, toxic, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN3464	Organophosphorus compound, toxic, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A6
UN2784	Organophosphorus pesticide, liquid, flammable, toxic flash point less than 23°C*	Forbidden	I								
UN2784	Organophosphorus pesticide, liquid, flammable, toxic flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3018	Organophosphorus pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3018	Organophosphorus pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3018	Organophosphorus pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3017	Organophosphorus pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3017	Organophosphorus pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3017	Organophosphorus pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2783	Organophosphorus pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2783	Organophosphorus pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2783	Organophosphorus pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2788	Organotin compound, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A6
UN2788	Organotin compound, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN2788	Organotin compound, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN3146	Organotin compound, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN3146	Organotin compound, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN3146	Organotin compound, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6
UN2787	Organotin pesticide, liquid, flammable, toxic flash point less than 23°C*	Forbidden	I								
UN2787	Organotin pesticide, liquid, flammable, toxic flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3020	Organotin pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3020	Organotin pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3020	Organotin pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3019	Organotin pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3019	Organotin pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3019	Organotin pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2786	Organotin pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2786	Organotin pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2786	Organotin pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
	<i>Orthophosphoric acid - see Phosphoric acid, solution (UN 1805); Phosphoric acid, solid (UN 3453)</i>										
UN2471	Osmium tetroxide	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN3139	Oxidizing liquid, n.o.s.*	Forbidden	I								
UN3139	Oxidizing liquid, n.o.s.*	5.1	II					Not Accepted			
UN3139	Oxidizing liquid, n.o.s.*	5.1	III					Not Accepted			
UN3098	Oxidizing liquid, corrosive, n.o.s.*	Forbidden	I								
UN3098	Oxidizing liquid, corrosive, n.o.s.*	5.1 (8)	II					Not Accepted			
UN3098	Oxidizing liquid, corrosive, n.o.s.*	5.1 (8)	III					Not Accepted			
UN3099	Oxidizing liquid, toxic, n.o.s.*	Forbidden	I								
UN3099	Oxidizing liquid, toxic, n.o.s.*	5.1 (6.1)	II					Not Accepted			
UN3099	Oxidizing liquid, toxic, n.o.s.*	5.1 (6.1)	III					Not Accepted			
UN1479	Oxidizing solid, n.o.s.*	5.1	I					Not Accepted			
UN1479	Oxidizing solid, n.o.s.*	5.1	II					Not Accepted			
UN1479	Oxidizing solid, n.o.s.*	5.1	III					Not Accepted			
UN3085	Oxidizing solid, corrosive, n.o.s.*	5.1 (8)	I					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3085	Oxidizing solid, corrosive, n.o.s.*	5.1 (8)	II					Not Accepted			
UN3085	Oxidizing solid, corrosive, n.o.s.*	5.1 (8)	III					Not Accepted			
UN3137	Oxidizing solid, flammable, n.o.s.*	Forbidden									
UN3100	Oxidizing solid, self-heating, n.o.s.*	Forbidden									
UN3087	Oxidizing solid, toxic, n.o.s.*	5.1 (6.1)	I					Not Accepted			
UN3087	Oxidizing solid, toxic, n.o.s.*	5.1 (6.1)	II					Not Accepted			
UN3087	Oxidizing solid, toxic, n.o.s.*	5.1 (6.1)	III					Not Accepted			
UN3121	Oxidizing solid, water-reactive, n.o.s.*	Forbidden									
	<i>Oxirane - see Ethylene oxide, etc.</i>										
UN1072	Oxygen, compressed	2.2 (5.1)						Not Accepted			
UN2190	Oxygen difluoride, compressed	Forbidden									
UN3356	Oxygen generator, chemical including when contained in associated equipment e.g. passenger service units (PSUs), portable breathing equipment (PBE), etc.	Forbidden	II								
UN1073	Oxygen, refrigerated liquid	Forbidden									
	<i>1-Oxy-4-nitrobenzene - see Nitrophenols</i>										
UN1263	Paint (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3	I	FLAMMABLE LIQUID			351	1 L			A72
UN1263	Paint (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A72
UN1263	Paint (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A72
UN3066	Paint, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	8	II	CORROSIVE	Y840	0.5 L	851	1 L			A72
UN3066	Paint, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	8	III	CORROSIVE	Y841	1 L	852	5 L			A3, A72
UN3470	Paint, corrosive, flammable (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			A72
UN3469	Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3 (8)	I	FLAMMABLE LIQUID & CORROSIVE			350	0.5 L			A72

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3469	Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			A72
UN3469	Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3, A72
UN1263	Paint related material (including paint thinning or reducing compounds)	3	I	FLAMMABLE LIQUID			351	1 L			A72
UN1263	Paint related material (including paint thinning or reducing compounds)	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A72
UN1263	Paint related material (including paint thinning or reducing compounds)	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A72
UN3066	Paint related material, corrosive (including paint thinning or reducing compounds)	8	II	CORROSIVE	Y840	0.5 L	851	1 L			A72
UN3066	Paint related material, corrosive (including paint thinning or reducing compounds)	8	III	CORROSIVE	Y841	1 L	852	5 L			A3, A72
UN3470	Paint related material, corrosive, flammable (including paint thinning or reducing compounds)	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			A72
UN3469	Paint related material, flammable, corrosive (including paint thinning or reducing compounds)	3 (8)	I	FLAMMABLE LIQUID & CORROSIVE			350	0.5 L			A72
UN3469	Paint related material, flammable, corrosive (including paint thinning or reducing compounds)	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			A72
UN3469	Paint related material, flammable, corrosive (including paint thinning or reducing compounds)	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3, A72
UN1379	Paper, unsaturated oil treated incompletely dried, includes carbon paper Paraffin - see Kerosene (UN 1223)	Forbidden									
UN2213	Paraformaldehyde	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN1264	Paraldehyde	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1380	PCBs - see Polychlorinated biphenyls, liquid (UN 2315); Polychlorinated biphenyls, solid (UN 3432) Pentaborane	Forbidden									
UN1669	Pentachloroethane	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3155	Pentachlorophenol	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN0411	Pentaerythrite tetranitrate with >= 7% wax	Forbidden									
UN0150	Pentaerythrite tetranitrate, desensitized with >= 15% phlegmatizer, by mass	Forbidden									
	Pentaerythrite tetranitrate (dry)	Forbidden									
UN3344	Pentaerythrite tetranitrate mixture, desensitized, solid, n.o.s. with > 10% and <= 20% PETN, by mass*	Forbidden									
UN0150	Pentaerythrite tetranitrate, wetted	Forbidden									
UN0411	Pentaerythritol tetranitrate	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0150	Pentaerythritol tetranitrate, desensitized with not less than 15% phlegmatizer, by mass	Forbidden									
	Pentaerythritol tetranitrate (dry)	Forbidden									
UN3344	Pentaerythritol tetranitrate mixture, desensitized solid, n.o.s. > 10% and <= 20% PETN, by mass*	Forbidden									
UN0150	Pentaerythritol tetranitrate, wetted >= 25% water, by mass	Forbidden									
UN3220	Pentafluoroethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
	Pentafluoroethane, 1,1,1-trifluoroethane, 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 44% pentafluoroethane and 52% 1,1,1-trifluoroethane - see Refrigerant gas R 404A										
UN2286	Pentamethylheptane	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	3,3,5,7,7-pentamethyl-1,2,4-trioxepane - see Organic peroxide type E, liquid (UN 3107)										
	Pentanal - see Valeraldehyde										
	n-Pentane - see Pentanes, liquid										
UN2310	Pentane-2,4-dione	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			
UN1265	Pentanes, liquid	3	I	FLAMMABLE LIQUID			351	1 L			
UN1265	Pentanes, liquid	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	Pentanitroaniline (dry)	Forbidden									
UN1105	Pentanol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1105	Pentanol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1108	1-Pentene	3	I	FLAMMABLE LIQUID			351	1 L			
UN2705	1-Pentol	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN0151	Pentolite dry or wetted with < 15% water, by mass	Forbidden									
	Pentyl nitrite - see Amyl nitrite										
UN1481	Perchlorates, inorganic, n.o.s.	5.1	II					Not Accepted			
UN1481	Perchlorates, inorganic, n.o.s.	5.1	III					Not Accepted			
UN3211	Perchlorates, inorganic, aqueous solution, n.o.s.*	5.1	II					Not Accepted			
UN3211	Perchlorates, inorganic, aqueous solution, n.o.s.*	5.1	III					Not Accepted			
UN1873	Perchloric acid with > 50% and <= 72% acid, by mass	5.1 (8)	I				Forbidden	Forbidden			
	Perchloric acid with > 72% acid, by mass	Forbidden									
UN1802	Perchloric acid with <= 50% acid, by mass	Forbidden	II								
	Perchlorobenzene - see Hexachlorobenzene (UN 2729)										
	Perchlorocyclopentadiene - see Hexachlorocyclopentadiene (UN 2646)										
	Perchloroethylene - see Tetrachloroethylene (UN 1897)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1670	Perchloromethyl mercaptan	Forbidden									
UN3083	Perchloryl fluoride	Forbidden									
	<i>Perfluoroacetyl chloride - see Trifluoroacetyl chloride (UN 3057)</i>										
UN3154	Perfluoro (ethyl vinyl ether)	Forbidden									
UN3153	Perfluoro (methyl vinyl ether)	Forbidden									
	<i>Perfluoropropane - see Octafluoropropane (UN 2424)</i>										
UN1266	Perfumery products with flammable solvents	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A72
UN1266	Perfumery products with flammable solvents	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A72
UN1482	Permanganates, inorganic, n.o.s.*	5.1	II					Not Accepted			
UN1482	Permanganates, inorganic, n.o.s.*	5.1	III					Not Accepted			
UN3214	Permanganates, inorganic, aqueous solution, n.o.s.*	5.1	II					Not Accepted			
	<i>Permeation devices for calibrating air quality monitoring equipment - see special provision A41</i>										
	<i>Peroxide, organic - see Organic peroxide, etc.</i>										
UN1483	Peroxides, inorganic, n.o.s.	5.1	II					Not Accepted			
UN1483	Peroxides, inorganic, n.o.s.	5.1	III					Not Accepted			
	<i>Peroxyacetic acid (> 43%)</i>	Forbidden									
	<i>Peroxyacetic acid, type D, stabilized (<= 43%) - see Organic peroxide type D, liquid (UN 3105) [OP13, OP14, OP19]</i>										
	<i>Peroxyacetic acid, type E, stabilized (<= 43%) - see Organic peroxide type E, liquid (UN 3107) [OP13, OP15, OP19]</i>										
	<i>Peroxyacetic acid, type F, stabilized (<= 43%) - see Organic peroxide type F, liquid (UN 3109) [OP13, OP16, OP19]</i>										
	<i>Peroxyacetic acid, with > 43% and > 6% hydrogen peroxide</i>	Forbidden									
	<i>Peroxyauric acid</i>	Forbidden									
UN3215	Persulphates, inorganic, n.o.s.	5.1	III					Not Accepted			
UN3216	Persulphates, inorganic, aqueous solution, n.o.s.	5.1	III					Not Accepted			
UN3021	Pesticide, liquid, flammable, toxic, n.o.s. flash point less than 23°C*	Forbidden	I								
UN3021	Pesticide, liquid, flammable, toxic, n.o.s. flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2902	Pesticide, liquid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2902	Pesticide, liquid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2902	Pesticide, liquid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2903	Pesticide, liquid, toxic, flammable, n.o.s. flash point not less than 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2903	Pesticide, liquid, toxic, flammable, n.o.s. flash point not less than 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2903	Pesticide, liquid, toxic, flammable, n.o.s. flash point not less than 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2588	Pesticide, solid, toxic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2588	Pesticide, solid, toxic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2588	Pesticide, solid, toxic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
	<i>PETN/TNT - see Pentolite, etc.</i>										
UN0411	PETN with >= 7% wax, by mass	Forbidden									
UN0150	PETN, desensitized with >= 15% phlegmatizer, by mass	Forbidden									
	<i>PETN (dry)</i>	Forbidden									
UN3344	PETN mixture, desensitized sold, n.o.s. with > 10% and <= 20% PETN, by mass*	Forbidden									
UN0150	PETN, wetted with >= 25% water, by mass	Forbidden									
UN1203	Petrol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A100
UN1267	Petroleum crude oil	3	I	FLAMMABLE LIQUID			351	1 L			A177
UN1267	Petroleum crude oil	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A177
UN1267	Petroleum crude oil	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3,A177
UN1268	Petroleum distillates, n.o.s.	3	I	FLAMMABLE LIQUID			351	1 L			
UN1268	Petroleum distillates, n.o.s.	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1268	Petroleum distillates, n.o.s.	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Petroleum ether - see Petroleum distillates, n.o.s. (UN 1268)</i>										
UN1075	Petroleum gases, liquefied	Forbidden									
	<i>Petroleum naphtha - see Petroleum distillates, n.o.s. (UN 1268)</i>										
	<i>Petroleum oil - see Petroleum products, n.o.s. (UN 1268)</i>										
UN1268	Petroleum products, n.o.s.	3	I	FLAMMABLE LIQUID			351	1 L			
UN1268	Petroleum products, n.o.s.	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1268	Petroleum products, n.o.s.	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Petroleum raffinate - see Petroleum distillates, n.o.s. (UN 1268)</i>										
UN3494	Petroleum sour crude oil, flammable, toxic	Forbidden	I								
UN3494	Petroleum sour crude oil, flammable, toxic	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			A166

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3494	Petroleum sour crude oil, flammable, toxic	3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y343	2 L	355	25 L			A166
	<i>Petroleum spirit - see Petroleum distillates, n.o.s. (UN 1268)</i>										
UN2645	Phenacyl bromide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2311	Phenetidines	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A113
UN2904	Phenolates, liquid	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2905	Phenolates, solid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2312	Phenol, molten	Forbidden									
UN1671	Phenol, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A113
UN2821	Phenol solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2821	Phenol solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN1803	Phenolsulphonic acid, liquid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3346	Phenoxyacetic acid derivative pesticide, liquid, flammable, toxic flash point less than 23°C*	Forbidden	I								
UN3346	Phenoxyacetic acid derivative pesticide, liquid, flammable, toxic flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3348	Phenoxyacetic acid derivative pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3348	Phenoxyacetic acid derivative pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3348	Phenoxyacetic acid derivative pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3347	Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable flashpoint not less than 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3347	Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable flashpoint not less than 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3347	Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable flashpoint not less than 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3345	Phenoxyacetic acid derivative pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3345	Phenoxyacetic acid derivative pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3345	Phenoxyacetic acid derivative pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2470	Phenylacetonitrile, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2577	Phenylacetyl chloride	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>Phenylamine - see Aniline (UN 1547)</i>										
	<i>1-Phenylbutanes - see Butylbenzenes (UN 2709)</i>										
	<i>2-Phenylbutanes - see Butylbenzenes (UN 2709)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1672	Phenylcarbylamine chloride	Forbidden									
UN2746	Phenyl chloroformate	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	653	1 L			
	<i>Phenyl cyanide - see Benzonitrile (UN 2224)</i>										
	<i>m-Phenylene diaminediperchlorate (dry)</i>	Forbidden									
UN1673	Phenylenediamines (o-, m-, p-)	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A113
	<i>Phenylethylene - see Styrene monomer, stabilized (UN 2055)</i>										
UN2572	Phenylhydrazine	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2487	Phenyl isocyanate	Forbidden									
	<i>Phenylisocyanodichloride - see Phenylcarbylamine chloride (UN 1672)</i>										
UN2337	Phenyl mercaptan	Forbidden									
UN1674	Phenylmercuric acetate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN2026	Phenylmercuric compound, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5, A6
UN2026	Phenylmercuric compound, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN2026	Phenylmercuric compound, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A6
UN1894	Phenylmercuric hydroxide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1895	Phenylmercuric nitrate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2798	Phenylphosphorus dichloride	Forbidden	II								
UN2799	Phenylphosphorus thiodichloride	Forbidden	II								
	<i>2-Phenylpropene - see Isopropenylbenzene (UN 2303)</i>										
UN1804	Phenyltrichlorosilane	Forbidden	II								
UN1076	Phosgene	Forbidden									
UN2940	9-Phosphabicyclononanes	4.2	II					Not Accepted			
UN2199	Phosphine	Forbidden									
	<i>Phosphoretted hydrogen - see Phosphine (UN 2199)</i>										
	<i>Phosphoric acid, anhydrous - see Phosphorus pentoxide (UN 1807)</i>										
UN3453	Phosphoric acid, solid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1805	Phosphoric acid, solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2834	Phosphorous acid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
	<i>Phosphorus (V) sulphide, free from yellow and white phosphorus - see Phosphorus pentasulphide (UN 1340)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1338	Phosphorus, amorphous	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	<i>Phosphorus bromide - see Phosphorus tribromide (UN 1808)</i>										
	<i>Phosphorus chloride - see Phosphorus trichloride (UN 1809)</i>										
UN1339	Phosphorus heptasulphide <i>free from yellow and white phosphorus</i>	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN1939	Phosphorus oxybromide	Forbidden	II								
UN2576	Phosphorus oxybromide, molten	Forbidden									
UN1810	Phosphorus oxychloride	Forbidden									
UN2691	Phosphorus pentabromide	Forbidden	II								
UN1806	Phosphorus pentachloride	Forbidden	II								
UN2198	Phosphorus pentafluoride	Forbidden									
UN1340	Phosphorus pentasulphide <i>free from yellow and white phosphorus</i>	4.3 (4.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			
UN1807	Phosphorus pentoxide	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1341	Phosphorus sesquisulphide <i>free from yellow and white phosphorus</i>	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
	<i>Phosphorus sulphochloride - see Thiophosphoryl chloride (UN 1837)</i>										
UN1808	Phosphorus tribromide	Forbidden	II								
UN1809	Phosphorus trichloride	Forbidden									
UN2578	Phosphorus trioxide	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1343	Phosphorus trisulphide <i>free from yellow and white phosphorus</i>	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN1381	Phosphorus, white, dry	Forbidden									
UN1381	Phosphorus, white, in solution	Forbidden									
UN2447	Phosphorus, white, molten	Forbidden									
	<i>Phosphorus (white or red) and a chlorate, mixture of</i>	Forbidden									
UN1381	Phosphorus, white, under water	Forbidden									
UN1381	Phosphorus, yellow, dry	Forbidden									
UN1381	Phosphorus, yellow, in solution	Forbidden									
UN1381	Phosphorus, yellow, under water	Forbidden									
	<i>Phosphoryl chloride - see Phosphorus oxychloride (UN 1223)</i>										
UN2214	Phthalic anhydride <i>with > 0.05% maleic anhydride</i>	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A74
UN2313	Picolines	3	III	FLAMMABLE LIQUID	Y344	10 L	355	5 L			
UN0153	Picramide	Forbidden									
UN0154	Picric acid	Forbidden									
UN3364	Picric acid, wetted <i>with >= 10% water, by mass</i>	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN1344	Picric acid, wetted <i>with >= 30% water, by mass</i>	4.1	I	FLAMMABLE SOLID			451	1 kg			A40
UN0282	Picrite <i>dry or wetted with <20% water, by mass</i>	Forbidden									
UN1336	Picrite, wetted <i>with >= 20% water, by mass</i>	4.1	I	FLAMMABLE SOLID			451	1 kg			A40

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Picrotoxin - see</i> Toxins, extracted from living sources, liquid, n.o.s.; Toxins, extracted from living sources, solid, n.o.s.										
UN0155	Picryl chloride	Forbidden									
UN3365	Picryl chloride, wetted with >= 10% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
	<i>Pinanyl hydroperoxide (> 56%) - see</i> Organic peroxide type D, liquid (UN 3105) [OP13]										
	<i>Pinanyl hydroperoxide (<= 56, diluent type A >= 44%) - see</i> Organic peroxide type F, liquid (UN 3109)										
UN2368	alpha-Pinene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1272	Pine oil	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2579	Piperazine	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2401	Piperidine	8 (3)	I	CORROSIVE & FLAMMABLE LIQUID			850	0.5 L			
	<i>Pivaloyl chloride - see</i> Trimethylacetyl chloride										
	<i>Plastic explosives - see</i> Explosive, blasting, type D										
UN3314	<i>Plastics moulding compound in dough, sheet or extruded rope form evolving flammable vapour</i>	9	III	MISCELLANEOUS			957	25 kg	957	30 kg	A38
UN2006	Plastics, nitrocellulose-based, self-heating, n.o.s.*	Forbidden									
	<i>Plastic solvent, n.o.s. - see</i> Flammable liquid, n.o.s. (UN 19933)										
	<i>Poisonous - see</i> Toxic, etc.										
UN2733	Polyamines, flammable, corrosive, n.o.s.*	3 (8)	I	FLAMMABLE LIQUID & CORROSIVE			350	0.5 L			
UN2733	Polyamines, flammable, corrosive, n.o.s.*	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2733	Polyamines, flammable, corrosive, n.o.s.*	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3
UN2735	Polyamines, liquid, corrosive, n.o.s.*	8	I	CORROSIVE			850	0.5 L			
UN2735	Polyamines, liquid, corrosive, n.o.s.*	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2735	Polyamines, liquid, corrosive, n.o.s.*	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2734	Polyamines, liquid, corrosive, flammable, n.o.s.*	8 (3)	I	CORROSIVE & FLAMMABLE LIQUID			850	0.5 L			
UN2734	Polyamines, liquid, corrosive, flammable, n.o.s.*	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN3259	Polyamines, solid, corrosive, n.o.s.*	8	I	CORROSIVE			858	1 kg			
UN3259	Polyamines, solid, corrosive, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN3259	Polyamines, solid, corrosive, n.o.s.*	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN2315	Polychlorinated biphenyls, liquid	9	II	MISCELLANEOUS			964	25 L	964	25 L	A11
UN3432	Polychlorinated biphenyls, solid	9	II	MISCELLANEOUS			956	30 kg	956	30 kg	A11
UN3269	Polyester resin kit	3	II	FLAMMABLE LIQUID	Y370	1 kg	370	5 kg			A66, A163
UN3269	Polyester resin kit	3	III	FLAMMABLE LIQUID	Y370	1 kg	370	5 kg			A66, A163
	<i>Polyether poly-tert-butylperoxycarbonate (<= 52%, diluent type B >= 23%) - see</i> Organic peroxide type E, liquid (UN 3107)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3151	Polyhalogenated biphenyls, liquid	9	II					Not Accepted			A11, A95
UN3152	Polyhalogenated biphenyls, solid	9	II					Not Accepted			A11, A95
UN3151	Polyhalogenated terphenyls, liquid	9	II					Not Accepted			A11, A95
UN3152	Polyhalogenated terphenyls, solid	9	II					Not Accepted			A11, A95
UN2211	Polymeric beads, expandable <i>evolving flammable vapour</i>	9	III	MISCELLANEOUS			957	30 kg	957	30 kg	A38
	<i>Polystyrene beads, expandable, etc. - see Polymeric beads, expandable, evolving flammable vapour</i>										
UN2257	Potassium	Forbidden	I								
UN1677	Potassium arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1678	Potassium arsenite	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Potassium bifluoride - see Potassium hydrogendifluoride, solid; Potassium hydrogendifluoride, solution</i>										
	<i>Potassium bisulphate - see Potassium hydrogen sulphate</i>										
	<i>Potassium bisulphite solution - see Bisulphites, aqueous solution, n.o.s.</i>										
UN1870	Potassium borohydride	Forbidden	I								
UN1484	Potassium bromate	5.1	II					Not Accepted			
	<i>Potassium carbonyl</i>	Forbidden									
UN1485	Potassium chlorate	5.1	II					Not Accepted			
UN2427	Potassium chlorate, aqueous solution	5.1	II					Not Accepted			
UN2427	Potassium chlorate, aqueous solution	5.1	III					Not Accepted			
	<i>Potassium chlorate mixed with mineral oil - see Explosive, blasting, type C</i>										
UN1679	Potassium cuprocyanide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1680	Potassium cyanide, solid	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN3413	Potassium cyanide solution	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			
UN3413	Potassium cyanide solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3413	Potassium cyanide solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Potassium dicyanocuprate - see Potassium cuprocyanide (UN 1679)</i>										
UN1929	Potassium dithionite	4.2	II					Not Accepted			
UN1812	Potassium fluoride, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN3422	Potassium fluoride solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2628	Potassium fluoroacetate	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN2655	Potassium fluorosilicate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>Potassium hexafluorosilicate - see Potassium fluorosilicate (UN 1655)</i>										
	<i>Potassium hydrate - see Potassium hydroxide, solid</i>										
UN1811	Potassium hydrogendifluoride, solid	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y844	5 kg	859	15 kg			
UN3421	Potassium hydrogendifluoride solution	8 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
UN3421	Potassium hydrogendifluoride solution	8 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y841	1 L	852	5 L			A3
UN2509	Potassium hydrogen sulphate	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1929	Potassium hydrosulphite	4.2	II					Not Accepted			
UN1813	Potassium hydroxide, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1814	Potassium hydroxide solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1814	Potassium hydroxide solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1420	Potassium metal alloys, liquid	Forbidden	I								
UN3403	Potassium metal alloys, solid	Forbidden	I								
UN2864	Potassium metavanadate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2033	Potassium monoxide	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1486	Potassium nitrate	5.1	III					Not Accepted			
	<i>Potassium nitrate and sodium nitrate mixture - see Sodium nitrate and potassium nitrate mixture (UN 1499)</i>										
UN1487	Potassium nitrate and sodium nitrite mixture	5.1	II					Not Accepted			
UN1488	Potassium nitrite	5.1	II					Not Accepted			
UN1489	Potassium perchlorate	5.1	II					Not Accepted			
UN1490	Potassium permanganate	5.1	II					Not Accepted			
UN1491	Potassium peroxide	Forbidden	I								

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1492	Potassium persulphate	5.1	III					Not Accepted			
UN2012	Potassium phosphide	Forbidden	I								
	<i>Potassium selenate - see Selenates (UN 2630)</i>										
	<i>Potassium selenite - see Selenites (UN 2630)</i>										
	<i>Potassium silicofluoride - see Potassium fluorosilicate (UN 2665)</i>										
UN1422	Potassium sodium alloys, liquid	Forbidden	I								
UN3404	Potassium sodium alloys, solid	Forbidden	I								
UN1382	Potassium sulphide with < 30% water of crystallization	4.2	II					Not Accepted			
UN1382	Potassium sulphide, anhydrous	4.2	II					Not Accepted			
UN1847	Potassium sulphide, hydrated with >= 30% water of crystallization	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2466	Potassium superoxide	Forbidden	I								
	<i>Potassium tetracyanomercuroate (II) - see Mercuric potassium cyanide</i>										
UN0433	Powder cake, wetted with >= 17% alcohol	Forbidden									
UN0159	Powder cake, wetted with >= 25% water, by mass	Forbidden									
UN0433	Powder paste, wetted with >= 17% alcohol	Forbidden									
UN0159	Powder paste, wetted with not less than 25% water	Forbidden									
UN0160	Powder, smokeless	Forbidden									
UN0161	Powder, smokeless	Forbidden									
UN0509	Powder, smokeless	Forbidden									
	<i>Power device, explosive - see Cartridges, power device</i>										
	<i>Pressurized products - see Aerosols</i>										
UN0044	Primers, cap type	1.4S		EXPLOSIVE 1.4 S			133	25 kg			
UN0377	Primers, cap type	Forbidden									
UN0378	Primers, cap type	Forbidden									
	<i>Primers, small arms - see Primers, cap type</i>										
UN0319	Primers, tubular	Forbidden									
UN0320	Primers, tubular	Forbidden									
UN0376	Primers, tubular	1.4S		EXPLOSIVE 1.4 S			133	25 kg			
UN1210	Printing ink flammable	3	I	FLAMMABLE LIQUID			351	1 L			A72
UN1210	Printing ink flammable	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A72
UN1210	Printing ink flammable	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A72
UN1210	Printing ink related material (including printing ink thinning or reducing compound), flammable	3	I	FLAMMABLE LIQUID			351	1 L			A72
UN1210	Printing ink related material (including printing ink thinning or reducing compound), flammable	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A72
UN1210	Printing ink related material (including printing ink thinning or reducing compound), flammable	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A72
UN0345	Projectiles inert with tracer	1.4S		EXPLOSIVE 1.4 S			130	25 kg			
UN0424	Projectiles inert with tracer	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0425	Projectiles inert with tracer	Forbidden									
UN0346	Projectiles with burster or expelling charge	Forbidden									
UN0347	Projectiles with burster or expelling charge	Forbidden									
UN0426	Projectiles with burster or expelling charge	Forbidden									
UN0427	Projectiles with burster or expelling charge	Forbidden									
UN0434	Projectiles with burster or expelling charge	Forbidden									
UN0435	Projectiles with burster or expelling charge	Forbidden									
UN0167	Projectiles bursting charge	Forbidden									
UN0168	Projectiles bursting charge	Forbidden									
UN0169	Projectile bursting charge	Forbidden									
UN0324	Projectile bursting charge	Forbidden									
UN0344	Projectiles bursting charge	Forbidden									
	Projectiles, illuminating - see Ammunition, illuminating, etc.										
	Propadiene and methylacetylene mixture, stabilized - see Methylacetylene and propadiene mixture, stabilized										
UN2200	Propadiene, stabilized	Forbidden									
UN1978	Propane	Forbidden									
UN2402	Propanethiols	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1274	n-Propanol	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1274	n-Propanol	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN0495	Propellant, liquid	Forbidden									
UN0497	Propellant, liquid	Forbidden									
	Propellant, single, double or triple base - see Powder, smokeless										
UN0498	Propellant, solid	Forbidden									
UN0499	Propellant, solid	Forbidden									
UN0501	Propellant, solid	Forbidden									
	Propene - see Propylene (UN 1077)										
UN1275	Propionaldehyde	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN3463	Propionic acid with not less than 90% acid, by mass	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN1848	Propionic acid with not less than 10% and less than 90%, by mass	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2496	Propionic anhydride	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2404	Propionitrile	Forbidden	II								
UN1815	Propionyl chloride	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1276	n-Propyl acetate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1274	Propyl alcohol, normal	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1274	Propyl alcohol, normal	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1277	Propylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN2364	n-Propylbenzene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	Propyl chloride - see 1-Chloropropane (UN 1278)										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2740	n-Propyl chloroformate	Forbidden									
UN1077	Propylene	Forbidden									
UN2611	Propylene chlorohydrin	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2258	1,2-Propylenediamine	8 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y840	0.5 L	851	1 L			
UN1921	Propyleneimine, stabilized	3 (6.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			Forbidden	Forbidden			
	<i>Propylene or liquefied petroleum gas - see Petroleum gases, liquefied (UN 1075)</i>										
UN1280	Propylene oxide	3	I	FLAMMABLE LIQUID			351	1 L			
UN2850	Propylene tetramer	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Propylene trimer - see Tripropylene (UN 2057)</i>										
UN1281	Propyl formates	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2482	n-Propyl isocyanate	Forbidden									
	<i>Propyl mercaptan - see Propanethiols (UN 2402)</i>										
UN1865	n-Propyl nitrate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1816	Propyltrichlorosilane	Forbidden	II								
	<i>Pyrazine hexahydrate - see Piperazine (UN 2735)</i>										
UN3350	Pyrethroid pesticide, liquid, flammable, toxic flash point less than 23°C*	Forbidden	I								
UN3350	Pyrethroid pesticide, liquid, flammable, toxic flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3352	Pyrethroid pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3352	Pyrethroid pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3352	Pyrethroid pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3351	Pyrethroid pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3351	Pyrethroid pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3351	Pyrethroid pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3349	Pyrethroid pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3349	Pyrethroid pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3349	Pyrethroid pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN1282	Pyridine	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Pyridine perchlorate</i>	Forbidden									
UN1383	Pyrophoric alloy, n.o.s.*	Forbidden									
UN3194	Pyrophoric liquid, inorganic, n.o.s.*	Forbidden									
UN2845	Pyrophoric liquid, organic, n.o.s.*	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1383	Pyrophoric metal, n.o.s.*	Forbidden									
UN3200	Pyrophoric solid, inorganic, n.o.s.*	Forbidden									
UN2846	Pyrophoric solid, organic, n.o.s.*	Forbidden									
UN1817	Pyrosulphuryl chloride	8	II					Not Accepted			
	<i>Pyroxylin solution - see Nitrocellulose solution, flammable (UN 2059)</i>										
UN1922	Pyrrolidine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>Quebrachitol pentanitrate</i>	Forbidden									
UN2656	Quinoline	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Quinone - see Benzoquinone (UN 2587)</i>										
UN2909	Radioactive material, excepted package - articles manufactured from natural uranium or depleted uranium or natural thorium	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A130
UN2908	Radioactive material, excepted package, empty packaging	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A130
UN2911	Radioactive material, excepted package - instruments or articles	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A130
UN2910	Radioactive material, excepted package, limited quantity of material	7		RADIOACTIVE			See sections 1.6	30 kg			A23, A130
UN2912	Radioactive material, low specific activity (LSA-I) non fissile or fissile-excepted	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A78, A139
UN3321	Radioactive material, low specific activity (LSA-II) non fissile or fissile-excepted	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A78, A139, A159
UN3324	Radioactive material, low specific activity (LSA-II) fissile	7						Not Accepted			
UN3322	Radioactive material, low specific activity (LSA-III) non fissile or fissile-excepted	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A78, A139, A159
UN3325	Radioactive material, low specific activity (LSA-III) fissile	7						Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2913	Radioactive material, surface contaminated objects (SCO-I or SCO-II) non-fissile or fissile-excepted	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A78, A139, A159
UN3326	Radioactive material, surface contaminated objects (SCO-I or SCO-II), fissile	7						Not Accepted			
UN2919	Radioactive material, transported under special arrangement non fissile or fissile-excepted	7						Not Accepted			
UN3331	Radioactive material, transported under special arrangement, fissile	7						Not Accepted			
UN2915	Radioactive material, Type A package non-special form, non fissile or fissile-excepted	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A78, A139
UN3327	Radioactive material, Type A package, fissile (non- special form)	7						Not Accepted			
UN3332	Radioactive material, Type A package, special form non fissile or fissile-excepted	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A78, A139
UN3333	Radioactive material, Type A package, special form, fissile	7						Not Accepted			
UN2917	Radioactive material, Type B(M) package non fissile or fissile-excepted	7						Not Accepted			
UN3329	Radioactive material, Type B(M) package, fissile	7						Not Accepted			
UN2916	Radioactive material, Type B(U) package non fissile or fissile-excepted	7						Not Accepted			
UN3328	Radioactive material, Type B(U) package, fissile	7						Not Accepted			
UN3323	Radioactive material, Type C package non fissile or fissile-excepted	7		RADIOACTIVE			See sections 2.7 and 4.13	30 kg			A23, A78, A139
UN3330	Radioactive material, Type C package, fissile	7		RADIOACTIVE & FISSILE			See sections 2.7 and 4.13	30 kg			A76, A78
UN2978	Radioactive material, uranium hexafluoride (non fissile or fissile excepted)	7 (8)						Not Accepted			
UN2977	Radioactive material, uranium hexafluoride, fissile	7 (8)						Not Accepted			
UN0391	RDX and cyclotetramethylenetetranitramine mixture, desensitized	Forbidden									
UN0391	RDX and cyclotetramethylenetetranitramine mixture, wetted	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0483	RDX, desensitized	Forbidden									
UN0072	RDX, wetted with not less than 15% water, by mass	Forbidden									
UN2037	Receptacles, small, containing gas (flammable) without a release device, non-refillable	2.1		FLAMMABLE GAS	Y203	1 kg	203	1 kg			
UN2037	Receptacles, small, containing gas (non-flammable) without a release device, non-refillable	2.2		NON-FLAMMABLE GAS	Y203	1 kg	203	1 kg			A98, A167
UN2037	Receptacles, small, containing gas (oxidizing) without a release device, non-refillable	2.2 (5.1)						Not Accepted			
UN2037	Receptacles, small, containing gas (toxic and corrosive) without a release device, non-refillable	Forbidden									
UN2037	Receptacles, small, containing gas (toxic and flammable) without a release device, non-refillable	Forbidden									
UN2037	Receptacles, small, containing gas (toxic and oxidizing) without a release device, non-refillable	Forbidden									
UN2037	Receptacles, small, containing gas (toxic, flammable and corrosive) without a release device, non-refillable	Forbidden									
UN2037	Receptacles, small, containing gas (toxic, oxidizing and corrosive) without a release device, non-refillable	Forbidden									
UN2037	Receptacles, small, containing gas (toxic) without a release device, non-refillable	Forbidden									
UN2037	<i>Red phosphorus - see Phosphorus, amorphous (UN 1338)</i>										
UN1078	Refrigerant gas, n.o.s.*	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1028	Refrigerant gas R 12	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1974	Refrigerant gas R 12B1	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1022	Refrigerant gas R 13	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1009	Refrigerant gas R 13B1	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1982	Refrigerant gas R 14	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1029	Refrigerant gas R 21	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1018	Refrigerant gas R 22	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1984	Refrigerant gas R 23	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3252	Refrigerant gas R 32	Forbidden									
UN1063	Refrigerant gas R 40	Forbidden									
UN2454	Refrigerant gas R 41	Forbidden									
UN1958	Refrigerant gas R 114	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1020	Refrigerant gas R 115	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2193	Refrigerant gas R 116	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1021	Refrigerant gas R 124	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3220	Refrigerant gas R 125	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1983	Refrigerant gas R 133a	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3159	Refrigerant gas R 134a	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2517	Refrigerant gas R 142b	Forbidden									
UN2035	Refrigerant gas R 143a	Forbidden									
UN1030	Refrigerant gas R 152a	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2453	Refrigerant gas R 161	Forbidden									
UN2424	Refrigerant gas R 218	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3296	Refrigerant gas R 227	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3337	Refrigerant gas R 404A	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3338	Refrigerant gas R 407A	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3339	Refrigerant gas R 407B	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3340	Refrigerant gas R 407C	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2602	Refrigerant gas R 500	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1973	Refrigerant gas R 502	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2599	Refrigerant gas R 503	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1959	Refrigerant gas R 1132a	Forbidden									
UN1858	Refrigerant gas R 1216	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2422	Refrigerant gas R 1318	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1976	Refrigerant gas R C318	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3358	Refrigerating machines containing flammable, non-toxic, liquefied gas	Forbidden									
UN2857	Refrigerating machines containing non-flammable, non-toxic, liquefied gas or compressed gas or ammonia solution	2.2		NON-FLAMMABLE GAS			See 211	25 kg G			A26
	Refrigerating machines containing toxic liquefied gas or ammonia solution with more than 50% ammonia	Forbidden									
UN3291	Regulated medical waste, n.o.s.	6.2	II					Not Accepted			
UN0173	Release devices, explosive	1.4S		EXPLOSIVE 1.4 S			134	25 kg			
UN1866	Resin solution flammable	3	I	FLAMMABLE LIQUID			351	1 L			
UN1866	Resin solution flammable	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1866	Resin solution flammable	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	Resorcin - see Resorcinol										
UN2876	Resorcinol	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN0174	Rivets, explosive	1.4S		EXPLOSIVE 1.4 S			134	25 kg			
UN0186	Rocket motors	Forbidden									
UN0280	Rocket motors	Forbidden									
UN0281	Rocket motors	Forbidden									
UN0395	Rocket motors, liquid fuelled	Forbidden									
UN0396	Rocket motors, liquid fuelled	Forbidden									
UN0250	Rocket motors with hypergolic liquids with or without expelling charge	Forbidden									
UN0322	Rocket motors with hypergolic liquids with or without expelling charge	Forbidden									
UN0180	Rockets bursting charge	Forbidden									
UN0181	Rockets bursting charge	Forbidden									
UN0182	Rockets bursting charge	Forbidden									
UN0295	Rockets bursting charge	Forbidden									
UN0436	Rockets expelling charge	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0437	Rockets expelling charge	Forbidden									
UN0438	Rockets expelling charge	Forbidden									
UN0183	Rockets inert head	Forbidden									
UN0502	Rockets inert head	Forbidden									
UN0238	Rockets, line-throwing	Forbidden									
UN0240	Rockets, line-throwing	Forbidden									
UN0453	Rockets, line-throwing	Forbidden									
UN0397	Rockets, liquid fuelled bursting charge	Forbidden									
UN0398	Rockets, liquid fuelled bursting charge	Forbidden									
UN1286	Rosin oil	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1286	Rosin oil	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1345	Rubber scrap powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN1345	Rubber shoddy powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN1287	Rubber solution	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1287	Rubber solution	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN1423	Rubidium	Forbidden	I								
UN2678	Rubidium hydroxide	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2677	Rubidium hydroxide solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2677	Rubidium hydroxide solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	Saltpetre - see Potassium nitrate (UN 1486)										
UN0190	Samples, explosive other than initiating explosive*	Forbidden									
	Sand acid - see Fluorosilicic acid (UN 1778)										
UN0503	Seat-belt pretensioners	Forbidden									
UN3268	Seat-belt pretensioners	9	III	MISCELLANEOUS ("EX" number must be entered on SDDG & HMMS)			961	25 kg	961	30 kg	A32, A115, A119
	Security type equipment	Forbidden									
UN1386	Seed cake with > 1.5% oil and <= 11% moisture	Forbidden									
UN2217	Seed cake with <= 1.5% oil and < 11% moisture	Forbidden									
UN2630	Selenates*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN1905	Selenic acid	Forbidden	I								
UN2630	Selenites*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN3440	Selenium compound, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3440	Selenium compound, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3440	Selenium compound, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3283	Selenium compound, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3283	Selenium compound, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3283	Selenium compound, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2657	Selenium disulphide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2194	Selenium hexafluoride	Forbidden									
	Selenium nitride	Forbidden									
UN2879	Selenium oxychloride	8 (6.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			850	0.5 L			
UN3188	Self-heating liquid, corrosive, inorganic, n.o.s.*	4.2 (8)	II					Not Accepted			
UN3188	Self-heating liquid, corrosive, inorganic, n.o.s.*	4.2 (8)	III					Not Accepted			
UN3185	Self-heating liquid, corrosive, organic, n.o.s.*	4.2 (8)	II					Not Accepted			
UN3185	Self-heating liquid, corrosive, organic, n.o.s.*	4.2 (8)	III					Not Accepted			
UN3186	Self-heating liquid, inorganic, n.o.s.*	4.2	II					Not Accepted			
UN3186	Self-heating liquid, inorganic, n.o.s.*	4.2	III					Not Accepted			
UN3183	Self-heating liquid, organic, n.o.s.*	4.2	II					Not Accepted			
UN3183	Self-heating liquid, organic, n.o.s.*	4.2	III					Not Accepted			
UN3187	Self-heating liquid, toxic, inorganic, n.o.s.*	4.2 (6.1)	II					Not Accepted			
UN3187	Self-heating liquid, toxic, inorganic, n.o.s.*	4.2 (6.1)	III					Not Accepted			
UN3184	Self-heating liquid, toxic, organic, n.o.s.*	4.2 (6.1)	II					Not Accepted			
UN3184	Self-heating liquid, toxic, organic, n.o.s.*	4.2 (6.1)	III					Not Accepted			
UN3192	Self-heating solid, corrosive, inorganic, n.o.s.*	4.2 (8)	II					Not Accepted			
UN3192	Self-heating solid, corrosive, inorganic, n.o.s.*	4.2 (8)	III					Not Accepted			
UN3126	Self-heating solid, corrosive, organic, n.o.s.*	4.2 (8)	II					Not Accepted			
UN3126	Self-heating solid, corrosive, organic, n.o.s.*	4.2 (8)	III					Not Accepted			
UN3190	Self-heating solid, inorganic, n.o.s.*	4.2	II					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3190	Self-heating solid, inorganic, n.o.s.*	4.2	III					Not Accepted			
UN3088	Self-heating solid, organic, n.o.s.*	4.2	II					Not Accepted			
UN3088	Self-heating solid, organic, n.o.s.*	4.2	III					Not Accepted			
UN3127	Self-heating solid, oxidizing, n.o.s.	Forbidden									
UN3191	Self-heating solid, toxic, inorganic, n.o.s.*	4.2 (6.1)	II					Not Accepted			
UN3191	Self-heating solid, toxic, inorganic, n.o.s.*	4.2 (6.1)	III					Not Accepted			
UN3128	Self-heating solid, toxic, organic, n.o.s.*	4.2 (6.1)	II					Not Accepted			
UN3128	Self-heating solid, toxic, organic, n.o.s.*	4.2 (6.1)	III					Not Accepted			
	<i>Self-inflating passenger restraint systems (air bags) for motor vehicles - see Air bag inflators/modules, etc; Life-saving appliances, Seat-belt pretensioners, etc.</i>										
	<i>Self-propelled vehicle - see Battery-powered equipment; Battery-powered vehicle; Vehicle, flammable liquid powered; Vehicle, flammable gas powered</i>										
UN3221	Self-reactive liquid type B*	Forbidden									
UN3231	Self-reactive liquid type B, temperature controlled*	Forbidden									
UN3223	Self-reactive liquid type C*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	5 L			A20, A803
UN3233	Self-reactive liquid type C, temperature controlled*	Forbidden									
UN3225	Self-reactive liquid type D*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	5 L			A20, A803
UN3235	Self-reactive liquid type D, temperature controlled*	Forbidden									
UN3227	Self-reactive liquid type E*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	10 L			A20, A803
UN3237	Self-reactive liquid type E, temperature controlled*	Forbidden									
UN3229	Self-reactive liquid type F*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	10 L			A20, A803
UN3239	Self-reactive liquid type F, temperature controlled*	Forbidden									
	<i>Self-reactive solid type B</i>	Forbidden									
	<i>Self-reactive solid type B, temperature controlled</i>	Forbidden									
UN3224	Self-reactive solid type C*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	5 kg			A20, A803

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3234	Self-reactive solid type C, temperature controlled*	Forbidden									
UN3226	Self-reactive solid type D*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	5 kg			A20, A803
UN3236	Self-reactive solid type D, temperature controlled*	Forbidden									
UN3228	Self-reactive solid type E*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	10 kg			A20, A803
UN3238	Self-reactive solid type E, temperature controlled*	Forbidden									
UN3230	Self-reactive solid type F*	4.1		FLAMMABLE SOLID & KEEP AWAY FROM HEAT			459	10 kg			A20, A803
UN3240	Self-reactive solid type F, temperature controlled*	Forbidden									
UN1288	Shale oil	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1288	Shale oil	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Shaped charges, commercial - see Charges, shaped</i>										
UN0191	Signal devices, hand	Forbidden									
UN0373	Signal devices, hand	1.4S		EXPLOSIVE 1.4 S			135	25 kg			
UN0194	Signals, distress, ship	Forbidden									
UN0195	Signals, distress, ship	Forbidden									
UN0505	Signals, distress, ship	Forbidden									
UN0506	Signals, distress, ship	1.4S		EXPLOSIVE 1.4 S			135	25 kg			
	<i>Signals, distress, ship, water-activated - see Contrivances, water-activated</i>										
UN0192	Signals, railway track, explosive	Forbidden									
UN0193	Signals, railway track, explosive	1.4S		EXPLOSIVE 1.4 S			135	25 kg			
UN0492	Signals, railway track, explosive	Forbidden									
UN0493	Signals, railway track, explosive	Forbidden									
UN0196	Signals, smoke	Forbidden									
UN0197	Signals, smoke	Forbidden									
UN0313	Signals, smoke	Forbidden									
UN0487	Signals, smoke	Forbidden									
UN0507	Signals, smoke*	1.4S		EXPLOSIVE 1.4 S			135	25 kg			
UN2203	Silane	Forbidden									
	<i>Silicofluoric acid - see Fluorosilicic acid (UN 1778)</i>										
	<i>Silicofluorides, n.o.s. - see Fluorosilicates, n.o.s. (UN 2856)</i>										
	<i>Silicon chloride - see Silicon tetrachloride (UN 1818)</i>										
UN1346	Silicon powder, amorphous	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A54
UN1818	Silicon tetrachloride	8	II	CORROSIVE		Forbidden	Forbidden	Forbidden			A1
UN1859	Silicon tetrafluoride	Forbidden									
	<i>Silver acetylde (dry)</i>	Forbidden									
UN1683	Silver arsenite	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	Silver azide (dry)	Forbidden									
	Silver chlorite (dry)	Forbidden									
UN1684	Silver cyanide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	Silver fulminate (dry)	Forbidden									
UN1493	Silver nitrate	5.1	II					Not Accepted			
	Silver oxalate (dry)	Forbidden									
	Silver picrate (dry)	Forbidden									
UN1347	Silver picrate, wetted with <= 30% water	Forbidden									
UN1906	Sludge acid	Forbidden	II								
UN1907	Soda lime with > 4% sodium hydroxide	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A16
UN1428	Sodium	Forbidden	I								
UN2812	Sodium aluminate, solid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1819	Sodium aluminate solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1819	Sodium aluminate solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2835	Sodium aluminium hydride	Forbidden	II								
UN2863	Sodium ammonium vanadate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2473	Sodium arsanilate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN1685	Sodium arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1686	Sodium arsenite, aqueous solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN1686	Sodium arsenite, aqueous solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A6
UN2027	Sodium arsenite, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN1687	Sodium azide	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	Sodium bifluoride - see Sodium hydrogendifluoride, solid (UN 2539)										
	Sodium bisulphate solution - see Bisulphates, aqueous solution (UN 2837)										
	Sodium bisulphite solution - see Bisulphites, aqueous solution, n.o.s. (UN 2693)										
UN1426	Sodium borohydride	Forbidden	I								
UN3320	Sodium borohydride and sodium hydroxide solution with <= 12% sodium borohydride and <= 40% sodium hydroxide, by mass	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN3320	Sodium borohydride and sodium hydroxide solution with <= 12% sodium borohydride and <= 40% sodium hydroxide, by mass	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1494	Sodium bromate	5.1	II					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1688	Sodium cacodylate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3378	Sodium carbonate peroxyhydrate	5.1	II					Not Accepted			
UN3378	Sodium carbonate peroxyhydrate	5.1	III					Not Accepted			
UN1495	Sodium chlorate	5.1	II					Not Accepted			
UN2428	Sodium chlorate, aqueous solution	5.1	II					Not Accepted			
UN2428	Sodium chlorate, aqueous solution	5.1	III					Not Accepted			
	<i>Sodium chlorate mixed with dinitrotoluene - see Explosive, blasting, type C</i>										
UN1496	Sodium chlorite	5.1	II					Not Accepted			
UN2659	Sodium chloroacetate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN2316	Sodium cuprocyanide, solid	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN2317	Sodium cuprocyanide solution	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			
UN1689	Sodium cyanide, solid	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN3414	Sodium cyanide solution	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			
UN3414	Sodium cyanide solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3414	Sodium cyanide solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
	<i>Sodium 2-diazo-1-naphthol-4-sulphonate (100%) - see Self reactive solid, type D (UN 3226)</i>										
	<i>Sodium 2-diazo-1-naphthol-5-sulphonate (100%) - see Self reactive solid, type D (UN 3226)</i>										
	<i>Sodium dicyanocuprate (I), solid - see Sodium cuprocyanide, solid (UN 2316)</i>										
	<i>Sodium dicyanocuprate (I), solution - see Sodium cuprocyanide solution (UN 2317)</i>										
	<i>Sodium dimethylarsenate - see Sodium cacodylate (UN 1688)</i>										
UN0234	Sodium dinitro-o-cresolate	Forbidden									
UN1348	Sodium dinitro-o-cresolate, wetted with >= 15% water, by mass	4.1 (6.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			451	1 kg			A40
UN3369	Sodium dinitro-o-cresolate, wetted with >= 10% water, by mass	4.1	I	Refer to DOT Special Permit or 49 CFR 173.13			451	0.5 kg			A40
	<i>Sodium dioxide - see Sodium peroxide (UN 1504)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1384	Sodium dithionite	4.2	II					Not Accepted			
UN1690	Sodium fluoride, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN3415	Sodium fluoride solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2629	Sodium fluoroacetate	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN2674	Sodium fluorosilicate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
	<i>Sodium hexafluorosilicate - see Sodium fluorosilicate (UN 2674)</i>										
	<i>Sodium hydrate solution - see Sodium hydroxide solution (UN 1824)</i>										
UN1427	Sodium hydride	Forbidden	I								
	<i>Sodium hydrogen 4-aminophenylarsenate - see Sodium arsanilate (UN 2473)</i>										
UN2439	Sodium hydrogendifluoride	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2318	Sodium hydrosulphide with < 25% water of crystallization	4.2	II					Not Accepted			
UN2949	Sodium hydrosulphide, hydrated with >= 25% water of crystallization	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1384	Sodium hydrosulphite	4.2	II					Not Accepted			
UN1823	Sodium hydroxide, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1824	Sodium hydroxide solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1824	Sodium hydroxide solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>Sodium metasilicate pentahydrate - see Disodium trioxosilicate (UN 3253)</i>										
UN1431	Sodium methylate	4.2 (8)	II					Not Accepted			
UN1289	Sodium methylate solution in alcohol	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1289	Sodium methylate solution in alcohol	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3
UN1825	Sodium monoxide	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1498	Sodium nitrate	5.1	III					Not Accepted			
UN1499	Sodium nitrate and potassium nitrate mixture	5.1	III					Not Accepted			
UN1500	Sodium nitrite	5.1 (6.1)	III					Not Accepted			
	<i>Sodium nitrite and potassium nitrate mixture - see Potassium nitrate and sodium nitrite mixture (UN 1487)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2567	Sodium pentachlorophenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3377	Sodium perborate monohydrate	5.1	III					Not Accepted			
UN1502	Sodium perchlorate	5.1	II					Not Accepted			
UN1503	Sodium permanganate	5.1	II					Not Accepted			
UN1504	Sodium peroxide	Forbidden	I								
UN3247	Sodium peroxoborate, anhydrous	5.1	II					Not Accepted			
UN1505	Sodium persulphate	5.1	III					Not Accepted			
UN1432	Sodium phosphide	Forbidden	I								
UN0235	Sodium picramate <i>dry or wetted with < 20% water</i>	Forbidden									
UN1349	Sodium picramate, wetted with $\geq 20\%$ water, by mass	Forbidden	I								
	<i>Sodium picryl peroxide</i>	Forbidden									
	<i>Sodium potassium alloys - see Potassium sodium alloys etc.</i>										
	<i>Sodium selenate - see Selenates (UN 2630)</i>										
	<i>Sodium selenite - see Selenites (UN 2630)</i>										
	<i>Sodium silicofluoride - see Sodium fluorosilicate (UN 2674)</i>										
	<i>Sodium sulphate acid solution - see Bisulphates, aqueous solution (UN 2837)</i>										
UN1385	Sodium sulphide with $< 30\%$ water of crystallization	4.2	II					Not Accepted			
UN1385	Sodium sulphide, anhydrous	4.2	II					Not Accepted			
UN1849	Sodium sulphide, hydrated with $\geq 30\%$ water	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2547	Sodium superoxide	Forbidden	I								
	<i>Sodium tetranitride</i>	Forbidden									
UN3244	Solids containing corrosive liquid, n.o.s.*	8	II	CORROSIVE	Y844	5 kg	859	15 kg			A77
UN3175	Solids containing flammable liquid, n.o.s.*	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			A46
UN3243	Solids containing toxic liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A50
	<i>Solvents, flammable, n.o.s. - see Flammable liquid, n.o.s. (UN 1993)</i>										
	<i>Solvents, flammable, toxic, n.o.s. - see Flammable liquid, toxic, n.o.s. (UN 1992)</i>										
UN0204	Sounding devices, explosive	Forbidden									
UN0296	Sounding devices, explosive	Forbidden									
UN0374	Sounding devices, explosive	Forbidden									
UN0375	Sounding devices, explosive	Forbidden									
	<i>Squibs - see Igniters</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1827	Stannic chloride, anhydrous	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2440	Stannic chloride pentahydrate	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1433	Stannic phosphides	Forbidden	I								
	<i>Steel swarf - see Ferrous metal borings; Ferrous metal cuttings; Ferrous metal shavings; Ferrous metal turnings</i>										
UN2676	Stibine	Forbidden									
	<i>Storage batteries, wet - see Batteries, wet, etc.</i>										
	<i>Strontium alloy, pyrophoric - see Pyrophoric alloy, n.o.s.; Pyrophoric metal, n.o.s.</i>										
UN1691	Strontium arsenite	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1506	Strontium chlorate	5.1	II					Not Accepted			
	<i>Strontium dioxide - see Strontium peroxide (UN 1509)</i>										
UN1507	Strontium nitrate	5.1	III					Not Accepted			
UN1508	Strontium perchlorate	5.1	II					Not Accepted			
UN1509	Strontium peroxide	5.1	II					Not Accepted			
UN2013	Strontium phosphide	Forbidden	I								
UN1692	Strychnine	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN1692	Strychnine salts	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN0219	<i>Styphnic acid dry or wetted with less than 20% water, or mixture of alcohol and water, by mass</i>	Forbidden									
UN0394	<i>Styphnic acid, wetted not less than 20% water, or mixture of alcohol and water, by mass</i>	Forbidden									
UN2055	Styrene monomer, stabilized	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN0482	Substances, EVI, n.o.s.*	Forbidden									
UN0357	Substances, explosive, n.o.s.*	Forbidden									
UN0358	Substances, explosive, n.o.s.*	Forbidden									
UN0359	Substances, explosive, n.o.s.*	Forbidden									
UN0473	Substances, explosive, n.o.s.*	Forbidden									
UN0474	Substances, explosive, n.o.s.*	Forbidden									
UN0475	Substances, explosive, n.o.s.*	Forbidden									
UN0476	Substances, explosive, n.o.s.*	Forbidden									
UN0477	Substances, explosive, n.o.s.*	Forbidden									
UN0478	Substances, explosive, n.o.s.*	Forbidden									
UN0479	Substances, explosive, n.o.s.*	Forbidden									
UN0480	Substances, explosive, n.o.s.*	Forbidden									
UN0481	Substances, explosive, n.o.s.*	1.4S		EXPLOSIVE 1.4 S			101	25 kg			A62
UN0485	Substances, explosive, n.o.s.*	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN0482	Substances, explosive, very insensitive, n.o.s.*	Forbidden									
	<i>Substances liable to spontaneous combustion, n.o.s. - see Pyrophoric liquid/solid, inorganic/organic, n.o.s.; Self-heating liquid/solid, inorganic/organic, n.o.s.</i>										
UN2780	Substituted nitrophenol pesticide, liquid, flammable, toxic, flash point less than 23°C*	Forbidden	I								
UN2780	Substituted nitrophenol pesticide, liquid, flammable, toxic, flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3014	Substituted nitrophenol pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3014	Substituted nitrophenol pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3014	Substituted nitrophenol pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3013	Substituted nitrophenol pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3013	Substituted nitrophenol pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3013	Substituted nitrophenol pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2779	Substituted nitrophenol pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2779	Substituted nitrophenol pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2779	Substituted nitrophenol pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
	<i>Sucrose octanitrate (dry)</i>	Forbidden									
UN2967	Sulphamic acid	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1350	Sulphur	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A105
UN1828	Sulphur chlorides	Forbidden	I								
	<i>Sulphur dichloride - see Sulphur chlorides (UN 1828)</i>										
UN1079	Sulphur dioxide	Forbidden									
	<i>Sulphuretted hydrogen - see Hydrogen sulphide (UN 1053)</i>										
UN1080	Sulphur hexafluoride	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1830	Sulphuric acid with > 51% acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2796	Sulphuric acid with ≤ 51% acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1831	Sulphuric acid, fuming	Forbidden									
UN1832	Sulphuric acid, spent	Forbidden	II								
	<i>Sulphuric and hydrofluoric acid mixture - see Hydrofluoric acid and sulphuric acid mixture (UN 1786)</i>										
UN2448	Sulphur, molten	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Sulphur monochloride - see Sulphur chlorides (UN 1828)</i>										
UN1833	Sulphurous acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2418	Sulphur tetrafluoride	Forbidden									
UN1829	Sulphur trioxide, stabilized	Forbidden									
UN1834	Sulphuryl chloride	Forbidden									
UN2191	Sulphuryl fluoride	Forbidden									
	<i>Talcum with tremolite and/or actinolite - see White asbestos (UN 2590)</i>										
UN1999	Tars, liquid including road oils and cut back bitumens	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1999	Tars, liquid including road oils and cut back bitumens	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Tartar emetic - see Antimony potassium tartrate (UN 1551)</i>										
UN1700	Tear gas candles	Forbidden	II								
	<i>Tear gas cartridges - see Ammunition, tear-producing</i>										
	<i>Tear gas devices containing tear gas substances - see Aerosols, etc.</i>										
	<i>Tear gas grenades - see Tear gas candles</i>										
UN1693	Tear gas substance, liquid, n.o.s.*	Forbidden	I								
UN1693	Tear gas substance, liquid, n.o.s.*	Forbidden	II								
UN3448	Tear gas substance, solid, n.o.s.*	Forbidden	I								
UN3448	Tear gas substance, solid, n.o.s.*	Forbidden	II								
UN3284	Tellurium compound, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3284	Tellurium compound, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3284	Tellurium compound, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2195	Tellurium hexafluoride	Forbidden									
UN2319	Terpene hydrocarbons, n.o.s.	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2541	Terpinolene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Tetraazido benzene quinone</i>	Forbidden									
UN2504	Tetrabromoethane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN1702	1,1,2,2-Tetrachloroethane	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1897	Tetrachloroethylene	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Tetraethylammonium perchlorate (dry)</i>	Forbidden									
UN1704	Tetraethyl dithiopyrophosphate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A6
UN2320	Tetraethylenepentamine	8	III	CORROSIVE	Y841	1 L	852	5 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Tetraethyl lead - see Motor fuel anti-knock mixture (UN 1649)</i>										
	<i>Tetraethyloxysilane - see Tetraethyl silicate (UN 1292)</i>										
UN1292	Tetraethyl silicate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Tetrafluorodichloroethane - see Refrigerant Gas R114 (UN 1958)</i>										
UN3159	1,1,1,2-Tetrafluoroethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN1081	Tetrafluoroethylene, stabilized	Forbidden									
UN1982	Tetrafluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN2498	1,2,3,6-Tetrahydrobenzaldehyde	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2056	Tetrahydrofuran	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2943	Tetrahydrofurfurylamine	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Tetrahydro-1,4-oxazine - see Morpholine (UN 2054)</i>										
UN2698	Tetrahydrophthalic anhydrides with more than 0.05% maleic anhydride	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A74
UN2410	1,2,3,6-Tetrahydropyridine	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2412	Tetrahydrothiophene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Tetramethoxysilane - see Methyl orthosilicate (UN 2606)</i>										
UN3423	Tetramethylammonium hydroxide, solid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN1835	Tetramethylammonium hydroxide solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN1835	Tetramethylammonium hydroxide solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
	<i>1,1,3,3-Tetramethylbutyl hydroperoxide (<= 100%) - see Organic peroxide type D, liquid (UN 3105)</i>										
	<i>1,1,3,3-Tetramethylbutyl peroxy-2 ethyl-hexanoate</i>	Forbidden									
	<i>1,1,3,3-Tetramethylbutyl peroxyneodecanoate</i>	Forbidden									
	<i>1,1,3,3-Tetramethylbutyl peroxy-pivalate (<= 77%, diluent type A >= 23%)</i>	Forbidden									
	<i>Tetramethylene - see Cyclobutane (UN 2601)</i>										
	<i>Tetramethylene cyanide - see Adiponitrile (UN 2205)</i>										
	<i>Tetramethylene diperoxide dicarbamide</i>	Forbidden									
	<i>Tetraethyl lead - see Motor fuel anti-knock mixture (UN 1649)</i>										
UN2749	Tetramethylsilane	Forbidden	I								
	<i>Tetramine palladium (II) nitrate</i>	Forbidden									
UN0207	Tetranitroaniline	Forbidden									
	<i>Tetranitro diglycerin</i>	Forbidden									
UN1510	Tetranitromethane	Forbidden									
	<i>2,3,4,6-Tetranitrophenol</i>	Forbidden									
	<i>2,3,4,6-Tetranitrophenyl methyl nitramine</i>	Forbidden									
	<i>2,3,4,6-Tetranitrophenylnitramine</i>	Forbidden									
	<i>Tetranitroresorcinol (dry)</i>	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>2,3,5,6-Tetranitroso-1,4-dinitrobenzene</i>	Forbidden									
	<i>2,3,5,6-Tetranitroso nitrobenzene (dry)</i>	Forbidden									
UN2413	Tetrapropyl orthotitanate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>Tetrazene (dry)</i>	Forbidden									
UN0114	Tetrazene, wetted	Forbidden									
	<i>Tetrazine</i>	Forbidden									
UN0407	Tetrazol-1-acetic acid	Forbidden									
UN0504	1H-Tetrazole	Forbidden									
	<i>Tetrazolyl azide (dry)</i>	Forbidden									
UN0208	Tetryl	Forbidden									
UN2573	Thallium chlorate	5.1 (6.1)	II					Not Accepted			
UN1707	Thallium compound, n.o.s.	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A6
UN2727	Thallium nitrate	6.1 (5.1)	II					Not Accepted			
	<i>Thallos chlorate - see Thallium chlorate</i>										
UN2785	4-Thiapiptental	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Thia-4-pentanal - see 4-Thiapiptental (UN 2785)</i>										
UN2436	Thioacetic acid	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2772	Thiocarbamate pesticide, liquid, flammable, toxic flash point less than 23°C*	Forbidden	I								
UN2772	Thiocarbamate pesticide, liquid, flammable, toxic flash point less than 23°C*	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN3006	Thiocarbamate pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3006	Thiocarbamate pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3006	Thiocarbamate pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3005	Thiocarbamate pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN3005	Thiocarbamate pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3005	Thiocarbamate pesticide, liquid, toxic, flammable flash point not less than 23°C*	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2771	Thiocarbamate pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2771	Thiocarbamate pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2771	Thiocarbamate pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2966	Thioglycol	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1940	Thioglycolic acid	8	II	CORROSIVE	Y840	0.5 L	851	1 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2936	Thiolactic acid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1836	Thionyl chloride	Forbidden									
UN2414	Thiophene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Thiophenol - see Phenyl mercaptan (UN 2337)</i>										
UN2474	Thiophosgene	Forbidden									
UN1837	Thiophosphoryl chloride	Forbidden	II								
UN3341	Thiourea dioxide	4.2	II					Not Accepted			
UN3341	Thiourea dioxide	4.2	III					Not Accepted			
	<i>Tin and Tin (IV), etc. - see Stannic, etc.</i>										
UN1293	Tinctures, medicinal	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1293	Tinctures, medicinal	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Tin tetrachloride - see Stannic chloride, anhydrous</i>										
	<i>Tire assemblies inflated, unservicable, damaged or above maximum rated pressure</i>	Forbidden									
UN3174	Titanium disulphide	4.2	III					Not Accepted			
UN1871	Titanium hydride	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN2546	Titanium powder, dry	Forbidden	I								
UN2546	Titanium powder, dry	4.2	II					Not Accepted			
UN2546	Titanium powder, dry	4.2	III					Not Accepted			
UN1352	Titanium powder, wetted	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			A35
UN2878	Titanium sponge granules	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
UN2878	Titanium sponge powders	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			A3
	<i>Titanium sulphate solution with <= 45% sulphuric acid - see Corrosive liquid, acidic, inorganic, n.o.s. (UN 3264)</i>										
UN1838	Titanium tetrachloride	Forbidden									
UN2869	Titanium trichloride mixture	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2869	Titanium trichloride mixture	8	III	CORROSIVE	Y845	5 kg	860	25 kg			A3
UN2441	Titanium trichloride, pyrophoric	Forbidden									
UN2441	Titanium trichloride mixture, pyrophoric	Forbidden									
UN0209	TNT dry or wetted with less than 30% water, by mass	Forbidden									
UN0388	TNT and hexanitrostilbene mixture	Forbidden									
UN0388	TNT and trinitrobenzene mixture	Forbidden									
	<i>TNT mixed with aluminium - see Tritonal</i>										
UN0389	TNT mixture containing trinitrobenzene and hexanitrostilbene	Forbidden									
UN3366	TNT, wetted with not less than 10% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN1356	TNT, wetted with not less than 30% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Toe puffs, nitrocellulose base - see Fabrics impregnated with weakly nitrated nitrocellulose, n.o.s.; Fabrics impregnated with weakly nitrated nitrocellulose, n.o.s.</i>										
UN1294	Toluene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2078	Toluene diisocyanate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A113
UN1708	Toluidines, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A113
UN3451	Toluidines, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A113
	<i>Toluol - see Toluene (UN 1294)</i>										
UN1709	2,4-Toluylenediamine, solid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN3418	2,4-Toluylenediamine solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
	<i>Toluylene diisocyanate - see Toluene diisocyanate (UN 2078)</i>										
	<i>Tolyethylene, inhibited - see Vinyltoluenes, stabilized (UN 2078)</i>										
UN0329	Torpedoes bursting charge	Forbidden									
UN0330	Torpedoes bursting charge	Forbidden									
UN0451	Torpedoes bursting charge	Forbidden									
UN0450	Torpedoes, liquid fuelled inert head	Forbidden									
UN0449	Torpedoes, liquid fuelled with or without bursting charge	Forbidden									
UN3381	Toxic by inhalation liquid, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \leq 500 \text{ LC}_{50}^*$	Forbidden									
UN3382	Toxic by inhalation liquid, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} \leq 10 \text{ LC}_{50}^*$	Forbidden									
UN3389	Toxic by inhalation liquid, corrosive, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \leq 500 \text{ LC}_{50}^*$	Forbidden									
UN3390	Toxic by inhalation liquid, corrosive, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} \leq 10 \text{ LC}_{50}^*$	Forbidden									
UN3493	Toxic by inhalation liquid, corrosive, flammable, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} \leq 10 \text{ LC}_{50}^*$	Forbidden									
UN3492	Toxic by inhalation liquid, corrosive, flammable, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \leq 500 \text{ LC}_{50}^*$	Forbidden									
UN3383	Toxic by inhalation liquid, flammable, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \leq 500 \text{ LC}_{50}^*$	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3384	Toxic by inhalation liquid, flammable, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} \leq 10 LC_{50}^*$	Forbidden									
UN3489	Toxic by inhalation liquid, flammable, corrosive, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} \leq 10 LC_{50}^*$	Forbidden									
UN3488	Toxic by inhalation liquid, flammable, corrosive, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \leq 500 LC_{50}^*$	Forbidden									
UN3387	Toxic by inhalation liquid, oxidizing, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \leq 500 LC_{50}^*$	Forbidden									
UN3388	Toxic by inhalation liquid, oxidizing, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} \geq 10 LC_{50}^*$	Forbidden									
UN3385	Toxic by inhalation liquid, water-reactive, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \geq 500 LC_{50}^*$	Forbidden									
UN3386	Toxic by inhalation liquid, water-reactive, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} \geq 10 LC_{50}^*$	Forbidden									
UN3491	Toxic by inhalation liquid, water-reactive, flammable, n.o.s. $LC_{50} \leq 1000 \text{ mL/m}^3$ and $V_{sat} > 10 LC_{50}^*$	Forbidden									
UN3490	Toxic by inhalation liquid, water-reactive, flammable, n.o.s. $LC_{50} \leq 200 \text{ mL/m}^3$ and $V_{sat} \geq 500 LC_{50}^*$	Forbidden									
	Toxic gas, n.o.s. - see Compressed gas, toxic; Liquefied gas, toxic										
UN3289	Toxic liquid, corrosive, inorganic, n.o.s.*	6.1 (8)	I	Refer to DOT Special Permit or 49 CFR 173.13			651	0.5 L			A4, A137
UN3289	Toxic liquid, corrosive, inorganic, n.o.s.*	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN2927	Toxic liquid, corrosive, organic, n.o.s.*	6.1 (8)	I	Refer to DOT Special Permit or 49 CFR 173.13			651	0.5 L			A4, A137
UN2927	Toxic liquid, corrosive, organic, n.o.s.*	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN2929	Toxic liquid, flammable, organic, n.o.s.*	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A137
UN2929	Toxic liquid, flammable, organic, n.o.s.*	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3287	Toxic liquid, inorganic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A137
UN3287	Toxic liquid, inorganic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3287	Toxic liquid, inorganic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2810	Toxic liquid, organic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4, A137
UN2810	Toxic liquid, organic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2810	Toxic liquid, organic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN3122	Toxic liquid, oxidizing, n.o.s.*	Forbidden	I					Not Accepted			
UN3122	Toxic liquid, oxidizing, n.o.s.*	6.1 (5.1)	II					Not Accepted			
UN3123	Toxic liquid, water-reactive, n.o.s.*	Forbidden	I								
UN3123	Toxic liquid, water-reactive, n.o.s.*	6.1 (4.3)	II	Refer to DOT Special Permit or 49 CFR 173.13			653	1 L			
UN3290	Toxic solid, corrosive, inorganic, n.o.s.*	6.1 (8)	I	Refer to DOT Special Permit or 49 CFR 173.13			665	1 kg			A5
UN3290	Toxic solid, corrosive, inorganic, n.o.s.*	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	668	15 kg			
UN2928	Toxic solid, corrosive, organic, n.o.s.*	6.1 (8)	I	Refer to DOT Special Permit or 49 CFR 173.13			665	1 kg			A5
UN2928	Toxic solid, corrosive, organic, n.o.s.*	6.1 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	668	15 kg			
UN2930	Toxic solid, flammable, organic, n.o.s.*	6.1 (4.1)	I	Refer to DOT Special Permit or 49 CFR 173.13			665	1 kg			A5
UN2930	Toxic solid, flammable, organic, n.o.s.*	6.1 (4.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	668	15 kg			
UN3288	Toxic solid, inorganic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3288	Toxic solid, inorganic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3288	Toxic solid, inorganic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN2811	Toxic solid, organic, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2811	Toxic solid, organic, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2811	Toxic solid, organic, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
UN3086	Toxic solid, oxidizing, n.o.s.*	6.1 (5.1)	I					Not Accepted			
UN3086	Toxic solid, oxidizing, n.o.s.*	6.1 (5.1)	II					Not Accepted			
UN3124	Toxic solid, self-heating, n.o.s.*	6.1 (4.2)	I					Not Accepted			
UN3124	Toxic solid, self-heating, n.o.s.*	6.1 (4.2)	II					Not Accepted			
UN3125	Toxic solid, water-reactive, n.o.s.*	6.1 (4.3)	I	Refer to DOT Special Permit or 49 CFR 173.13			699	5 kg			A5

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3125	Toxic solid, water-reactive, n.o.s.*	6.1 (4.3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	668	15 kg			
UN3172	Toxins, extracted from living sources, liquid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A43
UN3172	Toxins, extracted from living sources, liquid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			A43
UN3172	Toxins, extracted from living sources, liquid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3, A43
UN3462	Toxins, extracted from living sources, solid, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A43
UN3462	Toxins, extracted from living sources, solid, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			A43
UN3462	Toxins, extracted from living sources, solid, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A43
UN0212	Tracers for ammunition	Forbidden									
UN0306	Tracers for ammunition	Forbidden									
	<i>Tractors - see Vehicle, flammable liquid powered; Vehicle, flammable gas powered</i>										
	<i>Tremolite - see White asbestos (UN 2590)</i>										
UN2610	Triallylamine	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			
UN2609	Triallyl borate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2764	Triazine pesticide, liquid, flammable, toxic <i>flash point less than 23°C*</i>	Forbidden	I								
UN2764	Triazine pesticide, liquid, flammable, toxic <i>flash point less than 23°C*</i>	3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y341	1 L	352	1 L			
UN2998	Triazine pesticide, liquid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2998	Triazine pesticide, liquid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2998	Triazine pesticide, liquid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2997	Triazine pesticide, liquid, toxic, flammable, <i>flash point not less than 23°C*</i>	6.1 (3)	I	Refer to DOT Special Permit or 49 CFR 173.13			652	1 L			A4
UN2997	Triazine pesticide, liquid, toxic, flammable, <i>flash point not less than 23°C*</i>	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2997	Triazine pesticide, liquid, toxic, flammable, <i>flash point not less than 23°C*</i>	6.1 (3)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
UN2763	Triazine pesticide, solid, toxic*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN2763	Triazine pesticide, solid, toxic*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN2763	Triazine pesticide, solid, toxic*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3
	<i>Tribromoborane - see Boron tribromide (UN 2692)</i>										

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2542	Tributylamine	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3254	Tributylphosphane	Forbidden									
	<i>Trichloroacetaldehyde - see Chloral, anhydrous, stabilized (UN 2075)</i>										
UN1839	Trichloroacetic acid	8	II	CORROSIVE	Y844	5 kg	859	15 kg			
UN2564	Trichloroacetic acid solution	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
UN2564	Trichloroacetic acid solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN2442	Trichloroacetyl chloride	Forbidden									
UN2321	Trichlorobenzenes, liquid	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2322	Trichlorobutene	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2831	1,1,1-Trichloroethane	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	12 L			
UN1710	Trichloroethylene	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2468	Trichloroisocyanuric acid, dry	5.1	II					Not Accepted			
	<i>Trichloromethyl perchlorate</i>	Forbidden									
	<i>Trichloronitromethane - see Chloropicrin (UN 1580)</i>										
UN1295	Trichlorosilane	Forbidden									
	<i>1,3,5-Trichloro-s-triazine-2,4,6-trione - see Trichloroisocyanuric acid, dry (UN 2468)</i>										
	<i>2,4,6-Trichloro-1,3,5-triazine - see Cyanuric chloride (UN 2670)</i>										
UN2574	Tricresyl phosphate with more than 3% ortho isomer	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1296	Triethylamine	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
	<i>Triethyl borate - see Ethyl borate (UN 1176)</i>										
UN2259	Triethylenetetramine	8	II	CORROSIVE	Y840	0.5 L	851	1 L			
	<i>Triethyl orthoformate - see Ethyl orthoformate (UN 2524)</i>										
UN2323	Triethyl phosphite	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
	<i>3,6,9-Triethyl-3,6,9-trimethyl-1,4,7 triperoxonane (<= 42%, diluent type A >= 58%) - see Organic peroxide type D, liquid (UN 3105)</i>										
UN2699	Trifluoroacetic acid	8	I	CORROSIVE			850	0.5 L			
UN3057	Trifluoroacetyl chloride	Forbidden									
	<i>Trifluorobromomethane - see Bromotrifluoromethane (UN 1009)</i>										
	<i>Trifluorochloroethane - see 1-Chloro-2,2,2- trifluoroethane (UN 1983)</i>										
UN1082	Trifluorochloroethylene, stabilized	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Trifluorochloromethane - see Chlorotrifluoromethane (UN 1022)</i>										
UN2035	1,1,1-Trifluoroethane	Forbidden									
UN1984	Trifluoromethane	2.2		NON-FLAMMABLE GAS			200	30 kg			
UN3136	Trifluoromethane, refrigerated liquid	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	30 kg			A801
UN2942	2-Trifluoromethylaniline	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
UN2948	3-Trifluoromethylaniline	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
	<i>Triformoxime trinitrate</i>	Forbidden									
UN2324	Triisobutylene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2616	Triisopropyl borate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2616	Triisopropyl borate	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN2438	Trimethylacetyl chloride	Forbidden									
UN1083	Trimethylamine, anhydrous	Forbidden									
UN1297	Trimethylamine, aqueous solution not more than 50% trimethylamine, by mass	3 (8)	I	FLAMMABLE LIQUID & CORROSIVE			350	0.5 L			
UN1297	Trimethylamine, aqueous solution not more than 50% trimethylamine, by mass	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE	Y340	0.5 L	352	1 L			
UN1297	Trimethylamine, aqueous solution not more than 50% trimethylamine, by mass	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			A3
UN2325	1,3,5-Trimethylbenzene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN2416	Trimethyl borate	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1298	Trimethylchlorosilane	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE			377	1 L			
UN2326	Trimethylcyclohexylamine	8	III	CORROSIVE	Y841	1 L	852	5 L			
	<i>Trimethylenedichlorobromide - see 1-Bromo-3-chloropropane (UN 2688)</i>										
	<i>Trimethylene glycol diperchlorate</i>	Forbidden									
UN2327	Trimethylhexamethylenediamines	8	III	CORROSIVE	Y841	1 L	852	5 L			
UN2328	Trimethylhexamethylene diisocyanate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			
	<i>Trimethylol nitromethane trinitrate</i>	Forbidden									
	<i>2,4,4-Trimethylpentenes - see Diisobutylene, isomeric compound (UN 2050)</i>										
UN2329	Trimethyl phosphite	3	III	FLAMMABLE LIQUID	Y344	10 L	355	5 L			
	<i>1,3,5-Trimethyl-2,4,6-trinitrobenzene</i>	Forbidden									
	<i>Trimethoxy silane</i>	Forbidden									
	<i>Trinitroacetic acid</i>	Forbidden									
	<i>Trinitroacetonitrile</i>	Forbidden									
	<i>Trinitroamine cobalt</i>	Forbidden									
UN0153	Trinitroaniline	Forbidden									
UN0213	Trinitroanisole	Forbidden									
UN0214	Trinitrobenzene	Forbidden									
UN0386	Trinitrobenzenesulphonic acid	Forbidden									

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN1354	Trinitrobenzene, wetted with \geq 30% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN3367	Trinitrobenzene, wetted with \geq 10% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN0215	Trinitrobenzoic acid	Forbidden									
UN3368	Trinitrobenzoic acid, wetted with \geq 10% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN1355	Trinitrobenzoic acid, wetted with \geq 30% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN0155	Trinitrochlorobenzene	Forbidden									
UN3365	Trinitrochlorobenzene, wetted with \geq 10% water	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN0216	Trinitro-m-cresol	Forbidden									
	2,4,6-Trinitro-1,3-diazobenzene	Forbidden									
	Trinitroethanol	Forbidden									
	Trinitroethylnitrate	Forbidden									
UN0387	Trinitrofluorenone	Forbidden									
	Trinitromethane	Forbidden									
UN0217	Trinitronaphthalene	Forbidden									
UN0218	Trinitrophenetole	Forbidden									
UN0154	Trinitrophenol	Forbidden									
UN3364	Trinitrophenol, wetted with \geq 10% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN1344	Trinitrophenol, wetted with \geq 30% water, by mass	4.1	I	FLAMMABLE SOLID			451	1 kg			A40
	2,4,6-Trinitrophenyl guanadine (dry)	Forbidden									
UN0208	Trinitrophenylmethylnitramine	Forbidden									
	2,4,6-Trinitrophenyl nitramine	Forbidden									
	2,4,6-Trinitrophenyl trimethylol methyl nitramine trinitrate (dry)	Forbidden									
UN0219	Trinitroresorcino dry or wetted, with less than 20% water, or mixture of alcohol and water, by mass	Forbidden									
UN0394	Trinitroresorcinol, wetted with \geq 20% water or mixture of alcohol and water, by mass	Forbidden									
	2,4,6-Trinitroso-3-methyl nitraminoanisole	Forbidden									
	Trinitrotetramine cobalt nitrate	Forbidden									
UN0209	Trinitrotoluene	Forbidden									
UN0388	Trinitrotoluene and hexanitrostilbene mixture	Forbidden									
UN0388	Trinitrotoluene and trinitrobenzene mixture	Forbidden									
UN0389	Trinitrotoluene mixture containing Trinitrobenzene and hexanitrostilbene	Forbidden									
UN3366	Trinitrotoluene, wetted with \geq 10% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
UN1356	Trinitrotoluene, wetted with \geq 30% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
	2,4,6-Trinitro-1,3,5-triazido benzene (dry)	Forbidden									
	Tri-(b-nitroxyethyl) ammonium nitrate	Forbidden									
UN2260	Tripropylamine	3 (8)	III	FLAMMABLE LIQUID & CORROSIVE	Y342	1 L	354	5 L			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN2057	Tripropylene	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN2057	Tripropylene	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN2501	Tris-(1-aziridinyl) phosphine oxide solution	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2501	Tris-(1-aziridinyl) phosphine oxide solution	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y642	2 L	655	25 L			A3
	<i>Tris, bis-bifluoroamino diethoxy propane (TVOPA)</i>	Forbidden									
UN0390	Tritonal	Forbidden									
	<i>Tropilidene - see Cycloheptatriene (UN 2603)</i>										
UN2196	Tungsten hexafluoride	Forbidden									
UN1299	Turpentine	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1300	Turpentine substitute	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1300	Turpentine substitute	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
	<i>Tyre assemblies inflated, serviceable, inflated to the maximum rated pressure or above</i>							30 kg			
	<i>Tyre assemblies inflated, unserviceable, damaged or above their maximum rated pressure - see A59</i>	Forbidden									
UN2330	Undecane	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1511	Urea hydrogen peroxide	5.1 (8)	III					Not Accepted			
UN0220	Urea nitrate	Forbidden									
UN1357	Urea nitrate, wetted with >= 20% water, by mass	4.1	I	FLAMMABLE SOLID			451	1 kg			A40, A101
UN3370	Urea nitrate, wetted with >= 10% water, by mass	4.1	I	FLAMMABLE SOLID			451	0.5 kg			A40
	<i>Valeral - see Valeraldehyde (UN 2058)</i>										
UN2058	Valeraldehyde	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>n-Valeraldehyde - see Valeraldehyde (UN 2058)</i>										
	<i>Valeric aldehyde - see Valeraldehyde (UN 2058)</i>										
UN2502	Valeryl chloride	8 (3)	II	CORROSIVE & FLAMMABLE LIQUID	Y840	0.5 L	851	1 L			
UN3285	Vanadium compound, n.o.s.*	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			A5
UN3285	Vanadium compound, n.o.s.*	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN3285	Vanadium compound, n.o.s.*	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			A3, A5
	<i>Vanadium (IV) oxide sulphate - see Vanadyl sulphate (UN 2931)</i>										
	<i>Vanadium oxysulphate - see Vanadyl sulphate (UN 2931)</i>										
UN2443	Vanadium oxytrichloride	Forbidden	II								
UN2862	Vanadium pentoxide non-fused form	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			
UN2444	Vanadium tetrachloride	Forbidden	I								
UN2475	Vanadium trichloride	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN2931	Vanadyl sulphate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3166	Vehicle, flammable gas powered	9		MISCELLANEOUS			Forbidden	Forbidden		Not Accepted	A806
UN3166	Vehicle, flammable liquid powered	9		MISCELLANEOUS			950	30 kg G	950	30 kg G	A806
UN3166	Vehicle fuel cell, flammable gas powered	9		MISCELLANEOUS						Not Accepted	A806
UN3166	Vehicle fuel cell, flammable liquid powered	9		MISCELLANEOUS			950	30 kg G			A806
	<i>Vehicles, self-propelled - see Battery-powered equipment or vehicle (UN 3171); Vehicle, flammable liquid or gas powered (UN 3166)</i>										
	<i>Villiumite - see Sodium fluoride, solid (UN 1690); Sodium fluoride, solution (UN 3415)</i>										
UN1301	Vinyl acetate, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
	<i>Vinyl benzene - see Styrene monomer, stabilized (UN 2055)</i>										
UN1085	Vinyl bromide, stabilized	Forbidden									
UN2838	Vinyl butyrate, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1086	Vinyl chloride, stabilized	Forbidden									
UN2589	Vinyl chloroacetate	6.1 (3)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN1302	Vinyl ethyl ether, stabilized	3	I	FLAMMABLE LIQUID			351	1 L			
UN1860	Vinyl fluoride, stabilized	Forbidden									
UN1303	Vinylidene chloride, stabilized	3	I	FLAMMABLE LIQUID			351	1 L			
UN1304	Vinyl isobutyl ether, stabilized	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1087	Vinyl methyl ether, stabilized	Forbidden									
	<i>Vinyl nitrate polymer</i>	Forbidden									
UN3073	Vinylpyridines, stabilized	6.1 (3,8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y640	0.5 L	653	1 L			
UN2618	Vinyltoluenes, stabilized	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			
UN1305	Vinyltrichlorosilane	3 (8)	II	FLAMMABLE LIQUID & CORROSIVE			377	1 L			
	<i>Warheads for guided missiles - see Warheads, rocket (UN 0286, UN 0287, UN 0369, UN 0370, UN 0371)</i>										
UN0370	Warheads, rocket with burster or expelling charge	Forbidden									
UN0371	Warheads, rocket with burster or expelling charge	Forbidden									
UN0286	Warheads, rocket bursting charge	Forbidden									
UN0287	Warheads, rocket bursting charge	Forbidden									
UN0369	Warheads, rocket bursting charge	Forbidden									
UN0221	Warheads, torpedo bursting charge	Forbidden									
UN3148	Water-reactive liquid, n.o.s.*	Forbidden	I								
UN3148	Water-reactive liquid, n.o.s.*	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13			478	1 L			
UN3148	Water-reactive liquid, n.o.s.*	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13			479	5 L			A3
UN3129	Water-reactive liquid, corrosive, n.o.s.*	Forbidden	I								

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3129	Water-reactive liquid, corrosive, n.o.s.*	4.3 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13			Forbidden	Forbidden			
UN3129	Water-reactive liquid, corrosive, n.o.s.*	4.3 (8)	III	Refer to DOT Special Permit or 49 CFR 173.13			479	5 L			A3
UN3130	Water-reactive liquid, toxic, n.o.s.*	Forbidden	I								
UN3130	Water-reactive liquid, toxic, n.o.s.*	4.3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13			Forbidden	Forbidden			
UN3130	Water-reactive liquid, toxic, n.o.s.*	4.3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13			479	5 L			A3
UN2813	Water-reactive solid, n.o.s.*	Forbidden	I								
UN2813	Water-reactive solid, n.o.s.*	4.3	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	484	15 kg			
UN2813	Water-reactive solid, n.o.s.*	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3
UN3131	Water-reactive solid, corrosive, n.o.s.*	Forbidden	I								
UN3131	Water-reactive solid, corrosive, n.o.s.*	4.3 (8)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			
UN3131	Water-reactive solid, corrosive, n.o.s.*	4.3 (8)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y476	5 kg	486	25 kg			A3
UN3132	Water-reactive solid, flammable, n.o.s.*	Forbidden	I								
UN3132	Water-reactive solid, flammable, n.o.s.*	4.3 (4.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y475	5 kg	483	15 kg			
UN3132	Water-reactive solid, flammable, n.o.s.*	4.3 (4.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y476	5 kg	486	25 kg			A3
UN3133	Water-reactive solid, oxidizing, n.o.s.*	Forbidden									
UN3135	Water-reactive solid, self-heating, n.o.s.*	Forbidden	I								
UN3135	Water-reactive solid, self-heating, n.o.s.*	4.3 (4.2)	II					Not Accepted			
UN3135	Water-reactive solid, self-heating, n.o.s.*	4.3 (4.2)	III					Not Accepted			
UN3134	Water-reactive solid, toxic, n.o.s.*	Forbidden	I								
UN3134	Water-reactive solid, toxic, n.o.s.*	4.3 (6.1)	II	Refer to DOT Special Permit or 49 CFR 173.13	Y474	1 kg	483	15 kg			
UN3134	Water-reactive solid, toxic, n.o.s.*	4.3 (6.1)	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3
	Wheelchair, electric with batteries - see Battery-powered equipment (UN 3171); Battery-powered vehicle (UN 3171)										
	White arsenic - see Arsenic trioxide (UN 1561)										
UN2590	White asbestos chrysotile, actinolite, anthophyllite, tremolite	9	III	MISCELLANEOUS			958	30 kg	958	30 kg	A61
	White spirit - see Turpentine substitute (UN 1300)										
UN1306	Wood preservatives, liquid	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1306	Wood preservatives, liquid	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN3342	Xanthates	4.2	II					Not Accepted			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
UN3342	Xanthates	4.2	III					Not Accepted			
UN2036	Xenon	2.2		NON-FLAMMABLE GAS			200	30 kg			A69
UN2591	Xenon, refrigerated liquid	2.2		NON-FLAMMABLE GAS & CRYOGENIC LIQUID			202	30 kg			A801
UN1307	Xylenes	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			
UN1307	Xylenes	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3
UN3430	Xylenols, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN2261	Xylenols, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1711	Xylidines, liquid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y641	1 L	654	5 L			
UN3452	Xylidines, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
	<i>Xylols - see Xylenes (UN 1307)</i>										
UN1701	Xylyl bromide, liquid	Forbidden	II								
UN3417	Xylyl bromide, solid	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13			669	25 kg			
	<i>p-Xylyl diazide</i>	Forbidden									
UN1512	Zinc ammonium nitrite	5.1	II					Not Accepted			
UN1712	Zinc arsenate	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1712	Zinc arsenate and zinc arsenite mixture	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1712	Zinc arsenite	6.1	II	Refer to DOT Special Permit or 49 CFR 173.13	Y644	1 kg	669	25 kg			
UN1435	Zinc ashes	4.3	III	Refer to DOT Special Permit or 49 CFR 173.13	Y477	10 kg	486	25 kg			A3
UN2469	Zinc bromate	5.1	III					Not Accepted			
UN1513	Zinc chlorate	5.1	II					Not Accepted			
UN2331	Zinc chloride, anhydrous	8	III	CORROSIVE	Y845	5 kg	860	25 kg			
UN1840	Zinc chloride solution	8	III	CORROSIVE	Y841	1 L	852	5 L			A3
UN1713	Zinc cyanide	6.1	I	Refer to DOT Special Permit or 49 CFR 173.13			666	5 kg			
UN1931	Zinc dithionite	9	III	MISCELLANEOUS			956	30 kg	956	30 kg	A48
UN1436	Zinc dust	Forbidden	I								
UN1436	Zinc dust	4.3 (4.2)	II					Not Accepted			
UN1436	Zinc dust	4.3 (4.2)	III					Not Accepted			
UN2855	Zinc fluorosilicate	6.1	III	Refer to DOT Special Permit or 49 CFR 173.13	Y645	10 kg	670	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed

UPS Chemical Table - ICAO/IATA Version (U.S. Air Packages)

UNID (1)	HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAMES (ALSO MARK ON PACKAGE) (2)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	LTD QTY PACKING INSTRUCTION (6)	LTD QTY MAX (7)	PASSENGER AIR PACKING INSTRUCTION (8)	PASSENGER AIR MAX ** (9)	CARGO AIR PACKING INSTRUCTION (10)	CARGO AIR MAX *** (11)	SPECIAL PROVISIONS (12)
	<i>Zinc hexafluorosilicate - see Zinc fluorosilicate (UN 2855)</i>										
UN1931	Zinc hydrosulphite	9	III	MISCELLANEOUS			956	30 kg	956	30 kg	A48
UN1514	Zinc nitrate	5.1	II					Not Accepted			
UN1515	Zinc permanganate	5.1	II					Not Accepted			
UN1516	Zinc peroxide	5.1	II					Not Accepted			
UN1714	Zinc phosphide	Forbidden	I								
UN1436	Zinc powder	Forbidden	I								
UN1436	Zinc powder	4.3 (4.2)	II					Not Accepted			
UN1436	Zinc powder	4.3 (4.2)	III					Not Accepted			
UN2714	Zinc resinate	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
	<i>Zinc selenate - see Selenates (UN 2630)</i>										
	<i>Zinc selenite - see Selenites (UN 2630)</i>										
	<i>Zinc silicofluoride - see Zinc fluorosilicate (UN 2855)</i>										
UN2858	Zirconium, dry finished sheets, strip or coiled wire thinner than 254 microns but not thinner than 18 microns	4.1	III	FLAMMABLE SOLID	Y443	10 kg	446	25 kg			
UN2009	Zirconium, dry finished sheets, strip or coiled wire thinner than 18 microns	4.2	III					Not Accepted			
UN1437	Zirconium hydride	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			
UN2728	Zirconium nitrate	5.1	III					Not Accepted			
UN0236	Zirconium picramate dry	Forbidden									
UN0236	Zirconium picramate, wetted with < 20% water	Forbidden									
UN1517	Zirconium picramate, wetted with >= 20% water	4.1	I	FLAMMABLE SOLID			451	1 kg			A40
UN2008	Zirconium powder, dry	Forbidden	I								
UN2008	Zirconium powder, dry	4.2	II					Not Accepted			
UN2008	Zirconium powder, dry	4.2	III					Not Accepted			
UN1358	Zirconium powder, wetted	4.1	II	FLAMMABLE SOLID	Y441	5 kg	445	15 kg			A35
UN1932	Zirconium scrap	Forbidden									
UN1308	Zirconium suspended in a flammable liquid	Forbidden	I								
UN1308	Zirconium suspended in a flammable liquid	3	II	FLAMMABLE LIQUID	Y341	1 L	353	5 L			A108
UN1308	Zirconium suspended in a flammable liquid	3	III	FLAMMABLE LIQUID	Y344	10 L	355	25 L			A3, A108
UN2503	Zirconium tetrachloride	8	III	CORROSIVE	Y845	5 kg	860	25 kg			

* Requires a Technical Name

** Packages must not exceed 30 kg gross weight

*** Accepted as CAO if amount is listed